627.7
H3mph
1977

PLEASE RETURN

STATE DOCUMENTS COLLECTION
SEP 20 1978
MONTANA STATE LIBRARY
930 E Lyndale Ave.
Helena, Montana 59601

1977 MONTANA PRIMARY HIGHWAYS SUFFICIENCY RATINGS

Montana State Library
3 0864 1006 6203 3

PREPARED BY THE

STATE OF MONTANA
DEPARTMENT OF HIGHWAYS
PLANNING AND RESEARCH BUREAU

IN COOPERATION WITH THE

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

December 31, 1977

TABLE OF CONTENTS

	PAGE
Introduction	1
Sufficiency Comparted to Age of Rural Primary System	6
Miles of Rural Federal Aid Primary Highways Year Constructed	7
Location of Deficient Section -- Statewide	8
Miles of Rural Primary Highway by Sufficiency Rating and Financial District	10
Tabulation of Deficient Mileage by Financial Districts	11
Tabulation of Deficient Mileage by Federal Aid Routes	12
System Map - Interstate and Primary	14
Route Maps Showing Sufficiency Ratings by Section	17
Rural Sufficiency Ratings by Section and Financial District in ascending order	
Financial District Number 1	101
Financial District Number 2	105
Financial District Number 3	108
Financial District Number 4	111
Financial District Number 5	114
Financial District Number 6	117
Financial District Number 7	120
Financial District Number 8	123
Financial District Number 9	127
Financial District Number 10	130
Financial District Number 11	133
Financial District Number 12	136
Urban Deficiency Ratings by Federal Aid Route and City	141
Rural Sufficiency Ratings by Section -- Statewide in in ascending order	169

INTRODUCTION

* * *

In order to comply with the provisions of the State Financial District Law, the Montana Department of Highways has the responsibility to evaluate the condition of the Federal-aid Primary System throughout the State for the purpose of allocating construction funds to the various financial districts. In 1948, a formula was developed to determine the relative deficiency of each section of highway, which was based largely on a comparison of the existing condition of the highway with the latest design standards. The deficiency ratings thus contained were also converted to priority ratings by the application of a traffic volume factor.

During recent years, other states have developed newer formulas for appraising the sufficiency of highways in those states, and since it was apparent that these formulas provided a better basis for evaluating highway conditions, the various formulas were studied with the objective of developing a new formula for Montana that would improve our rating procedure. This study resulted in a new sufficiency rating procedure, which is used in determining the allocation of construction funds to the financial districts and as a priority-rating guide for programming of new construction projects.

This 1977 report is the fifth to be compiled by fully utilizing the Highway Information System data bank. All items used in the sufficiency formula with the exception of the condition of pavement, foundation and drainage, were extracted from the data bank.

The sufficiency rating procedure applies only to rural sections of the Federal-aid Primary System highways. It is not adaptable to urban sections of highway because of the special traffic capacity

conditions encountered in the cities, and for this reason, the urban sections of highway continue to be rated on the basis of the older formula until such time as a new urban sufficiency rating procedure can be devised.

A total of 5453.5 miles of Primary highways are rated in this report, covering the realigned Federal-aid Primary System, composed of 5266.3 miles of rural and 187.2 miles located within municipal and urban areas.

A completely adequate section of rural highway is assigned 100 points in the sufficiency rating formula. As defined for this study, a section of highway meriting a rating of 100 points must have a thoroughly sound structure, must be free from those hazards that can be eliminated by proper road design and must have adequate capacity to satisfactorily handle existing traffic demands.

The following factors are considered in the sufficiency formula.

A. Structural Adequacy - Total 50 Points

1. Foundation - 10 Points
2. Surface - 30 Points
3. Drainage - 10 Points

B. Safety - Total 20 Points

1. Number of stopping sight distances, shorter than permitted by design speed.
2. Number of horizontal curves, sharper than permitted by design speed.
3. Number of bridges narrower than the width of the traveled-way of approaches.

4. Number of accidents as related to the average traffic volume for the analysis period.

C. Hourly Service Volume (Traffic Capacity) - Total 30 Points

1. Design hour traffic volume for the current year.
2. Pavement and shoulder widths
3. Percent of commercial vehicles
4. Length of no passing zones
5. Design speed.
6. Average highway speed.

Structural adequacy was determined by a field inspection of the entire system. To insure uniformity, this inspection was made by one man who has been schooled in rating techniques. Field measurements of pavement and roadway widths were also made during this inspection, as a check on existing records. The foundation of a section of highway was assigned points in the field between a maximum of 10 if it was considered adequate, and 0 if it was totally inadequate. Surfacing was rated and assigned points between 30 if excellent, and 0 if extremely poor. Drainage was also assigned points between 10 and 0 in the same manner as foundation and surfacing.

Factors affecting the safety rating, such as inadequate stopping sight distances, narrow bridges, and excessive horizontal curves, were obtained from the road plans and straight line diagrams. The number of traffic accidents for the analysis period were obtained from the accident subsystem of Highway Information System data bank.

A maximum of 20 points for safety was assigned to a section of highway if stopping sight distance is adequate, there are no excessive curves or narrow bridges and the number of accidents was below average. Conversely, the safety rating was reduced proportionately from 20 to 0 points by existence of any of these items.

The hourly service volume (traffic capacity) of each section of rural highway has been computed by the approved method for rural highways outlined in the new Highway Capacity Manual. This method takes into consideration such items as width of pavement and shoulders, percent of trucks, length of no passing zones, and design and average highway speeds.

The capacity rating expresses the relationship between the traffic volumes presently using the section of road and the ability of the section to accommodate such traffic. The rating is best described as the relationship between the computed Service Volume (SV) and the Design Hourly Volume (DHV). A capacity rating between 15 and 30 would indicate at least a level of Service B. Ratings less than 15 would indicate that the volumes are exceeding the volume/capacity ratio that permits free flow at the desired speed.

A total basic sufficiency rating of a section is the sum of the following ratings.

Item	Range of Points
Foundation	0 to 10
Surface	0 to 30
Drainage	0 to 10
Safety	0 to 20
Capacity	0 to 30
Total Rating	0 to 100

The adjusted sufficiency rating has been computed to establish priorities for sections of highway falling into the same general sufficiency rating category. The total basic sufficiency rating is adjusted by comparing the average daily traffic carried by a rating section, with the average for the system. This adjustment gives some additional priority to a section of highway carrying above-average traffic volumes.

The curves shown on page 6 were plotted by accumulating the miles of rural primary highway in each adjusted sufficiency category and the miles of highway in each age group. The two curves are quite similar. The sharp break in the sufficency blue curve, at about 40 percent, indicates that approximately 426 miles, or 8 percent, of rural primary highways located in all sections of the State are in a critical category and should probably be constructed immediately, if funds are available. These sections are shown in red on the State map on page 8. There are approximately 2,441 miles of rural primary highway that are 60 percent or less sufficient and 2,015 miles that are rated between 40 and 60 percent. It may be assumed that 2,015 miles, or 38 percent, of our rural primary highways rated between 40 and 60 percent sufficient are approaching obsolescense and probably should be improved within the next five to ten years. The approximate location of this mileage is also shown in blue on the State map on page 8. Mileage rated between 61 and 100 percent sufficient is considered to be in tolerable to excellent condition. This category includes 2,825 miles of rural primary highways or 54 percent of the total Primary System exclusive of Interstate mileage.


ADJUSTED SUFFICIENCY RATINGS
AND
AGE OF RURAL PRIMARY SYSTEM
Adjusted Sufficiency Rating
Age of Rural Primary System
PERCENT SUFFICIENT
0
10
20
30
40
50
60
70
80
90
100
AGE OF RURAL PRIMARY SYSTEM (YEARS)
50 & Over
45 & Over
40 & Over
35 & Over
30 & Over
25 & Over
20 & Over
15 & Over
10 & Over
5 & Over
0
426.4
1191.7
1748.3
2360.0
2440.6
3107.2
3451.0
3895.7
4325.9
4578.3
0
500
1000
1500
2000
2500
3000
3500
4000
4500
5000
5500
ACCUMULATED MILES

MONTANA

MILES OF RURAL PRIMARY FEDERAL AID HIGHWAYS CONSTRUCTED BY YEARS

1934 - 1977




DOMINION OF CANADA
BRITISH COLUMBIA
ALBERTA
SASKATCHEWAN
LINCOLN
FLATHEAD
SANDERS
LAKE
MINERAL
MISSOULA
GLACIER
TOOLE
PONDERA
TETON
LIBERTY
HILL
BLAINE
PHILLIPS
VALLEY
DANIELS
SHERIDAN
ROOSEVELT
RICHLAND
McCONE
DAWSON
CHOUTEAU
Great Falls
LEWIS AND CLARK
CASCADE
JUDITH BASIN
FERGUS
PETROLEUM
GARFIELD
PRAIRIE
WIBAUX
MEAGHER
WHEATLAND
MUSSELSHELL
GOLDEN VALLEY
TREASURE
ROSEBUD
CUSTER
FALLON
GRANITE
POWELL
RAVALLI
DEER LODGE
SILVER BOW
JEFFERSON
BROADWATER
GALLATIN
SWEET GRASS
STILLWATER
YELLOWSTONE
Billings
Bozeman
BEAVERHEAD
MADISON
PARK
POWDER RIVER
CARTER
BIG HORN
CARBON
WYOMING
SOUTH DAKOTA
NORTH DAKOTA
SUFFICIENCY RATINGS
STATE WIDE
RURAL PRIMARY SYSTEM
DECEMBER 31, 1977

The red curve on page 6 which illustrates the age of the rural primary system, indicates that approximately 1,192 miles of highway, that were in use as of December 31,1977, are at least 40 years old. The same curve shows that 2,360 miles of highway, or about 45 percent of the total rural primary system, are now at least 25 years old.

The chart on page 7 is of historical interest in that it shows the miles of rural Federal-aid Primary highway constructed by years.

The tabulation on the following page shows the miles of rural highway in each financial district by adjusted sufficiency ratings. The tabulation on page 11 summarizes the equivalent deficient mileage by financial districts and also indicates the percentage of deficient mileage that were used to allocate State construction funds to the 12 financial districts for the fiscal year beginning July 1,1978.

A tabulation of total miles, percent deficient and equivalent deficient miles by rural Federal-aid Primary Routes appears on page 12.

Strip maps of each Federal-aid Route showing the location of each rating section and the rating assigned in all categories of the formula are included in the first section of this report. The beginning of each section has also been tied to our milepost numbering system to aid in locating any particular section. The "year built" and "year improved" have been added to each rating section. The "year built" is the date that the existing section was constructed or fully reconstructed while the "year improved" indicates

MILES OF RURAL HIGHWAY
DISTRIBUTED BY ADJUSTED SUFFICIENCY RATING
IN TEN PERCENT INCREMENTS

PERCENT SUFFICIENT		FINANCIAL DISTRICTS 1	2	3	4	5	6	7	8	9	10	11	12	TOTALS	ACCUM. TOTALS
0-10 PERCENT	MILES								.2					.2	.2
	%														
11-20	MILES	14.4							8.4					22.8	23.0
PERCENT	%	2.6							1.6					.4	.4
21-30	MILES	51.4	2.8		3.6		5.3		30.5	6.2				100.0	123.1
PERCENT	%	9.2	.8		1.0		1.2		5.7	2.1				1.9	2.3
31-40	MILES	99.7	29.1	2.1	9.9		37.7	5.4	34.0	7.3	14.7	61.6	1.3	303.2	426.4
PERCENT	%	17.9	7.8	.4	2.7		8.7	2.1	6.4	2.4	3.0	14.2	.2	5.8	8.1
41-50	MILES	141.4	39.5	42.5	46.7	18.9	112.5	34.9	163.8	46.3	39.0	122.7	65.7	874.4	1300.9
PERCENT	%	25.4	10.6	7.3	12.5	4.8	25.9	13.3	30.9	15.4	7.9	28.2	12.5	16.6	24.7
51-60	MILES	81.5	67.8	131.3	62.3	166.6	79.2	111.1	66.7	70.0	106.9	86.0	109.6	1139.6	2440.6
PERCENT	%	14.6	18.1	22.5	16.7	41.8	18.3	42.4	12.6	23.3	21.8	19.8	20.8	21.6	46.3
61-70	MILES	75.4	95.2	137.6	33.5	64.4	70.4	43.0	124.7	77.2	103.6	84.0	100.8	1010.3	3451.0
PERCENT	%	13.5	25.4	23.6	9.0	16.2	16.2	16.4	23.5	25.7	21.1	19.3	19.2	19.2	65.5
71-80	MILES	54.1	76.9	170.1	56.4	91.9	54.3	28.2	48.6	35.0	110.6	42.8	105.3	874.9	4325.9
PERCENT	%	9.7	20.6	29.2	15.2	23.1	12.5	10.8	9.2	11.6	22.5	9.9	20.0	16.6	82.1
81-90	MILES	38.9	51.1	57.3	126.3	40.7	60.3	19.8	29.5	48.4	73.9	30.1	94.9	672.0	4998.0
PERCENT	%	7.0	13.7	9.8	33.9	10.2	13.9	7.6	5.6	16.1	15.1	6.9	18.1	12.8	94.9
91-100	MILES		11.6	42.0	33.4	15.5	13.5	19.4	24.0	10.1	42.2	7.6	48.2	268.2	5266.2
PERCENT	%		3.2	7.2	9.0	3.9	3.1	7.4	4.5	3.4	8.6	1.7	9.2	5.1	100.0
TOTAL	MILES	557.2	374.5	583.3	372.5	398.3	433.7	262.1	530.9	300.9	491.1	435.1	526.0	5266.2	
PERCENT	%	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

FEDERAL AID PRIMARY SYSTEM
DEFICIENT MILEAGE BY FINANCIAL DISTRICTS AND PERCENTAGES USED IN APPORTIONING STATE CONSTRUCTION FUNDS TO FINANCIAL DISTRICTS FOR FISCAL YEAR BEGINNING JULY 1, 1978
BASED ON SUFFICIENCY RATING DECEMBER 31, 1977

Financial District	Counties	Total Mileage	Deficient Mileage			Percent Deficient	Percentage for Fund Allocation
			Rural	Urban	Total		
1.	Flathead, Lincoln, Lake	575.4	263.5	2.8	266.3	46.3	12.9542
2.	Blaine, Glacier, Hill, Liberty, Toole	383.2	130.3	0.6	130.9	34.2	6.3677
3.	Daniels, Phillips, Roosevelt, Sheridan, Valley	598.7	198.4	2.0	200.4	33.5	9.7485
4.	Dawson, McCone, Prairie, Richland, Wibaux	385.6	122.2	1.3	123.5	32.0	6.0077
5.	Fergus, Garfield, Petroleum	404.7	155.0	0.8	155.8	38.5	7.5789
6.	Cascade, Judith Basin, Pondera, Teton, Chouteau	456.8	170.1	4.5	174.6	38.2	8.4935
7.	Broadwater, Jefferson, Lewis and Clark	275.4	99.9	0.9	100.8	36.6	4.9034
8.	Granite, Mineral, Missoula, Powell, Ravalli, Sanders	547.7	230.6	3.4	234.0	42.7	11.3830
9.	Beaverhead, Deer Lodge, Madison, Silver Bow	321.2	114.3	3.9	118.2	36.8	5.7499
10.	Gallatin, Meagher, Park, Sweet Grass, Wheatland	505.5	165.7	2.3	168.0	33.2	8.1724
11.	Big Horn, Carbon, Golden Valley, Musselshell, Stillwater, Treasure, Yellowstone	460.0	188.0	5.1	193.1	42.0	9.3934
12.	Carter, Custer, Fallon, Powder River, Rosebud	539.3	186.3	3.8	190.1	35.2	9.2474
	TOTAL	5453.5	2024.3	31.4	2055.7	37.7	100.0000

SUFFICENCY RATING RURAL PRIMARY SYSTEM

TOTAL BY RURAL PRIMARY ROUTES

ROUTE	TOTAL MILES	PERCENT DEFICIENT	EQUIVALENT DEFICIENT MILES
1	645.5	36.6	236.2
2	89.3	25.8	23.0
3	107.2	46.1	49.4
4	56.3	34.8	19.6
5	175.8	49.3	86.7
6	114.3	45.2	51.6
7	88.1	46.0	40.5
8	100.0	26.6	26.6
9	64.1	42.3	27.1
10	106.8	34.8	37.2
11	53.8	19.3	10.4
12	8.6	37.2	3.2
13	96.4	38.3	36.9
14	263.8	39.6	104.4
16	43.1	43.6	18.8
17	12.1	42.1	5.1
18	81.8	36.6	29.9
19	60.5	37.4	22.6
20	60.1	35.3	21.2
21	3.8	44.7	1.7
22	86.5	33.6	29.1
23	137.2	39.8	54.6
24	140.7	48.7	68.5
25	52.2	48.7	25.4
26	7.5	58.7	4.4
27	77.6	32.2	25.0
28	62.6	41.9	26.2
29	79.0	48.1	38.0
30	23.4	50.4	11.8
31	60.4	30.1	18.2
32	64.9	46.2	30.0
33	66.3	28.5	18.9
34	15.6	36.5	5.7
35	21.5	26.6	5.7
36	46.7	46.9	21.9
37	103.6	37.6	39.0
38	7.9	54.4	4.3
39	51.3	43.1	22.1
40	0.4	0.0	0.0
41	32.5	36.6	11.9
42	75.4	36.2	27.3
43	42.2	32.5	13.7
44	27.3	50.5	13.8
45	43.3	32.6	14.1
46	76.5	30.1	23.0
47	6.0	41.7	2.5
48	30.7	26.1	8.0
49	26.4	43.6	11.5
50	96.8	30.6	26.6
51	70.7	17.7	12.5
52	45.5	60.4	27.5
53	41.1	50.2	20.6
54	29.3	20.5	6.0
55	12.2	45.9	5.6
56	34.7	41.0	14.2
57	319.4	38.2	121.9
58	50.3	47.5	23.8
59	56.4	36.1	20.3
60	87.8	34.4	30.2
61	155.8	39.6	61.7
62	35.4	38.5	13.6
63	38.6	44.6	17.2
64	9.6	56.2	5.4
65	0.3	26.0	0.1
66	50.0	32.6	16.3
67	1.0	50.0	0.5
68	0.4	25.0	0.1
69	36.7	37.1	13.6
70	1.3	48.0	0.6
72	21.5	45.6	9.8
75	1.7	41.2	0.7
76	0.3	24.0	0.1
77	1.7	55.0	1.0
78	46.4	51.5	23.9
79	2.5	30.0	0.8
80	64.4	23.6	15.2
81	41.6	36.5	15.2
82	6.9	41.0	2.9
83	91.1	47.3	43.1
84	29.0	42.4	12.3
85	6.7	44.8	3.0
86	37.3	48.9	18.2
87	22.4	28.1	6.3
93	32.5	23.1	7.5
GRAND TOTAL	5266.3	38.5	2025.0

the date of the last major improvement on a section by maintenance betterment or construction.

Sufficiency ratings have been tabulated on a statewide basis by rating sections in ascending order by adjusted sufficiency ratings. These same tabulations are also included for each of the twelve financial districts along with a map of each district which shows the location of sections rated from 0 to 60 percent.


BRITISH COLUMBIA
DOMINION OF CANADA
ALBERTA
SASKATCHEWAN
NORTH DAKOTA
SOUTH DAKOTA
WYOMING
LINCOLN
FLATHEAD
GLACIER
TOOLE
LIBERTY
HILL
PHILLIPS
VALLEY
DANIELS
SHERIDAN
ROOSEVELT
RICHLAND
MCCONE
DAWSON
WIBAUX
SANDERS
LAKE
LEWIS AND CLARK
CHOUTEAU
BLAINE
PONDERA
TETON
CASCADE
FERGUS
PETROLEUM
GARFIELD
PRAIRIE
FALLON
MINERAL
MISSOULA
POWELL
GRANITE
JUDITH BASIN
MEAGHER
WHEATLAND
GOLDEN VALLEY
MUSSELSHELL
ROSEBUD
CUSTER
RAVALLI
JEFFERSON
BROADWATER
GALLATIN
SWEET GRASS
STILLWATER
YELLOWSTONE
TREASURE
POWDER RIVER
CARTER
LODGE GRASS
SILVER BOW
DEER LODGE
BEAVERHEAD
MADISON
CROW
BIG HORN
LEGEND
FEDERAL AID INTERSTATE ROUTE
FEDERAL AID PRIMARY ROUTE
MONTANA
FEDERAL AID INTERSTATE
AND PRIMARY SYSTEMS

Route Maps
Sufficiency Ratings
By Section

BEGINNING MILE POST	0.0	2.6	6.9	13.9	15.2	16.9	21.5	25.4	29.8	31.8	32.7	33.3	36.6	37.3	37.8	44.2	49.2	56.1	64.8	71.5	78.2	BEGINNING MILE POST
LENGTH	2.6	4.3	6.9	1.3	1.6	4.5	3.9	4.4	2.0	0.8	0.5	3.3	0.7	0.5	6.3	5.0	6.8	8.6	6.7	6.6	2.1	LENGTH
YEAR BUILT	54	49	49	U	37	34	37	38	71	U	71	76	76	76	3e	36	35	38	41	37	37	YEAR BUILT
YEAR IMPROVED	55	51	51	R	38	38	70	52	76	P	76	76	76	76	51	65	39	50	43	53	53	YEAR IMPROVED
SURFACE WIDTH	24	22	22	8	20	20	24	24	68	8	68	68	62	44	24	20	20	20	20	22	22	SURFACE WIDTH
ROADWAY WIDTH	30	28	28	A	24	24	26	24	68	A	68	68	62	44	24	24	24	26	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	1032	1259	1767		2583	1858	1910	1961	4278		7451	4536	2552	2384	1575	1168	TT37	T180	1222	1151	1705	ADT
DHV	134	163	229		335	241	248	254	556		894	589	331	309	204	151	147	153	158	149	143	DHV
SERVICE VOLUME	323	338	508		365	182	470	220	T720		1680	2016	272	222	515	364	228	278	234	243	187	SERVICE VOLUME
FOUNDATION - 10	4	4	0		0	0	0	0	9		9	9	9	10	0	0	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	16	13	14		10	12	10	TI	30		28	28	27	30	10	9	11	11	13	14	15	SURFACE - 30
DRAINAGE - 10	9	8	8		5	3	4	3	10		10	TO	10	10	7	7	4	6	7	5	6	DRAINAGE - TO
SAFETY - 20	7	2	6		7	3	9	1	8		20	7	20	10	4	8	3	6	2	2	20	SAFETY - 20
CAPACITY - 30	24	23	23		16	10	22	13	25		22	26	12	9	24	24	20	22	20	21	19	CAPACITY - 30
SUFFICIENCY RATING	60	50	51		38	28	45	28	82		89	80	78	69	45	48	38	45	42	42	60	SUFFICIENCY RATING
ADJUSTED RATING	60	48	47		31	24	40	24	76		83	73	73	64	42	47	37	44	40	41	59	ADJUSTED RATING
DEFICIENT MILEAGE	1.04	2.17	3.40		1.02	3.29	2.15	3.19	.36		.06	.66	.15	.15	3.51	2.60	4.25	4.77	3.91	3.85	.65	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 1 OF 7



BEGINNING MILE POST	80.3	89.5	99.4	103.1	106.4	113.3	119.6	123.2	124.6	128.3	138.3	140.0	142.5	153.2	156.6	157.1	159.5	164.7	166.2	169.0	111.1	177.6	180.5	184.2	191.1	BEGINNING MILE POST
LENGTH	9.1	9.8	3.1	3.2	6.8	6.2	3.6	1.4	3.6	10.0	1.7	2.4	10.1	3.3	3.5	2.3	5.2	1.5	2.9	2.1	6.4	2.8	3.6	12.2	0.6	LENGTH
YEAR BUILT	52	38	47	40	49	49	U	67	40	34	34	29	31	48	65	48	57	51	51	75	66	69	33	67	52	YEAR BUILT
YEAR IMPROVED	52	51	61	63	63	51	R	61	64	51	66	65	34	49	65	49	59	59	59	75	66	69	35	77	70	YEAR IMPROVED
SURFACE WIDTH	28	24	24	24	24	24	B	44	30	22	24	24	20	24	24	24	26	26	26	32	32	34	18	32	26	SURFACE WIDTH
ROADWAY WIDTH	28	25	30	24	27	31	A	44	30	24	30	24	24	28	28	28	26	26	26	32	32	34	20	32	26	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RMS	RMS	N	PMS	RMS	RMS	RMS	PMS	RMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	PMS	PMS	SURFACE TYPE
AOT	963	925	1313	1388	1650	2168		5108	4285	2702	4228	3883	2586	900	875	858	812	771	744	714	693	740	114	851	993	AOT
OHV	125	120	170	180	214	359		715	685	516	807	741	493	111	167	163	155	147	142	136	132	141	136	162	189	OHV
SERVICE VOLUME	187	522	331	218	223	481		131	348	716	365	469	415	129	301	154	351	357	384	418	365	456	199	575	324	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	3		8	0	C	C	0	0	6	6	8	5	6	5	7	6	9	0	6	1	FOUNDATION - 10
SURFACE - 30	12	10	15	13	13	14		24	12	9	13	14	12	17	19	19	16	16	16	26	17	23	11	17	22	SURFACE - 30
DRAINAGE - 10	1	6	1	8	8	8		10	8	8	8	10	5	1	10	7	8	10	10	10	10	10	3	10	10	DRAINAGE - 10
SAFETY - 20	5	3	8	4	4	10		5	4	4	6	1	1	2	0	20	10	2	1	14	20	7	0	5	0	SAFETY - 20
CAPACITY - 30	20	27	22	20	16	19		15	0	19	0	6	12	10	22	14	23	24	24	26	25	25	20	26	21	CAPACITY - 30
SUFFICIENCY RATING	44	46	52	45	41	54		62	24	4C	27	31	30	42	57	66	62	58	56	83	78	74	34	64	60	SUFFICIENCY RATING
ADJUSTED RATING	44	46	50	43	37	47		51	16	33	19	23	24	43	58	61	63	60	58	84	80	15	36	65	60	ADJUSTED RATING
DEFICIENT MILEAGE	5.13	5.31	1.81	1.79	4.06	2.88		.53	2.76	6.03	1.24	1.68	7.50	1.95	.22	.79	1.98	.63	1.24	.35	1.42	.14	2.39	4.41	.24	DEFICIENT MILEAGE

FAP ROUTE NO 1

SHEET 2 OF 7



197.8	204.3	209.2	210.1	211.3	213.8	218.8	220.4	221.8	222.6	223.7	224.0	228.7	229.8	231.9	233.1	240.2	247.0	251.9	254.1	254.5	254.5	254.8	256.0	BEGINNING MILE POST
6.3	4.8	0.8	1.2	1.8	5.7	1.5	1.3	0.1	2.8	0.1	4.9	1.0	2.1	1.2	7.0	6.7	4.9	2.1	0.4	0.1	0.2	1.1	0.8	LENGTH
52	63	63	43	39	U	39	45	U	32	60	35	57	25	50	25	21	21	12	55	U	55	U	67	YEAR BUILT
70	63	63	62	63	N	63	45	R	70	60	61	57	63	63	61	60	76	72	55	R	55	R	67	YEAR IMPROVED
26	32	32	28	26	O C	26	24	B	22	32	22	24	24	24	24	24	24	50	42	B	42	B	40	SURFACE WIDTH
28	32	32	30	30	E O	30	24	A	24	32	24	32	24	30	24	24	24	50	42	A	42	A	40	ROADWAY WIDTH
PMS	PMS	PMS	RMS	RMS	R N	RMS	RMS	N	RMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	N	PMS	N	PMS	SURFACE TYPE
1031	1079	1294	1295	1291	S	1369	1526		3465	2911	1156	1511	1398	1315	1132	1192	1452	1946	2534		3830		1492	ADT
196	206	247	247	246	I	261	297		615	556	280	242	223	210	181	118	217	291	304		375		223	OHV
264	441	428	400	400	R	572	218		254	464	345	731	514	564	546	575	617	272	817		817		580	SERVICE VOLUME
5	4	5	0	0	U	0	0		3	8	U	4	0	5	0	0	9	8	4		5		6	FOUNDATION - 10
17	15	11	14	12	C	10	13		16	23	11	16	11	17	12	12	28	26	16		17		19	SURFACE - 30
10	10	10	9	8	I	1	7		9	10	8	10	5	10	7	4	1	10	10		10		10	DRAINAGE - 10
3	5	1	1	2	I	8	1		1	20	3	11	1	6	2	3	3	3	4		20		12	SAFETY - 20
19	23	21	21	21	U	23	14		0	12	18	25	23	24	25	25	25	14	24		23		24	CAPACITY - 30
54	57	54	45	43	N	48	35		29	13	40	66	40	62	46	44	12	61	56		75		71	SUFFICIENCY RATING
54	56	52	43	41		46	32		21	61	36	63	38	60	45	43	70	56	51		69		68	ADJUSTED RATING
2.93	2.10	.40	.66	1.06		.81	.90		1.99	.04	2.95	.35	1.27	.45	3.81	3.79	1.38	.82	.16		.05		1.97	DEFICIENT MILEAGE

262.8	263.1	271.0	278.0	218.4	218.8	279.2	280.1	291.1	299.1	BEGINNING MILE POST
0.2	1.4	7.0	0.3	0.3	0.4	0.8	11.6	8.0	7.2	LENGTH
67	65	53	60	60	56	U	54	56	57	YEAR BUILT
61	65	66	60	60	56	R	59	59	62	YEAR IMPROVED
40	32	32	68	68	60	B	32	32	32	SURFACE WIDTH
40	32	32	68	68	60	A	32	32	32	ROADWAY WIDTH
PMS	PMS	RMS	PMS	PMS	PMS	N	PMS	PMS	PMS	SURFACE TYPE
1309	1376	1566	1512	3558	3558		1041	793	824	ADT
196	206	234	235	498	498		135	103	107	OHV
680	720	544	3520	3520	1760		616	648	616	SERVICE VOLUME
6	8	3	3	3	3		2	2	0	FOUNDATION - 10
19	22	17	14	13	14		17	11	13	SURFACE - 30
10	10	10	10	10	9		10	10	10	DRAINAGE - 10
20	20	9	7	7	20		20	20	20	SAFETY - 20
26	26	24	29	28	26		21	28	21	CAPACITY - 30
81	86	63	63	61	72		16	77	70	SUFFICIENCY RATING
80	85	60	60	52	64		76	78	71	ADJUSTED RATING
.05	1.04	2.61	.13	.13	.12		2.19	1.84	2.47	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 3 OF 7



BEGINNING MILE P3S1	307.0	308.0	315.3	321.0	321.7	322.6	326.3	332.6	341.9	347.7	348.2	354.5	363.5	372.1	379.1	380.6	383.8	BEGINNING MILE P3S1
LENGTH	0.9	7.2	5.7	0.7	0.8	3.7	6.1	9.2	5.8	0.5	6.3	8.9	8.5	7.0	1.5	3.1	7.2	LENGTH
YEAR BUILT	57	47	47	77	U	77	76	71	60	U	60	36	38	60	52	U	46	YEAR BUILT
YEAR IMPROVED	62	60	60	77	R	77	76	71	60	R	60	59	70	60	52	R	54	YEAR IMPROVED
SURFACE WIDTH	32	26	26	40	B	40	40	40	32	B	32	26	28	32	40	B	24	SURFACE WIDTH
ROADWAY WIDTH	32	26	26	40	A	40	40	40	32	A	32	31	32	32	40	A	30	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	PMS	PMS	N	PMS	PMS	PMS	PMS	N	PMS	RMS	RMS	PMS	RMS	N	PMS	SURFACE TYPE
ADT	829	782	460	1244		1598	1271	951	1367		1041	1164	1241	2192	4261		5797	ADT
DHV	107	102	124	161		207	165	123	177		135	151	161	284	455		753	DHV
SERVICE VOLUME	680	476	539	264		304	304	264	720		672	564	696	696	654		565	SERVICE VOLUME
FOUNDATION - 10	4	4	6	10		10	10	9	7		8	5	7	4	0		6	FOUNDATION - 10
SURFACE - 30	17	16	17	30		30	30	27	22		22	17	18	17	12		18	SURFACE - 30
DRAINAGE - 10	10	10	10	10		10	10	10	10		10	10	10	10	10		10	DRAINAGE - 10
SAFETY - 20	20	2	3	20		20	20	4	20		9	1	5	11	10		4	SAFETY - 20
CAPACITY - 30	28	27	27	21		20	22	23	26		27	26	27	24	20		10	CAPACITY - 30
SUFFICIENCY RATING	79	59	63	91		90	92	73	85		76	59	67	66	52		48	SUFFICIENCY RATING
ADJUSTED RATING	80	61	63	90		88	91	73	84		75	58	65	61	42		35	ADJUSTED RATING
DEFICIENT MILEAGE	.20	2.98	2.14	.06		.37	.49	2.50	.87		1.53	3.67	2.83	2.38	.72		3.74	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 4 OF 7

BEGINNING MILE POST	391.0	393.8	403.5	404.0	408.3	413.4	414.0	421.3	423.9	424.6	424.7	428.5	429.0	435.1	440.0	446.3	453.0	454.5	457.6	466.7	471.6	472.4	481.3	489.0	499.1	500.0	BEGINNING MILE POST
LENGTH	2.8	9.7	0.5	4.2	5.0	0.5	7.3	2.5	0.7	0.1	3.8	0.5	5.2	4.6	6.4	7.3	0.7	3.1	9.0	4.9	0.6	8.9	7.6	9.9	0.9	1.5	LENGTH
YEAR BUILT	46	38	U	44	40	49	50	39	68	U	68	68	36	25	35	73	U	U	U	53	U	67	67	67	U	55	YEAR BUILT
YEAR IMPROVED	54	56	R	56	56	56	73	62	68	R	68	68	72	71	71	73	R	N	N	53	R	67	67	67	R	55	YEAR IMPROVED
SURFACE WIDTH	24	24	B	28	28	32	32	26	40	B	40	40	28	22	24	40	A	D C	D C	24	B	40	40	40	H	24	SURFACE WIDTH
ROADWAY WIDTH	31	30	A	30	30	32	32	31	40	A	40	40	30	24	24	40	A	E O	E D	30	A	40	40	40	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	RMS	N	PMS	PMS	PMS	PMS	RMS	PMS	N	PMS	PMS	RMS	RMS	RMS	PMS	N	N	N	RMS	N	PMS	PMS	PMS	N	RMS	SURFACE TYPE
ADT	2884	2256		2377	2051	2019	1979	1931	1702		2014	1382	1216	982	879	1100			S	1468		1750	1101	1086		1123	ADT
DHV	374	293		309	266	262	257	251	221		261	179	158	127	114	143			I	190		227	143	140		151	DHV
SERVICE VOLUME	565	663		663	663	680	720	663	304		304	264	491	348	508	304			R	600		288	304	369		566	SERVICE VOLUME
FOUNDATION - 10	5	5		6	6	5	9	6	8		8	9	3	2	2	7			U	2		8	8	7		0	FOUNDATION - 10
SURFACE - 30	16	17		17	16	16	28	16	27		26	28	13	15	16	24			C	16		23	23	19		12	SURFACE - 30
DRAINAGE - 10	10	10		10	10	10	10	10	10		10	10	10	4	6	10			I	10		10	10	10		10	DRAINAGE - 10
SAFETY - 20	5	18		9	8	1	18	12	20		8	20	2	1	9	20			I	20		20	20	13		20	SAFETY - 20
CAPACITY - 30	20	23		23	24	24	25	24	14		17	20	25	25	21	23			O	25		18	23	26		26	CAPACITY - 30
SUFFICIENCY RATING	58	73		65	64	56	90	73	64		65	97	53	47	60	84			N	73		79	84	75		68	SUFFICIENCY RATING
ADJUSTED RATING	50	68		59	59	51	88	69	82		65	86	51	47	61	83				71		76	83	74		67	ADJUSTED RATING
DEFICIENT MILEAGE	1.19	2.62		1.48	1.83	.26	.13	.09	.12		1.17	.07	2.46	2.46	2.57	1.17				1.33		1.88	1.22	2.09		.98	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 5 OF 7



BEGINNING MILE POST	501.4	508.0	515.6	521.4	526.5	537.6	540.9	541.0	541.4	542.4	543.8	546.2	554.6	555.1	555.8	555.9	556.1	564.8	571.7	BEGINNING MILE POST
LENGTH	6.5	7.5	5.7	5.1	11.1	3.3	0.1	0.3	1.0	1.3	2.4	8.4	0.5	0.7	0.1	0.1	8.8	6.9	9.3	LENGTH
YEAR BUILT	55	66	50	50	50	48	U	48	U	62	62	53	56	U	56	U	56	U	58	YEAR BUILT
YEAR IMPROVED	55	66	55	55	55	48	R	48	R	62	62	53	70	R	70	R	70	N	76	YEAR IMPROVED
SURFACE WIDTH	24	40	24	24	24	24	B	24	B	68	36	24	32	B	32	B	32	D C	24	SURFACE WIDTH
ROADWAY WIDTH	28	40	27	27	27	26	A	26	A	68	36	30	32	A	32	A	32	E D	32	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	N	PMS	PMS	PMS	PMS	N	PMS	N	PMS	R N	PMS	SURFACE TYPE
ADT	1133	1277	1447	1270	1307	3067		5483		2698	1966	1466	1412		1078		958	S	1299	ADT
DHV	152	172	195	171	176	414		740		391	265	197	190		145		129	T	175	DHV
SERVICE VOLUME	500	296	526	471	308	793		728		3800	616	631	544		528		696	R	720	SERVICE VOLUME
FOUNDATION - 10	0	5	4	3	2	0		0		6	5	0	7		4		7	U	4	FOUNDATION - 10
SURFACE - 30	14	22	17	18	14	10		14		19	11	14	25		27		23	C	24	SURFACE - 30
DRAINAGE - 10	9	10	10	10	10	10		8		10	10	10	10		10		10	I	10	DRAINAGE - 10
SAFETY - 20	20	20	17	3	2	10		20		5	3	13	20		20		11	I	20	SAFETY - 20
CAPACITY - 30	25	21	24	25	21	22		15		28	24	25	25		26		27	D	26	CAPACITY - 30
SUFFICIENCY RATING	68	78	72	59	49	52		57		68	59	62	87		92		78	N	84	SUFFICIENCY RATING
ADJUSTED RATING	67	77	70	57	47	44		45		61	54	59	66		91		78		83	ADJUSTED RATING
DEFICIENT MILEAGE	2.10	1.67	1.62	2.09	5.67	1.60		.14		.44	.99	3.19	.06		.00		1.91		1.49	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 6 OF 7



BEGINNING MILE POST	581.0	590.3	591.4	597.2	601.7	611.5	611.9	625.6	626.1	629.4	634.7	639.1	642.5	644.2	645.0	648.0	656.3	661.5	BEGINNING MILE POST
LENGTH	9.3	1.0	5.7	4.5	9.7	0.3	13.6	0.5	3.2	5.3	4.4	3.3	1.7	0.7	3.0	8.2	5.2	5.6	LENGTH
YEAR BUILT	57	U	56	58	60	U	70	U	43	46	52	52	56	U	56	61	55	55	YEAR BUILT
YEAR IMPROVED	61	R	58	58	60	R	70	R	57	50	52	52	61	R	61	61	62	62	YEAR IMPROVED
SURFACE WIDTH	32	B	32	32	32	B	40	B	24	24	24	24	32	B	32	32	32	32	SURFACE WIDTH
ROADWAY WIDTH	32	A	32	32	32	A	40	A	30	32	30	30	32	A	32	32	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	N	PMS	PMS	PMS	N	PMS	N	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	1519		2079	1845	2226		1653		1145	1081	1008	975	970		1069	750	684	771	ADT
DHV	205		249	221	267		214		148	140	131	126	126		144	101	92	104	DHV
SERVICE VOLUME	616		648	648	680		306		414	302	442	414	426		629	629	536	352	SERVICE VOLUME
FOUNDATION - 10	3		6	6	5		7		C	0	C	0	0		7	4	7	7	FOUNDATION - 10
SURFACE - 30	17		17	16	18		22		16	17	14	12	13		17	14	18	17	SURFACE - 30
DRAINAGE - 10	10		10	10	10		10		10	9	10	10	10		10	10	10	10	DRAINAGE - 10
SAFETY - 20	20		12	20	11		20		3	2	10	13	20		10	20	4	20	SAFETY - 20
CAPACITY - 30	25		24	25	24		19		25	23	26	25	26		27	28	27	26	CAPACITY - 30
SUFFICIENCY RATING	75		69	79	68		76		54	51	60	60	69		71	76	66	70	SUFFICIENCY RATING
ADJUSTED RATING	73		64	76	63		75		53	50	60	60	69		70	77	66	71	ADJUSTED RATING
DEFICIENT MILEAGE	2.32		1.79	.65	3.12		3.01		1.49	2.63	1.76	1.33	.53		.87	1.98	1.78	1.68	DEFICIENT MILEAGE

FAP ROUTE NO 1
SHEET 7 OF 7

BEGINNING MILE POST	0.0	0.9	4.8	6.1	6.8	13.1	20.9	27.4	34.0	45.8	51.7	57.1	70.1	70.8	82.6	84.0	89.0	BEGINNING MILE POST
LENGTH	0.9	3.9	1.5	0.6	6.3	7.7	6.5	6.2	11.7	5.8	6.0	12.3	0.7	11.7	1.3	5.0	6.4	LENGTH
YEAR BUILT	62	U	50	62	50	70	75	73	65	67	67	58	U	39	U	68	68	YEAR BUILT
YEAR IMPROVED	62	R	50	62	50	70	75	73	65	67	67	72	R	39	R	68	68	YEAR IMPROVED
SURFACE WIDTH	32	B	20	32	20	34	34	34	40	40	40	32	B	24	B	40	40	SURFACE WIDTH
ROADWAY WIDTH	32	A	24	32	24	34	34	34	40	40	40	32	A	30	A	40	40	ROADWAY WIDTH
SURFACE TYPE	PMS	N	RMS	PMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	N	PMS	PMS	SURFACE TYPE
ADT	1092		1602	627	631	574	455	467	411	360	404	487		941		846	532	ADT
OHV	123		208	81	82	74	59	60	53	46	52	63		122		109	69	OHV
SERVICE VOLUME	567		551	302	228	448	425	448	569	406	431	592		286		599	629	SERVICE VOLUME
FOUNDATION - 10	7		3	7	0	8	10	10	6	6	6	7		0		3	4	FOUNDATION - 10
SURFACE - 30	17		15	22	14	26	30	30	17	16	16	25		14		16	18	SURFACE - 30
DRAINAGE - 10	10		10	10	9	10	10	10	10	10	10	10		10		10	10	DRAINAGE - 10
SAFETY - 20	20		2	14	1	15	20	20	12	20	20	12		2		5	9	SAFETY - 20
CAPACITY - 30	27		24	26	25	28	28	28	29	28	28	28		24		27	28	CAPACITY - 30
SUFFICIENCY RATING	81		54	79	49	87	98	98	74	80	80	82		50		61	69	SUFFICIENCY RATING
ADJUSTED RATING	80		51	81	52	88	98	98	79	84	84	85		50		62	73	ADJUSTED RATING
DEFICIENT MILEAGE	.11		.70	.14	3.22	1.00	.13	.12	3.05	1.17	1.21	2.22		5.86		1.97	1.99	DEFICIENT MILEAGE

FAP ROUTE NO 2

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.8	8.1	15.3	16.8	18.0	20.1	23.1	24.0	25.5	28.2	40.4	41.9	54.5	59.6	BEGINNING MILE POST
LENGTH	1.4	6.2	7.1	1.4	1.2	2.1	2.9	0.8	1.4	2.6	12.2	1.4	12.9	4.8	8.5	LENGTH
YEAR BUILT	55	36	36	42	62	21	21	U	21	21	40	U	21	32	32	YEAR BUILT
YEAR IMPROVED	71	48	61	42	62	32	32	R	32	32	40	P	61	53	53	YEAR IMPROVED
SURFACE WIDTH	28	24	24	24	35	22	20	6	20	20	24	B	20	20	20	SURFACE WIDTH
ROADWAY WIDTH	32	31	31	30	35	22	22	A	22	22	30	A	22	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	BST	BST	BST	N	BST	BST	RMS	N	RMS	RMS	RMS	SURFACE TYPE
ADT	5935	4618	1305	1323	1312	1440	2441		965	865	801		936	732	731	ADT
DHV	771	600	177	171	170	187	317		125	112	114		225	176	176	DHV
SERVICE VOLUME	264	831	469	600	616	420	397		420	425	600		367	338	212	SERVICE VOLUME
FOUNDATION - 10	5	3	0	4	4	0	0		0	0	0		0	0	0	FOUNDATION - 10
SURFACE - 30	14	20	13	16	17	11	12		12	12	15		13	11	5	SURFACE - 30
DRAINAGE - 10	10	8	8	8	10	4	4		3	3	7		5	6	6	DRAINAGE - 10
SAFETY - 20	5	10	6	20	20	11	2		0	20	9		7	2	1	SAFETY - 20
CAPACITY - 30	0	16	24	26	26	23	18		26	26	21		21	22	18	CAPACITY - 30
SUFFICIENCY RATING	39	57	51	74	77	49	36		41	61	58		40	41	34	SUFFICIENCY RATING
ADJUSTED RATING	27	46	49	72	75	46	30		41	62	59		40	43	36	ADJUSTED RATING
DEFICIENT MILEAGE	.85	2.61	3.49	.38	.28	1.07	1.84		.88	1.05	5.16		7.76	2.14	5.62	DEFICIENT MILEAGE

FAP ROUTE NO 3
SHEET 1 OF 2

BEGINNING MILE POST	68.2	75.2	83.6	84.3	89.2	95.0	101.0	103.3	BEGINNING MILE POST
LENGTH	6.9	8.3	0.7	4.8	5.8	5.9	2.1	7.2	LENGTH
YEAR BUILT	32	28	66	66	68	66	51	60	YEAR BUILT
YEAR IMPROVED	32	52	66	66	68	66	51	60	YEAR IMPROVED
SURFACE WIDTH	20	22	34	34	34	34	26	32	SURFACE WIDTH
ROADWAY WIDTH	24	24	36	36	34	34	28	32	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	PMS	PMS	PMS	PMS	RMS	RMS	SURFACE TYPE
AOI	725	463	455	647	700	635	667	917	AOI
OHV	174	111	109	155	168	153	160	220	OHV
SERVICE VOLUME	338	627	584	752	697	664	592	639	SERVICE VOLUME
FOUNDATION - 10	0	0	9	8	9	9	4	4	FOUNDATION - 10
SURFACE - 30	8	10	26	25	27	26	16	17	SURFACE - 30
DRAINAGE - 10	4	4	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	1	7	5	13	7	4	18	SAFETY - 20
CAPACITY - 30	22	27	27	27	26	27	26	25	CAPACITY - 30
SUFFICIENCY RATING	35	42	79	75	85	79	60	74	SUFFICIENCY RATING
ADJUSTED RATING	37	47	83	77	86	81	63	74	ADJUSTED RATING
DEFICIENT MILEAGE	4.48	4.86	.14	1.21	.87	1.24	.85	1.88	DEFICIENT MILEAGE

FAP ROUTE NO 3

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.5	13.4	19.2	23.2	24.7	25.6	26.2	32.7	33.1	33.7	42.7	42.5	50.8	52.2	53.6	54.3	54.5	BEGINNING MILE POST
LENGTH	0.5	12.9	5.7	4.0	1.5	0.9	0.6	6.4	0.4	0.5	8.9	0.1	7.9	1.3	1.5	0.4	0.2	0.7	LENGTH
YEAR BUILT	49	56	59	72	72	72	U	23	U	54	68	68	46	45	22	64	64	U	YEAR BUILT
YEAR IMPROVED	49	63	59	72	72	72	R	51	R	54	68	68	65	65	35	64	64	R	YEAR IMPROVED
SURFACE WIDTH	24	32	32	32	40	40	B	22	B	24	40	40	24	28	24	68	68	B	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	32	40	40	A	24	A	32	40	40	32	32	30	68	68	A	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	PMS	PMS	PMS	N	RMS	N	PMS	PMS	PMS	RMS	RMS	RMS	PMS	PMS	N	SURFACE TYPE
AOT	954	954	954	957	1294	2705		1641		1869	2074	4670	3956	3627	4426	4969	5085		AOT
OHV	124	124	124	124	168	351		213		242	269	607	514	471	575	645	661		OHV
SERVICE VOLUME	648	569	599	448	266	896		486		828	643	349	536	616	652	1392	1392		SERVICE VOLUME
FOUNDATION - 10	8	-3	0	5	8	9		0		4	7	1	4	4	2	7	1		FOUNDATION - 10
SURFACE - 30	21	17	14	24	26	28		11		16	22	24	11	15	13	22	22		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10		6		10	10	10	10	9	1	10	10		DRAINAGE - 10
SAFETY - 20	20	9	12	20	15	19		3		12	16	3	13	14	2	9	20		SAFETY - 20
CAPACITY - 30	27	27	27	26	21	24		23		26	24	7	16	19	17	23	23		CAPACITY - 30
SUFFICIENCY RATING	86	66	63	65	80	90		43		68	79	51	60	61	41	71	82		SUFFICIENCY RATING
ADJUSTED RATING	86	66	63	85	79	87		39		64	75	40	50	52	31	61	75		ADJUSTED RATING
DEFICIENT MILEAGE	.07	4.39	2.13	.60	.30	.09		3.65		.19	1.87	.01	3.18	.54	.94	.12	.04		DEFICIENT MILEAGE

55.3	57.3	BEGINNING MILE POST
2.0	0.8	LENGTH
23	23	YEAR BUILT
68	68	YEAR IMPROVED
55	55	SURFACE WIDTH
55	55	ROADWAY WIDTH
RMS	RMS	SURFACE TYPE
3001	2763	AOT
390	359	OHV
806	627	SERVICE VOLUME
4	3	FOUNDATION - 10
14	13	SURFACE - 30
8	8	DRAINAGE - 10
3	1	SAFETY - 20
23	21	CAPACITY - 30
52	46	SUFFICIENCY RATING
44	39	ADJUSTED RATING
1.00	.43	DEFICIENT MILEAGE

FAP ROUTE NO 4
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.6	4.0	5.5	15.0	18.4	24.3	27.5	30.0	32.6	32.7	33.0	34.9	35.3	41.1	46.1	46.5	47.3	53.3	56.9	57.8	59.0	59.3	61.0	61.6	64.4	67.4	71.3	77.5	79.3	86.3	92.7
LENGTH	0.6	3.0	1.5	9.4	3.4	5.8	3.1	2.5	2.6	0.1	0.3	1.8	0.3	5.7	5.0	0.4	0.7	6.0	3.4	0.8	1.1	0.3	1.6	0.5	2.8	2.9	3.9	6.2	1.8	0.9	6.4	0.7
YEAR BUILT	76	34	48	64	40	55	55	56	56	U	69	56	72	50	66	70	U	70	58	73	58	58	U	66	54	54	54	62	62	32	33	64
YEAR IMPROVED	76	55	54	76	40	60	60	60	60	R	69	60	72	50	66	70	R	70	58	73	58	58	R	66	54	54	70	62	62	52	65	64
SURFACE WIDTH	64	24	24	36	24	32	32	44	32	B	44	32	32	24	40	40	B	40	32	40	32	40	B	40	24	24	30	32	32	22	24	32
ROADWAY WIDTH	64	24	32	36	30	32	32	44	32	A	44	32	32	30	40	40	A	40	32	40	32	40	A	40	32	32	30	32	32	24	24	32
SURFACE TYPE	PMS	RMS	PMS	PMS	RMS	PMS	PMS	PMS	PMS	N	RMS	PMS	PMS	RMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	PMS
ADT	4376	4242	4074	3654	3468	4297	5048	4185	3564		3501	3863	3882	3921	4737	5403		5094	5270	5517	5636	6612		3032	2647	2260	1622	1601	1698	1659	1568	1230
DHV	638	619	594	533	506	627	736	611	520		511	563	566	572	691	788		743	769	805	822	965		409	384	305	218	216	229	229	211	166
SERVICE VOLUME	308	280	220	235	507	580	302	578	544		336	544	432	491	648	848		309	688	308	454	326		326	584	411	465	447	662	341	374	278
FOUNDATION - 10	10	0	0	9	0	6	5	5	4		5	4	7	2	5	8		10	8	6	6	8		9	0	4	5	6	6	6	6	4
SURFACE - 30	30	12	13	26	15	19	17	18	17		17	13	21	15	16	24		27	22	22	17	23		26	18	16	24	24	19	10	8	14
DRAINAGE - 10	10	7	7	10	8	10	10	10	10		10	10	10	8	10	10		10	10	10	10	10		10	10	10	9	10	10	4	4	10
SAFETY - 20	4	1	4	8	4	15	4	3	13		20	4	8	4	14	3		12	11	18	8	20		1	4	15	7	12	7	1	1	1*
CAPACITY - 30	0	0	0	0	15	14	0	14	16		7	14	10	13	14	16		0	13	0	3	0		11	20	19	23	23	25	20	22	21
SUFFICIENCY RATING	54	20	25	53	42	64	38	50	60		59	50	56	42	55	66		59	64	56	44	61		57	52	64	68	75	67	35	35	64
ADJUSTED RATING	43	13	16	44	33	34	25	40	51		50	40	46	32	45	55		48	53	44	32	48		49	44	58	65	72	63	31	32	62
DEFICIENT MILEAGE	.28	2.46	1.16	4.46	1.99	2.10	2.01	1.27	1.02		.13	.92	.17	3.36	2.05	.13		2.46	1.23	.38	.66	.12		.25	1.36	1.05	1.23	1.55	.60	4.50	4.17	.26

FAP ROUTE 5
SHEET 1 OF 2

BEGINNING MILE POST	93.5	98.6	104.2	109.6	114.8	120.6	125.4	126.9	128.4	134.6	145.6	156.9	159.6	168.2	178.0	179.6	180.5	BEGINNING MILE POST
LENGTH	5.1	5.5	5.3	4.9	5.7	4.7	1.4	1.5	6.2	10.9	11.2	2.6	8.6	9.6	1.5	1.3	6.5	LENGTH
YEAR BUILT	64	63	49	U	57	60	60	U	34	55	55	55	31	31	U	43	50	YEAR BUILT
YEAR IMPROVED	64	63	61	R	60	60	60	R	54	59	60	60	64	52	R	57	50	YEAR IMPROVED
SURFACE WIDTH	32	32	38	B	36	36	36	B	22	24	26	26	24	22	B	22	24	SURFACE WIDTH
ROADWAY WIDTH	32	32	38	A	36	36	36	A	23	28	26	26	24	22	A	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	N	PMS	PMS	PMS	N	RMS	PMS	PMS	PMS	RMS	RMS	N	PMS	RMS	SURFACE TYPE
ADT	1777	2976	6298		4778	5055	8095		2386	1301	861	999	1038	1443		2337	615	ADT
DHV	239	401	755		573	606	971		310	169	111	129	134	187		303	79	DHV
SERVICE VOLUME	307	589	383		662	662	937		132	569	284	284	138	140		319	353	SERVICE VOLUME
FOUNDATION - 10	4	4	6		5	4	6		0	3	0	0	0	0		0	0	FOUNDATION - 10
SURFACE - 30	14	15	18		18	16	19		13	15	14	15	17	15		11	14	SURFACE - 30
DRAINAGE - 10	10	10	10		10	10	10		4	10	9	9	4	5		8	5	DRAINAGE - 10
SAFETY - 20	10	4	13		8	10	15		1	8	11	13	1	1		1	10	SAFETY - 20
CAPACITY - 30	18	20	0		17	16	14		0	26	24	23	15	10		16	27	CAPACITY - 30
SUFFICIENCY RATING	56	53	47		58	58	64		18	62	58	60	37	31		36	60	SUFFICIENCY RATING
ADJUSTED RATING	52	45	34		47	44	50		14	60	59	60	37	29		30	63	ADJUSTED RATING
DEFICIENT MILEAGE	2.27	2.60	2.83		2.43	2.10	.53		5.08	4.16	4.73	1.07	5.47	6.66		.87	2.61	DEFICIENT MILEAGE

FAP ROUTE 5
SHEET 2 OF 2



BEGINNING MILE POST	0.0	2.2	4.6	6.2	10.4	11.4	12.3	13.5	14.7	23.3	29.4	37.6	46.2	47.2	49.6	50.4	51.5	BEGINNING MILE POST
LENGTH	2.2	2.3	3.6	4.1	0.9	0.9	1.2	1.1	8.6	6.0	8.2	8.5	0.9	2.4	0.7	1.0	4.5	LENGTH
YEAR BUILT	52	63	52	63	52	63	58	63	59	59	48	48	58	61	48	U	35	YEAR BUILT
YEAR IMPROVED	63	63	64	63	52	63	58	63	64	64	54	54	58	64	54	R	36	YEAR IMPROVED
SURFACE WIDTH	24	28	24	28	24	28	32	28	32	32	24	24	32	32	24	B	20	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	28	28	28	32	28	32	32	28	28	32	32	28	A	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	PMS	RMS	RMS	BST	RMS	PMS	PMS	PMS	PMS	BST	PMS	PMS	N	RMS	SURFACE TYPE
ADT	516	536	564	591	698	713	730	750	788	826	838	798	864	943	1514		1750	ADT
DHV	75	78	82	86	101	104	106	109	115	120	122	116	126	137	221		260	DHV
SERVICE VOLUME	371	312	283	371	283	342	264	501	426	616	569	536	510	302	271		255	SERVICE VOLUME
FOUNDATION - 10	6	5	5	8	6	8	7	8	6	3	4	0	5	7	6		0	FOUNDATION - 10
SURFACE - 30	18	18	15	18	17	20	19	20	22	17	13	16	17	20	18		13	SURFACE - 30
DRAINAGE - 10	6	9	9	10	10	10	10	10	10	10	9	9	10	10	9		6	DRAINAGE - 10
SAFETY - 20	3	20	3	5	4	10	12	5	5	8	7	7	20	2	16		3	SAFETY - 20
CAPACITY - 30	27	26	26	27	25	25	24	27	26	27	27	27	26	23	18		15	CAPACITY - 30
SUFFICIENCY RATING	62	76	58	68	62	73	72	70	69	65	60	59	78	62	67		37	SUFFICIENCY RATING
ADJUSTED RATING	66	81	62	71	64	75	74	72	70	66	61	60	76	62	64		33	ADJUSTED RATING
DEFICIENT MILEAGE	.85	.51	1.52	.69	.36	.25	.33	.35	2.66	2.13	3.29	3.49	.21	.94	.25		2.87	DEFICIENT MILEAGE

FAP ROUTE NO 6

SHEET 1 OF 2

BEGINNING MILE POST	56.0	57.8	64.7	68.7	72.5	75.7	76.2	76.6	78.9	85.0	88.7	90.5	94.0	95.6	99.2	102.1	103.0	104.6	105.1	106.1	108.1	115.1	BEGINNING MILE POST
LENGTH	1.7	6.6	3.9	3.8	3.1	C.5	0.3	2.2	6.0	3.6	1.8	3.5	1.2	3.6	2.5	0.7	1.7	0.3	1.0	1.9	7.0	0.9	LENGTH
YEAR BUILT	35	34	39	38	31	U	31	31	31	31	24	69	24	57	24	69	22	69	22	44	27	34	YEAR BUILT
YEAR IMPROVED	49	49	39	52	34	R	34	34	51	51	38	69	38	76	38	69	57	69	34	44	50	52	YEAR IMPROVED
SURFACE WIDTH	20	20	26	20	18	B	18	18	20	20	20	32	20	30	20	32	20	32	22	24	20	20	SURFACE WIDTH
ROADWAY WIDTH	24	24	26	24	24	A	24	24	24	24	24	32	24	30	25	32	24	32	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	RMS	PMS	N	RMS	RMS	RMS	RMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	PMS	RMS	BST	RMS	RMS	SURFACE TYPE
AOT	1159	1062	1184	1419	1698		1737	1452	1298	877	853	806	764	794	814	823	829	834	838	846	1189	1395	AOT
OHV	172	158	176	211	253		258	222	193	130	127	120	113	118	121	122	123	124	124	126	177	207	OHV
SERVICE VOLUME	164	233	330	233	646		294	270	470	453	356	529	233	488	470	781	325	302	423	608	470	448	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0		0	0	0	0	0	8	0	5	C	7	C	8	0	0	0	0	FOUNDATION - 10
SURFACE - 30	13	11	13	11	9		11	11	11	11	11	22	15	28	16	23	10	24	9	10	9	9	SURFACE - 30
DRAINAGE - 10	5	5	6	4	6		3	3	5	4	4	10	3	8	4	10	3	10	3	6	4	8	DRAINAGE - 10
SAFETY - 20	9	11	2	3	4		4	0	1	1	0	20	1	20	2	15	0	1	1	8	1	1	SAFETY - 20
CAPACITY - 30	16	20	22	16	24		17	18	24	26	25	27	23	26	26	28	24	24	26	27	24	23	CAPACITY - 30
SUFFICIENCY RATING	43	47	43	34	43		35	32	41	42	40	87	42	91	42	83	37	67	39	53	38	41	SUFFICIENCY RATING
ADJUSTED RATING	42	46	42	32	39		31	29	39	43	41	87	44	91	43	84	38	68	40	54	37	39	ADJUSTED RATING
DEFICIENT MILEAGE	.97	3.65	2.27	2.56	1.79		.24	1.54	3.59	2.10	1.12	.46	.74	.32	1.71	.12	1.07	.12	.64	.93	4.35	.55	DEFICIENT MILEAGE

FAP ROUTE NO 6

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.1	7.5	13.5	16.7	20.4	23.5	26.4	30.4	31.2	43.0	44.5	46.6	48.0	49.7	51.9	59.0	66.7	73.5	74.2	74.8	76.8	82.7	83.3	90.1	BEGINNING MILE POST
LENGTH	0.1	7.4	6.0	3.3	3.5	3.0	2.9	4.0	0.8	11.7	1.5	2.0	1.3	1.7	2.2	7.0	7.7	6.7	0.6	0.5	2.0	6.0	0.6	6.7	5.0	LENGTH
YEAR BUILT	40	40	40	36	37	37	36	36	U	34	49	34	U	40	53	53	56	56	74	74	74	74	68	66	U	YEAR BUILT
YEAR IMPROVED	40	40	40	39	39	39	36	59	R	35	49	55	R	40	53	53	61	61	76	76	76	76	68	68	P	YEAR IMPROVED
SURFACE WIDTH	22	22	24	24	24	24	22	22	B	18	28	22	9	24	24	24	32	32	44	64	38	38	44	68	B	SURFACE WIDTH
ROADWAY WIDTH	22	22	24	24	24	24	25	26	A	24	28	24	A	30	32	32	32	32	44	64	38	38	44	66	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	BST	BST	PMS	RPS	N	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT	800	811	842	895	895	897	960	1940		2456	2649	4215		4615	4221	3201	3004	3857	4415	4481	4539	5103	5724	7026		ADT
DHV	104	105	109	116	116	116	124	252		319	344	547		595	548	416	390	501	573	582	590	663	744	913		DHV
SERVICE VOLUME	329	329	289	235	235	220	273	453		414	331	627		830	1092	698	774	722	344	2360	344	344	232	1920		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0		0	3	0		0	0	2	8	8	9	8	10	10	10	9		FOUNDATION - 10
SURFACE - 30	13	13	12	11	13	12	11	10		10	13	9		8	9	12	24	24	28	26	28	28	27	27		SURFACE - 30
DRAINAGE - 10	9	9	6	7	7	7	6	6		6	9	6		4	10	10	10	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	0	1	20	1	2	9	2	2		2	1	3		7	11	7	10	12	20	4	10	12	6	6		SAFETY - 20
CAPACITY - 30	25	25	24	23	23	22	23	22		18	14	17		19	22	21	22	20	5	26	4	1	0	23		CAPACITY - 30
SUFFICIENCY RATING	63	64	62	62	65	58	62	60		36	40	33		38	52	52	74	74	12	74	62	61	53	75		SUFFICIENCY RATING
ADJUSTED RATING	64	65	63	63	66	61	62	55		30	33	24		28	42	44	68	66	63	66	52	50	40	64		ADJUSTED RATING
DEFICIENT MILEAGE	.05	4.16	2.28	1.96	1.94	1.54	1.70	2.40		7.52	.91	1.16		1.07	1.07	3.38	2.00	1.76	.18	.14	.77	2.35	.29	1.68		DEFICIENT MILEAGE

FAP ROUTE NO 7
SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.9	11.2	13.0	23.2	25.5	27.3	27.6	30.0	34.1	39.8	40.4	40.5	44.5	52.8	54.4	55.5	57.1	65.4	76.4	76.1	BEGINNING MILE POST
LENGTH	3.8	7.3	1.7	10.2	2.3	1.6	0.3	2.2	4.1	5.4	7.7	2.0	0.5	3.2	1.6	1.5	1.1	8.3	11.5	1.1	9.6	LENGTH
YEAR BUILT	U	57	33	33	73	73	77	77	U	33	U	U	U	U	65	69	69	72	56	U	U	YEAR BUILT
YEAR IMPROVED	N	64	66	58	73	73	77	77	N	33	N	N	R	N	65	69	69	72	65	R	N	YEAR IMPROVED
SURFACE WIDTH	D C	32	22	22	56	56	56	56	D C	20	R	D C	R	L C	40	40	40	34	32	d	D C	SURFACE WIDTH
ROADWAY WIDTH	E O	32	24	24	56	56	56	56	E C	24	A	L O	A	E C	40	40	40	34	32	A	E O	ROADWAY WIDTH
SURFACE TYPE	R N	PMS	RMS	RMS	PMS	PMS	PMS	PMS	R N	RMS	N	R N	N	R N	PMS	PMS	PMS	PMS	PMS	N	R N	SURFACE TYPE
ADT	S	1147	1177	1151	1166	1198	1347	1440	S	1748		S		S	3674	2803	1947	2135	2338		S	ADT
OHV	T	149	153	149	151	155	175	187	T	227		T		T	552	398	253	277	303		T	OHV
SERVICE VOLUME	R	456	620	573	2000	2000	1200	1200	R	259		R		R	344	264	320	504	848		R	SERVICE VOLUME
FOUNDATION - 10	U	7	3	0	9	9	10	10	U	0		U		U	8	9	9	7	5		U	FOUNDATION - 10
SURFACE - 30	C	20	9	9	28	27	30	30	C	12		C		C	25	26	27	23	18		C	SURFACE - 30
DRAINAGE - 10	I	10	8	6	10	10	10	10	I	8		I		I	10	10	10	10	10		I	DRAINAGE - 10
SAFETY - 20	L	6	12	4	12	8	3	3	I	2		I		I	20	20	20	17	6		I	SAFETY - 20
CAPACITY - 30	U	25	26	26	29	29	26	28	C	14		C		U	6	7	18	22	23		U	CAPACITY - 30
SUFFICIENCY RATING	N	68	55	45	88	83	81	87	N	41		N		N	69	72	64	79	62		N	SUFFICIENCY RATING
ADJUSTED RATING		67	54	44	87	82	79	79		37					61	66	61	75	56			ADJUSTED RATING
DEFICIENT MILEAGE		2.35	.78	5.61	.28	.28	.05	.42		3.20					.91	.42	.18	1.74	4.38			DEFICIENT MILEAGE

87.7	98.9	107.8	108.8	BEGINNING MILE POST
11.2	8.9	0.9	0.3	LENGTH
50	52	52	68	YEAR BUILT
51	52	52	68	YEAR IMPROVED
24	24	24	44	SURFACE WIDTH
26	28	28	44	ROADWAY WIDTH
RMS	PMS	RMS	RMS	SURFACE TYPE
1634	2056	1796	1796	ADT
213	267	155	155	OHV
507	401	503	126	SERVICE VOLUME
4	2	7	10	FOUNDATION - 10
15	15	20	27	SURFACE - 30
10	10	10	10	DRAINAGE - 10
19	20	20	1	SAFETY - 20
24	20	25	12	CAPACITY - 30
72	67	82	60	SUFFICIENCY RATING
69	62	81	59	ADJUSTED RATING
3.15	2.95	.17	.12	DEFICIENT MILEAGE

FAP ROUTE 8
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.9	12.4	20.1	20.8	29.3	38.5	43.1	46.0	53.8	60.0	64.0	BEGINNING MILE POST
LENGTH	2.2	10.4	7.7	0.7	8.4	9.0	4.5	2.8	7.8	6.1	4.0	0.7	LENGTH
YEAR BUILT	67	59	63	63	12	32	35	35	35	36	36	U	YEAR BUILT
YEAR IMPROVED	67	59	63	63	36	36	35	35	35	36	36	R	YEAR IMPROVED
SURFACE WIDTH	30	32	32	32	20	20	20	20	20	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	30	32	32	32	24	24	24	24	24	25	25	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	BST	AMS	AMS	AMS	PMS	AMS	A	SURFACE TYPE
ADT	334	340	379	299	321	355	472	522	466	499	630		ADT
DHV	53	54	60	47	51	56	75	83	74	79	100		DHV
SERVICE VOLUME	697	411	447	365	470	211	364	205	247	226	453		SERVICE VOLUME
FOUNDATION - 10	6	6	3	6	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	25	20	17	19	10	11	13	11	12	12	12		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	7	7	8	8	8	8		DRAINAGE - 10
SAFETY - 20	4	20	12	20	2	1	2	1	1	1	13		SAFETY - 20
CAPACITY - 30	29	28	28	28	28	26	27	24	26	25	27		CAPACITY - 30
SUFFICIENCY RATING	76	84	70	85	47	45	69	44	47	46	80		SUFFICIENCY RATING
ADJUSTED RATING	82	88	76	89	55	52	54	48	52	51	83		ADJUSTED RATING
DEFICIENT MILEAGE	.53	1.07	2.32	.10	5.48	5.00	2.33	1.59	4.15	3.31	1.60		DEFICIENT MILEAGE

FAP ROUTE NO 9
SHEET 1 OF 1

BEGINNING MILE POST		0.0	3.9	5.6	10.2	20.0	29.7	39.5	51.5	52.3	55.1	BEGINNING MILE POST
LENGTH		4.7	0.1	4.4	3.8	9.7	5.3	12.0	0.8	2.7	8.7	LENGTH
YEAR BUILT	U		40	51	51	63	64	74	36	34	34	YEAR BUILT
YEAR IMPROVED	R		71	57	57	63	64	74	36	55	55	YEAR IMPROVED
SURFACE WIDTH	B		28	30	30	32	32	32	24	22	22	SURFACE WIDTH
ROADWAY WIDTH	A		28	30	30	32	32	32	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N		PMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	PMS	SURFACE TYPE
ADT			2142	1731	1719	1780	1869	1231	1478	1501	1367	ADT
DHV			278	225	223	231	242	160	192	195	177	DHV
SERVICE VOLUME			592	414	565	580	720	621	296	340	406	SERVICE VOLUME
FOUNDATION - 10			5	6	3	5	7	10	0	0	0	FOUNDATION - 10
SURFACE - 30			25	17	16	19	23	28	14	10	12	SURFACE - 30
DRAINAGE - 10			9	10	10	10	10	10	8	8	8	DRAINAGE - 10
SAFETY - 20			3	20	15	13	20	12	1	2	2	SAFETY - 20
CAPACITY - 30			23	22	24	24	25	26	20	21	23	CAPACITY - 30
SUFFICIENCY RATING			65	73	68	71	85	86	43	41	45	SUFFICIENCY RATING
ADJUSTED RATING			60	70	64	67	82	85	40	38	43	ADJUSTED RATING
DEFICIENT MILEAGE			2.13	1.75	1.22	2.82	1.47	1.68	.38	1.62	4.82	DEFICIENT MILEAGE

BEGINNING MILE POST	63.9	72.4	79.3	80.0	84.8	86.0	89.4	89.6	90.9	97.0	104.3	109.5
LENGTH	8.4	6.8	0.6	4.7	1.2	3.3	0.1	1.3	6.0	7.3	5.1	1.7
YEAR BUILT	34	34	U	33	70	33	30	70	30	28	67	52
YEAR IMPROVED	55	55	R	63	70	41	70	70	73	41	67	52
SURFACE WIDTH	22	22	B	24	32	20	30	32	22	22	40	32
ROADWAY WIDTH	24	24	A	26	32	24	30	32	26	24	40	32
SURFACE TYPE	RMS	RMS	N	RMS	PMS	BST	RMS	PMS	PMS	RMS	PMS	RMS
ADT	1194	1217		1355	1315	1285	1263	1624	1609	1808	2017	1640
DHV	155	158		176	170	167	164	211	235	235	262	213
SERVICE VOLUME	380	364		567	720	476	702	720	535	510	304	580
FOUNDATION - 10	2	0		0	8	0	7	8	0	0	7	3
SURFACE - 30	18	13		11	26	11	24	25	14	15	22	14
DRAINAGE - 10	8	5		7	10	7	10	10	7	7	10	10
SAFETY - 20	2	5		20	20	7	20	4	12	10	20	6
CAPACITY - 30	24	23		25	26	25	26	26	23	23	17	24
SUFFICIENCY RATING	54	49		63	90	50	87	73	56	55	76	57
ADJUSTED RATING	53	47		61	85	48	86	70	52	51	72	53
DEFICIENT MILEAGE	3.69	3.50		1.77	.12	1.68	.02	.35	2.68	3.31	1.23	.77



FAP ROUTE NO 10
SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.0	1.3	5.5	10.8	16.6	19.3	30.9	40.7	44.9	51.8	55.8	BEGINNING MILE POST
LENGTH	1.0	0.3	4.3	5.1	5.7	2.7	11.6	9.7	9.1	4.8	4.0	2.0	LENGTH
YEAR BUILT	75	75	71	69	69	61	61	61	65	61	0	34	YEAR BUILT
YEAR IMPROVED	75	75	71	69	69	61	61	61	65	61	6	34	YEAR IMPROVED
SURFACE WIDTH	48	34	34	34	32	32	32	32	32	32	8	20	SURFACE WIDTH
ROADWAY WIDTH	48	34	34	34	32	32	32	32	32	32	4	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	PMS	PMS	PMS	PMS	PMS	N	PMS	SURFACE TYPE
AOT	1220	960	544	692	683	894	886	980	1214	T666		2369	AOT
DHV	262	210	202	191	189	T92	196	210	261	356		307	DHV
SERVICE VOLUME	664	752	597	657	639	817	817	617	817	748		610	SERVICE VOLUME
FOUNDATION - TO	9	9	8	9	8	9	8	8	8	8		0	FOUNDATION - 10
SURFACE - 30	28	26	26	27	26	26	25	25	23	25		14	SURFACE - 30
DRAINAGE - TO	10	TO	10	10	10	10	10	10	10	10		7	DRAINAGE - 10
SAFETY - 20	0	20	20	20	2	20	18	13	6	4		4	SAFETY - 20
CAPACITY - 30	24	26	25	26	26	26	27	26	25	23		22	CAPACITY - 30
SUFFICIENCY RATING	71	93	89	92	72	91	88	82	72	70		47	SUFFICIENCY RATING
ADJUSTED RATING	70	93	89	92	73	91	88	82	71	67		41	ADJUSTED RATING
DEFICIENT MILEAGE	.29	.02	.47	.41	1.61	.24	1.39	1.74	2.56	.56		1.10	DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	2.2	8.0	8.6
LENGTH	2.2	5.7	C.5	0.6
YEAR BUILT	61	61	30	U
YEAR IMPROVED	61	61	30	6
SURFACE WIDTH	34	34	34	8
ROADWAY WIDTH	34	34	34	6
SURFACE TYPE	PMS	PMS	AMS	N
AOT	1317	1524	1791	
DHV	304	352	413	
SERVICE VOLUME	354	680	896	
FOUNDATION - 10	5	6	0	
SURFACE - 30	18	16	8	
DRAINAGE - 10	10	10	3	
SAFETY - 20	8	13	11	
CAPACITY - 30	17	22	23	
SUFFICIENCY RATING	58	67	45	
ADJUSTED RATING	56	64	41	
DEFICIENT MILEAGE	.95	1.90	.31	

FAP ROUTE NO 11 & 12

SHEET 1 OF 1

BEGINNING MILE POST	0.0	8.6	16.3	21.3	24.3	27.1	37.8	47.1	48.6	49.2	56.5	61.5	65.3	74.8	80.3	82.2	83.0	83.9	88.7	92.0	93.3	93.6	94.6	95.7	96.5	97.1	BEGINNING MILE POST
LENGTH	8.5	7.8	4.9	2.9	2.6	10.8	9.2	1.4	0.6	7.2	5.1	3.7	9.5	5.9	1.4	0.8	0.9	5.2	4.2	0.2	0.3	1.1	1.1	0.8	0.5	0.2	LENGTH
YEAR BUILT	62	66	69	71	34	34	34	36	U	34	36	34	34	76	76	50	34	32	32	68	68	49	38	U	50	64	YEAR BUILT
YEAR IMPROVED	76	66	69	71	34	34	34	58	R	34	57	34	34	76	76	50	52	48	67	68	68	49	38	R	55	69	YEAR IMPROVED
SURFACE WIDTH	32	40	40	40	20	20	20	22	B	20	22	20	20	32	32	22	22	24	26	40	40	28	24	B	32	32	SURFACE WIDTH
ROADWAY WIDTH	32	40	40	40	24	24	24	25	A	24	24	24	24	32	32	24	24	30	24	40	40	28	28	A	32	32	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	SURFACE TYPE
ADT	284	328	375	443	490	715	1115	1900		1044	908	835	615	554	481	481	504	525	526	529	823	823	823		1382	852	ADT
DHV	56	65	75	88	98	143	223	380		167	140	129	95	85	74	74	78	66	66	66	106	106	106		179	110	DHV
SERVICE VOLUME	630	697	664	597	871	838	486	601		431	317	211	255	696	525	296	343	323	396	96	75	629	399		808	451	SERVICE VOLUME
FOUNDATION - 10	7	9	8	8	0	0	0	0		0	2	3	0	8	5	0	0	0	0	9	8	3	0		2	9	FOUNDATION - 10
SURFACE - 30	24	26	23	25	9	10	12	12		15	15	15	14	27	28	15	13	14	10	26	25	15	13		12	26	SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	9	8	9		6	7	8	7	10	10	8	8	6	1	10	10	10	8		8	10	DRAINAGE - 10
SAFETY - 20	7	10	20	20	5	13	7	10		4	1	1	1	5	20	2	1	1	2	20	1	11	1		20	4	SAFETY - 20
CAPACITY - 30	29	24	28	28	28	27	23	21		24	23	21	24	28	28	26	27	27	27	19	9	27	26		27	26	CAPACITY - 30
SUFFICIENCY RATING	77	84	89	91	49	59	50	52		51	48	48	46	78	95	51	49	50	46	84	53	66	48		69	75	SUFFICIENCY RATING
ADJUSTED RATING	83	86	91	93	54	61	49	47		51	49	49	49	81	96	56	54	55	50	86	54	67	49		67	76	ADJUSTED RATING
DEFICIENT MILEAGE	1.96	1.25	.54	.26	1.35	4.43	4.62	.71		3.55	2.69	1.43	5.15	1.29	.37	.40	.46	2.63	2.29	.04	.15	.37	.57		.17	.05	DEFICIENT MILEAGE

FAP ROUTE NO 13
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.8	2.3	6.4	13.5	23.5	33.4	41.6	42.7	45.1	48.9	55.9	63.1	68.5	73.3	75.1	BEGINNING MILE POST
LENGTH	0.8	1.5	4.0	7.1	9.9	9.9	8.1	0.9	2.4	3.9	6.9	7.2	5.3	4.8	1.7	2.0	LENGTH
YEAR BUILT	U	64	64	37	51	55	33	U	65	65	76	56	37	36	36	34	YEAR BUILT
YEAR IMPROVED	R	64	64	66	51	55	66	R	65	65	76	56	65	63	63	64	YEAR IMPROVED
SURFACE WIDTH	B	32	32	24	20	24	21	B	40	40	36	28	21	22	22	22	SURFACE WIDTH
ROADWAY WIDTH	A	32	32	25	26	27	24	A	40	40	36	28	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		1685	641	556	469	452	813		657	342	271	261	280	295	305	318	ADT
DHV		252	96	83	67	67	121		98	44	35	33	36	36	35	41	DHV
SERVICE VOLUME		616	548	530	297	297	711		326	485	226	371	446	451	792	702	SERVICE VOLUME
FOUNDATION - 10		9	0	0	0	4	0		8	6	10	3	0	0	0	0	FOUNDATION - 10
SURFACE - 30		22	23	11	14	15	10		22	19	30	16	5	9	10	10	SURFACE - 30
DRAINAGE - 10		10	10	7	5	9	6		10	10	10	10	8	7	7	6	DRAINAGE - 10
SAFETY - 20		6	20	2	3	1	15		20	20	20	7	4	2	5	10	SAFETY - 20
CAPACITY - 30		24	27	28	27	27	27		25	29	28	29	29	25	25	29	CAPACITY - 30
SUFFICIENCY RATING		71	88	48	49	56	60		85	84	98	65	50	47	51	55	SUFFICIENCY RATING
ADJUSTED RATING		68	84	52	55	62	61		80	88	98	74	59	56	55	63	ADJUSTED RATING
DEFICIENT MILEAGE		.43	.48	3.73	5.04	4.39	3.27		.36	.63	.13	2.54	2.66	2.58	.87	.92	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 1 OF 3



BEGINNING MILE POST	77.2	88.0	92.8	99.3	100.3	100.8	108.6	116.4	122.5	124.9	129.5	130.5	133.0	137.0	146.0	BEGINNING MILE POST
LENGTH	10.8	4.7	6.5	0.9	0.5	7.1	8.4	6.1	2.3	4.5	1.0	2.4	3.9	9.1	5.6	LENGTH
YEAR BUILT	34	66	68	U	65	65	53	67	67	56	U	37	37	37	37	YEAR BUILT
YEAR IMPROVED	64	66	68	R	65	65	53	67	67	71	R	37	37	37	37	YEAR IMPROVED
SURFACE WIDTH	22	40	40	B	40	40	24	40	40	28	B	20	20	26	20	SURFACE WIDTH
ROADWAY WIDTH	24	40	40	A	40	40	29	40	40	28	A	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	N	AMS	AMS	AMS	AMS	SURFACE TYPE
ADT	333	394	571		1548	1106	957	812	806	955		1054	1080	1136	446	ADT
DHV	43	51	74		201	143	124	105	104	124		137	140	147	58	DHV
SERVICE VOLUME	684	344	344		872	247	486	247	260	486		177	307	582	201	SERVICE VOLUME
FOUNDATION - 10	0	8	6		8	7	4	8	8	3		0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	21	21		23	23	15	24	24	16		11	9	9	13	SURFACE - 30
DRAINAGE - 10	7	10	10		10	10	10	10	10	10		6	6	8	4	DRAINAGE - 10
SAFETY - 20	4	7	19		10	12	12	17	20	16		17	1	6	1	SAFETY - 20
CAPACITY - 30	29	28	27		27	21	26	24	24	26		25	23	26	26	CAPACITY - 30
SUFFICIENCY RATING	49	74	85		78	73	67	83	86	73		59	39	49	44	SUFFICIENCY RATING
ADJUSTED RATING	57	79	87		76	72	67	84	86	73		59	38	48	50	ADJUSTED RATING
DEFICIENT MILEAGE	5.52	1.24	.97		.11	1.92	2.78	1.03	.33	1.22		1.01	2.42	4.64	3.15	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 2 OF 3



BEGINNING MILE POST	229.5	242.4	252.3	259.4	265.1	270.5	270.8	270.8	271.2	BEGINNING MILE POST
LENGTH	12.8	9.9	7.1	5.5	5.3	0.3	0.1	0.3	1.2	LENGTH
YEAR BUILT	55	50	54	54	57	U	77	77	U	YEAR BUILT
YEAR IMPROVED	63	63	54	54	75	R	77	77	R	YEAR IMPROVED
SURFACE WIDTH	20	20	24	24	32	B	40	28	B	SURFACE WIDTH
ROADWAY WIDTH	20	24	24	24	32	A	40	28	A	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	PMS	N	PMS	PMS	N	SURFACE TYPE
AOT	253	163	185	181	256		980	1852		AOT
OHV	40	25	30	28	40		155	240		OHV
SERVICE VOLUME	240	354	258	450	546		530	391		SERVICE VOLUME
FOUNDATION - 10	0	0	3	2	10		10	9		FOUNDATION - 10
SURFACE - 30	12	16	12	17	30		30	25		SURFACE - 30
DRAINAGE - 10	5	9	10	10	10		10	10		DRAINAGE - 10
SAFETY - 20	3	12	3	4	2		20	20		SAFETY - 20
CAPACITY - 30	28	29	28	29	29		26	21		CAPACITY - 30
SUFFICIENCY RATING	52	66	60	62	87		96	85		SUFFICIENCY RATING
ADJUSTED RATING	62	78	71	73	87		96	82		ADJUSTED RATING
DEFICIENT MILEAGE	6.18	3.38	2.86	2.12	1.02		.00	.04		DEFICIENT MILEAGE

BEGINNING MILE POST	151.6	155.1	158.0	160.4	167.5	166.5	170.1	182.0	187.6	192.1	195.3	203.7	205.7	207.1	212.4	217.1	224.4	BEGINNING MILE POST
LENGTH	3.4	2.8	2.4	7.0	0.9	1.6	11.8	5.5	4.4	3.2	8.3	1.4	1.9	5.2	4.7	7.2	5.1	LENGTH
YEAR BUILT	37	56	56	36	33	U	39	39	39	39	39	U	46	46	46	48	48	YEAR BUILT
YEAR IMPROVED	37	56	56	50	56	R	39	39	39	39	39	R	63	57	57	63	63	YEAR IMPROVED
SURFACE WIDTH	20	24	24	20	26	B	20	20	20	20	20	B	20	20	20	25	25	SURFACE WIDTH
ROADWAY WIDTH	24	28	28	24	30	A	24	24	24	24	24	A	24	24	24	25	25	ROADWAY WIDTH
SURFACE TYPE	RMS	PMS	PMS	RMS	RMS	N	RMS	RMS	RMS	RMS	PMS	N	RMS	PMS	RMS	RMS	RMS	SURFACE TYPE
AOT	422	378	340	490	2621		785	588	551	533	504		459	336	293	242	217	AOT
OHV	54	49	44	63	340		102	76	71	69	65		72	53	46	38	34	OHV
SERVICE VOLUME	207	301	586	377	780		333	210	354	357	354		538	333	357	408	258	SERVICE VOLUME
FOUNDATION - 10	0	0	2	0	0		0	0	0	0	0		0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	13	12	15	11	10		13	12	11	9	12		10	11	10	15	15	SURFACE - 30
DRAINAGE - 10	4	9	10	6	6		10	8	6	6	9		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	1	11	5	2	1		1	1	3	11	6		20	3	6	20	4	SAFETY - 20
CAPACITY - 30	26	28	29	27	23		25	25	27	27	27		28	28	28	29	28	CAPACITY - 30
SUFFICIENCY RATING	44	60	61	46	40		49	46	49	55	54		68	52	54	74	57	SUFFICIENCY RATING
ADJUSTED RATING	50	67	68	51	33		51	50	53	59	59		73	60	63	82	68	ADJUSTED RATING
DEFICIENT MILEAGE	1.91	1.14	.98	3.81	.58		6.05	3.01	2.28	1.47	3.82		.63	2.53	2.16	1.88	2.20	DEFICIENT MILEAGE

FAP ROUTE NO 14
SHEET 3 OF 3

BEGINNING MILE POST	0.0	4.7	11.7	21.5	23.2	25.1	29.6	38.1	40.2	BEGINNING MILE POST
LENGTH	4.7	7.0	5.8	1.7	1.8	4.5	8.4	8.0	1.8	LENGTH
YEAR BUILT	U	77	34	68	34	34	66	65	37	YEAR BUILT
YEAR IMPROVED	R	77	51	68	58	34	66	65	37	YEAR IMPROVED
SURFACE WIDTH	B	40	20	40	22	20	32	32	20	SURFACE WIDTH
ROADWAY WIDTH	A	40	24	40	24	24	32	32	24	ROADWAY WIDTH
SURFACE TYPE	N	PMS	RMS	PMS	RMS	RMS	PMS	PMS	RMS	SURFACE TYPE
ADT		1562	1259	1327	1464	1513	1455	1470	2224	ADT
DHV		203	163	172	190	196	189	191	289	DHV
SERVICE VOLUME		184	220	358	243	239	487	680	283	SERVICE VOLUME
FOUNDATION - 10		10	0	7	0	0	7	5	0	FOUNDATION - 10
SURFACE - 30		30	11	25	13	13	22	19	13	SURFACE - 30
DRAINAGE - 10		10	5	10	7	6	10	10	6	DRAINAGE - 10
SAFETY - 20		5	1	12	1	1	8	4	1	SAFETY - 20
CAPACITY - 30		13	19	23	18	19	24	26	15	CAPACITY - 30
SUFFICIENCY RATING		68	36	77	39	36	71	69	37	SUFFICIENCY RATING
ADJUSTED RATING		65	34	75	36	35	69	66	32	ADJUSTED RATING
DEFICIENT MILEAGE		2.25	6.16	.39	1.10	2.79	2.45	2.69	1.12	DEFICIENT MILEAGE

FAP ROUTE NO 16

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.2	8.7	10.5	12.0	BEGINNING MILE POST
LENGTH	3.5	5.4	1.7	1.4	1.0	LENGTH
YEAR BUILT	69	38	38	57	U	YEAR BUILT
YEAR IMPROVED	69	63	63	57	R	YEAR IMPROVED
SURFACE WIDTH	24	20	20	24	B	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	28	A	ROADWAY WIDTH
SURFACE TYPE	BST	RMS	RMS	RMS	N	SURFACE TYPE
ADT	477	466	457	454		ADT
DHV	72	70	69	68		DHV
SERVICE VOLUME	327	364	233	371		SERVICE VOLUME
FOUNDATION - 10	4	0	4	7		FOUNDATION - 10
SURFACE - 30	17	14	17	17		SURFACE - 30
DRAINAGE - 10	6	7	8	10		DRAINAGE - 10
SAFETY - 20	10	4	1	6		SAFETY - 20
CAPACITY - 30	27	27	26	27		CAPACITY - 30
SUFFICIENCY RATING	64	52	56	67		SUFFICIENCY RATING
ADJUSTED RATING	69	57	61	72		ADJUSTED RATING
DEFICIENT MILEAGE	1.26	2.60	.78	.46		DEFICIENT MILEAGE

FAP ROUTE NO 17

SHEET 1 OF 1

BEGINNING MILE POST	0.0	1.0	2.1	13.0	18.0	20.0	23.9	34.9	38.0	48.4	53.3	58.5	63.3	73.5	BEGINNING MILE POST
LENGTH	0.9	1.1	10.9	5.0	2.0	3.8	10.9	3.1	10.3	4.9	5.0	4.3	10.2	9.3	LENGTH
YEAR BUILT	U	57	64	63	28	28	31	31	31	31	77	76	67	58	YEAR BUILT
YEAR IMPROVED	R	57	64	63	35	35	35	56	35	35	77	76	67	65	YEAR IMPROVED
SURFACE WIDTH	B	32	32	30	20	20	20	20	20	20	30	30	30	28	SURFACE WIDTH
ROADWAY WIDTH	A	34	32	30	24	24	24	24	24	24	30	30	30	28	ROADWAY WIDTH
SURFACE TYPE	N	BST	PMS	PMS	BST	BST	BST	BST	BST	BST	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		2573	1107	256	241	233	210	185	203	230	249	263	310	374	ADT
OHV		334	143	33	31	30	27	24	26	29	32	34	40	48	OHV
SERVICE VOLUME		362	471	535	538	515	357	336	357	374	392	548	567	368	SERVICE VOLUME
FOUNDATION - 10		6	5	1	0	0	0	0	0	0	10	10	7	6	FOUNDATION - 10
SURFACE - 30		18	16	14	8	7	8	8	7	8	30	28	24	22	SURFACE - 30
DRAINAGE - 10		10	10	10	8	8	7	7	7	5	10	10	10	10	DRAINAGE - 10
SAFETY - 20		8	20	17	20	1	1	2	1	1	6	5	8	7	SAFETY - 20
CAPACITY - 30		16	25	24	29	25	29	25	29	29	29	29	25	28	CAPACITY - 30
SUFFICIENCY RATING		58	76	73	65	47	65	46	44	43	85	82	78	73	SUFFICIENCY RATING
ADJUSTED RATING		51	75	81	74	57	56	58	55	53	90	87	84	78	ADJUSTED RATING
DEFICIENT MILEAGE		.47	2.62	1.35	.70	2.06	6.02	1.71	5.61	2.79	.81	.76	2.24	2.53	DEFICIENT MILEAGE

FAP ROUTE NO 18
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.6	5.5	7.1	10.1	16.9	22.0	24.3	27.6	30.8	38.5	48.3	57.4	62.5	63.2	63.6	BEGINNING MILE POST
LENGTH	2.6	2.6	1.5	4.7	6.8	5.0	2.2	3.3	3.1	7.7	9.7	9.1	5.0	0.6	0.4	1.3	LENGTH
YEAR BUILT	64	61	61	U	51	51	51	34	34	57	60	51	25	66	66	U	YEAR BUILT
YEAR IMPROVED	64	61	61	R	59	59	59	54	40	76	60	52	52	66	66	R	YEAR IMPROVED
SURFACE WIDTH	76	76	76	B	24	24	32	22	20	32	32	20	20	40	32	B	SURFACE WIDTH
ROADWAY WIDTH	76	76	76	A	28	28	32	24	24	32	32	24	22	40	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT	2445	4109	5462		1950	1046	749	520	491	689	672	495	638	681	689		ADT
DHV	317	534	710		282	151	108	75	71	99	68	71	92	98	99		DHV
SERVICE VOLUME	2280	2280	2256		508	561	514	222	281	568	482	732	507	258	774		SERVICE VOLUME
FOUNDATION - 10	8	8	9		3	2	0	3	0	8	5	0	6	5	5		FOUNDATION - 10
SURFACE - 30	25	24	25		15	14	16	14	12	26	16	9	9	26	25		SURFACE - 30
DRAINAGE - 10	10	10	10		8	10	8	7	6	10	10	3	3	10	10		DRAINAGE - 10
SAFETY - 20	12	13	15		9	11	11	2	0	11	14	2	1	13	20		SAFETY - 20
CAPACITY - 30	28	26	25		22	26	27	25	26	27	28	24	27	24	26		CAPACITY - 30
SUFFICIENCY RATING	83	81	86		57	63	62	51	44	82	73	43	40	82	92		SUFFICIENCY RATING
ADJUSTED RATING	79	74	77		52	63	64	56	49	83	77	48	43	83	92		ADJUSTED RATING
DEFICIENT MILEAGE	.49	.50	.24		2.92	1.87	.85	1.65	1.75	1.38	2.61	5.20	3.04	.11	.03		DEFICIENT MILEAGE

FAP ROUTE NO 19
SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.7	6.1	13.0	18.5	23.1	28.8	31.4	32.9	42.0	50.0	51.7	52.5	58.6	62.5	63.9	BEGINNING MILE POST
LENGTH	1.7	4.3	6.9	5.6	4.1	5.7	2.5	1.4	9.0	7.9	1.7	0.8	6.0	3.9	1.3	0.3	LENGTH
YEAR BUILT	U	64	67	69	54	54	75	74	34	73	73	U	35	35	U	56	YEAR BUILT
YEAR IMPROVED	A	64	67	69	54	54	75	74	57	73	73	A	35	35	A	56	YEAR IMPROVED
SURFACE WIDTH	8	40	40	40	28	28	40	40	20	40	83	B	20	20	B	24	SURFACE WIDTH
ROADWAY WIDTH	A	40	40	40	28	28	40	40	24	40	83	A	24	24	A	32	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	RMS	RMS	PMS	PMS	RMS	PMS	PMS	N	RMS	RMS	N	RMS	SURFACE TYPE
ADT		1741	1028	904	1055	1203	1205	1209	1211	1743	4195		2652	1893		958	ADT
DHV		226	133	117	137	156	156	157	157	226	545		344	246		124	DHV
SERVICE VOLUME		222	643	184	434	301	296	266	608	261	1720		711	595		896	SERVICE VOLUME
FOUNDATION - 10		8	7	6	0	2	10	10	0	10	8		0	0		8	FOUNDATION - 10
SURFACE - 30		23	23	24	18	16	28	30	10	27	26		10	10		21	SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	10	10	8	10	10		5	5		10	DRAINAGE - 10
SAFETY - 20		13	9	7	17	11	20	2	5	16	4		6	4		1	SAFETY - 20
CAPACITY - 30		15	27	20	25	22	22	27	26	18	25		23	24		28	CAPACITY - 30
SUFFICIENCY RATING		69	76	67	70	67	90	73	49	87	73		46	43		68	SUFFICIENCY RATING
ADJUSTED RATING		65	76	67	70	60	89	72	48	78	65		39	38		68	ADJUSTED RATING
DEFICIENT MILEAGE		1.35	1.64	1.85	1.25	2.25	.25	.40	4.61	1.51	.47		3.27	2.22		.11	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	0.8	3.7	4.9
LENGTH	0.8	2.8	1.2	0.1
YEAR BUILT	73	64	U	73
YEAR IMPROVED	73	64	A	73
SURFACE WIDTH	40	24	B	40
ROADWAY WIDTH	40	26	A	40
SURFACE TYPE	PMS	RMS	N	PMS
ADT	726	840		1507
DHV	94	109		195
SERVICE VOLUME	616	561		289
FOUNDATION - 10	8	0		10
SURFACE - 30	26	10		30
DRAINAGE - 10	10	8		10
SAFETY - 20	2	3		20
CAPACITY - 30	28	27		20
SUFFICIENCY RATING	74	48		90
ADJUSTED RATING	76	49		89
DEFICIENT MILEAGE	.21	1.47		.01

FAP ROUTE NO 20 & 21

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.5	7.5	17.9	20.9	29.3	41.1	42.3	43.3	52.6	63.7	63.6	64.0	64.3	71.8	73.8	75.8	75.8	81.3	88.4	BEGINNING MILE POST
LENGTH	0.5	7.0	10.2	3.0	8.4	11.8	1.1	1.0	9.2	11.1	0.1	0.2	0.2	7.5	2.0	1.5	0.1	5.4	7.1	0.1	LENGTH
YEAR BUILT	U	65	35	38	36	37	U	33	33	63	U	63	U	76	76	71	U	71	59	U	YEAR BUILT
YEAR IMPROVED	R	65	36	36	36	62	R	40	40	63	R	63	R	76	76	71	P	71	59	R	YEAR IMPROVED
SURFACE WIDTH	B	32	20	22	22	20	B	20	20	32	B	32	B	32	32	32	B	32	32	B	SURFACE WIDTH
ROADWAY WIDTH	A	32	24	25	25	24	A	24	24	32	A	32	A	32	32	32	A	32	32	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	BST	BST	BST	RMS	N	PMS	PMS	PMS	N	PMS	N	PMS	PMS	PMS	N	PMS	PMS	N	SURFACE TYPE
ADT		688	500	341	327	684		2265	1048	709		648		566	529	601		688	785		ADT
DHV		103	75	51	49	102		339	157	106		97		88	79	90		103	117		DHV
SERVICE VOLUME		621	159	422	406	377		526	352	621		828		562	621	532		592	406		SERVICE VOLUME
FOUNDATION - 10		7	0	0	0	0		0	0	6		7		10	10	9		9	0		FOUNDATION - 10
SURFACE - 30		21	11	11	12	11		13	14	22		23		30	30	25		24	14		SURFACE - 30
DRAINAGE - 10		10	8	8	9	9		10	9	10		10		10	10	10		10	10		DRAINAGE - 10
SAFETY - 20		14	1	2	4	3		10	2	20		5		20	20	10		20	20		SAFETY - 20
CAPACITY - 30		28	23	27	28	26		20	23	27		28		28	28	27		27	26		CAPACITY - 30
SUFFICIENCY RATING		80	43	48	53	49		53	48	85		73		98	98	81		90	70		SUFFICIENCY RATING
ADJUSTED RATING		81	48	57	61	52		47	48	86		75		98	98	83		91	71		ADJUSTED RATING
DEFICIENT MILEAGE		1.41	5.89	1.57	3.56	6.04		.46	4.79	1.67		.07		.15	.04	.37		.54	2.14		DEFICIENT MILEAGE

FAP ROUTE NO 22
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.1	2.4	5.6	14.6	27.6	33.1	44.0	47.8	BEGINNING MILE POST
LENGTH	1.7	0.3	3.2	9.1	13.1	5.5	10.9	3.7	2.7	LENGTH
YEAR BUILT	U	20	20	38	62	71	31	32	52	YEAR BUILT
YEAR IMPROVED	A	36	36	36	76	77	60	60	52	YEAR IMPROVED
SURFACE WIDTH	B	25	22	22	28	34	18	18	22	SURFACE WIDTH
ROADWAY WIDTH	A	25	25	25	28	34	24	24	28	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	PMS	PMS	RMS	RMS	PMS	SURFACE TYPE
ADT		1720	1413	868	512	423	382	356	385	ADT
DHV		224	183	145	74	67	55	51	55	DHV
SERVICE VOLUME		280	324	470	600	666	499	355	220	SERVICE VOLUME
FOUNDATION - 10		0	0	0	9	10	0	0	0	FOUNDATION - 10
SURFACE - 30		15	11	10	28	30	7	8	11	SURFACE - 30
DRAINAGE - 10		8	8	7	10	10	4	4	10	DRAINAGE - 10
SAFETY - 20		20	2	2	20	4	5	2	3	SAFETY - 20
CAPACITY - 30		18	22	28	28	28	28	28	26	CAPACITY - 30
SUFFICIENCY RATING		61	45	45	95	82	44	42	50	SUFFICIENCY RATING
ADJUSTED RATING		57	42	46	95	85	51	49	57	ADJUSTED RATING
DEFICIENT MILEAGE		.02	1.80	5.02	.65	.96	6.13	2.15	1.35	DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 1 OF 2

BEGINNING MILE POST	50.5	55.7	64.5	72.9	76.3	77.8	79.1	79.7	83.0	85.5	95.5	101.5	108.4	119.4	130.3	BEGINNING MILE POST
LENGTH	5.1	8.7	8.3	3.3	1.5	1.3	0.5	3.3	2.4	10.0	6.0	6.8	11.0	10.9	9.5	LENGTH
YEAR BUILT	52	49	29	28	69	28	U	40	31	53	54	54	55	55	65	YEAR BUILT
YEAR IMPROVED	60	55	41	41	69	36	R	40	56	53	54	54	73	55	65	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	28	20	B	24	20	24	24	24	28	28	40	SURFACE WIDTH
ROADWAY WIDTH	28	24	24	24	28	22	A	24	24	28	28	28	28	28	40	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	BST	BST	PMS	BST	K	RMS	RMS	RMS	RMS	RMS	PMS	BST	PMS	SURFACE TYPE
ADT	383	377	430	512	1304	1551		1169	567	511	509	479	588	612	568	ADT
DHV	55	54	62	74	186	224		169	82	74	73	69	85	88	85	DHV
SERVICE VOLUME	642	393	258	221	278	250		297	203	266	732	462	486	510	552	SERVICE VOLUME
FOUNDATION - 10	0	0	0	7	5	0		0	0	0	0	2	0	0	2	FOUNDATION - 10
SURFACE - 30	10	8	12	13	28	14		12	12	14	10	11	11	12	18	SURFACE - 30
DRAINAGE - 10	10	9	10	8	10	4		9	7	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	6	1	3	3	8	1		7	2	4	4	17	10	20	20	SAFETY - 20
CAPACITY - 30	29	28	26	25	20	17		21	24	26	29	28	27	27	28	CAPACITY - 30
SUFFICIENCY RATING	55	46	51	51	75	36		49	45	54	58	68	58	69	78	SUFFICIENCY RATING
ADJUSTED RATING	62	53	57	56	73	33		48	49	59	63	72	62	72	81	ADJUSTED RATING
DEFICIENT MILEAGE	2.33	4.75	4.11	1.65	.38	.83		1.72	1.34	4.60	2.53	2.20	4.62	3.36	2.10	DEFICIENT MILEAGE

FAP ROUTE NO 23
SHEET 2 OF 2

BEGINNING MILE POST	0.0	0.9	1.8	4.4	7.5	12.2	16.0	22.6	26.7	31.8	35.6	43.1	55.6	BEGINNING MILE POST
LENGTH	0.9	0.8	4.0	2.6	4.6	3.8	6.5	4.0	5.1	3.8	7.4	12.5	9.8	LENGTH
YEAR BUILT	74	74	36	68	40	41	68	47	49	54	61	61	61	YEAR BUILT
YEAR IMPROVED	74	74	37	68	42	63	68	59	49	54	61	61	61	YEAR IMPROVED
SURFACE WIDTH	44	44	30	40	20	24	40	25	25	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	44	64	30	40	24	24	40	28	25	30	26	26	26	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	PMS	RMS	BST	RMS	PMS	PMS	PMS	SURFACE TYPE
ADT	3382	2366	2305	2222	2179	2003	1989	2002	1705	1438	1548	1155	1099	ADT
DHV	558	390	380	366	349	330	328	330	281	253	255	190	181	DHV
SERVICE VOLUME	344	442	234	425	260	145	385	204	436	494	277	299	132	SERVICE VOLUME
FOUNDATION - 10	8	10	3	6	0	0	7	0	0	0	6	6	5	FOUNDATION - 10
SURFACE - 30	27	30	14	18	13	13	19	9	8	10	20	16	17	SURFACE - 30
DRAINAGE - 10	10	10	4	10	5	6	10	7	8	10	10	10	10	DRAINAGE - 10
SAFETY - 20	7	2	1	10	2	2	20	3	4	6	5	9	2	SAFETY - 20
CAPACITY - 30	6	17	6	17	10	0	17	6	20	22	16	20	6	CAPACITY - 30
SUFFICIENCY RATING	52	69	28	61	30	21	73	25	45	48	57	63	43	SUFFICIENCY RATING
ADJUSTED RATING	43	64	23	55	25	17	69	21	41	45	54	62	42	ADJUSTED RATING
DEFICIENT MILEAGE	.46	.26	2.90	1.04	3.26	3.01	1.77	3.01	2.84	1.98	3.22	4.62	5.58	DEFICIENT MILEAGE

FAP ROUTE NO 24
SHEET 1 OF 2

BEGINNING MILE POST	65.4	72.2	76.1	82.0	86.1	91.2	97.0	100.4	109.0	116.8	121.4	133.2	138.4	BEGINNING MILE POST
LENGTH	6.7	3.8	5.8	4.1	5.0	5.8	3.3	8.6	7.7	10.8	5.7	5.2	1.3	LENGTH
YEAR BUILT	60	60	60	57	57	46	48	51	52	52	59	64	36	YEAR BUILT
YEAR IMPROVED	60	60	60	64	64	70	63	51	52	52	59	64	71	YEAR IMPROVED
SURFACE WIDTH	24	24	24	28	28	24	24	25	24	24	32	32	25	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	30	30	25	25	25	26	26	32	32	31	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	RMS	PMS	RMS	RMS	BST	RMS	RMS	PMS	PMS	RMS	SURFACE TYPE
ADT	1322	1621	1469	1417	1344	1188	1265	1038	1004	1145	1931	2132	2146	ADT
DHV	218	243	220	217	201	178	189	155	150	171	270	298	300	DHV
SERVICE VOLUME	328	450	258	333	133	164	266	243	308	308	643	608	491	SERVICE VOLUME
FOUNDATION - 10	5	5	6	6	7	4	0	0	0	0	8	5	3	FOUNDATION - 10
SURFACE - 30	21	18	20	16	18	17	17	14	13	14	24	23	16	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	6	8	8	8	7	10	10	9	DRAINAGE - 10
SAFETY - 20	4	6	2	7	1	2	4	7	2	2	9	10	2	SAFETY - 20
CAPACITY - 30	20	22	17	20	7	14	19	23	23	22	24	23	21	CAPACITY - 30
SUFFICIENCY RATING	60	61	55	59	43	43	48	49	46	45	75	71	51	SUFFICIENCY RATING
ADJUSTED RATING	58	58	52	56	41	42	46	49	46	44	71	66	45	ADJUSTED RATING
DEFICIENT MILEAGE	2.71	1.50	2.64	1.68	2.90	3.31	1.76	4.40	4.20	5.84	1.43	1.52	.64	DEFICIENT MILEAGE

FAP ROUTE NO 24

SHEET 2 OF 2



BEGINNING MILE POST	0.0	0.1	7.7	20.9	28.1	35.5	44.7	46.4	47.0	52.3	BEGINNING MILE POST
LENGTH	0.1	7.6	13.1	7.2	7.4	9.2	1.7	0.5	5.3	0.6	LENGTH
YEAR BUILT	U	36	36	35	40	31	30	30	U	U	YEAR BUILT
YEAR IMPROVED	R	56	55	40	40	37	36	56	N	R	YEAR IMPROVED
SURFACE WIDTH	B	20	20	20	20	20	20	24	D C	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	25	24	24	25	24	24	E C	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	PMS	RMS	RMS	RMS	BST	RMS	R N	N	SURFACE TYPE
ADT		562	447	550	614	569	656	1242	S		ADT
DHV		73	58	71	79	73	85	161	T		DHV
SERVICE VOLUME		136	342	258	387	201	136	361	R		SERVICE VOLUME
FOUNDATION - 10		0	0	0	0	0	0	0	U		FOUNDATION - 10
SURFACE - 30		11	9	13	10	15	13	10	E		SURFACE - 30
DRAINAGE - 10		8	6	7	7	6	6	10	I		DRAINAGE - 10
SAFETY - 20		1	2	2	3	3	1	2	I		SAFETY - 20
CAPACITY - 30		22	27	26	27	25	21	24	O		CAPACITY - 30
SUFFICIENCY RATING		42	44	48	47	49	41	46	R		SUFFICIENCY RATING
ADJUSTED RATING		46	50	52	50	53	44	44			ADJUSTED RATING
DEFICIENT MILEAGE		4.40	7.35	3.74	3.92	4.70	1.02	.27			DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	0.1
LENGTH	0.1	6.7
YEAR BUILT	36	33
YEAR IMPROVED	36	55
SURFACE WIDTH	22	20
ROADWAY WIDTH	25	24
SURFACE TYPE	BST	RMS
ADT	1261	688
DHV	166	84
SERVICE VOLUME	392	205
FOUNDATION - 10	0	0
SURFACE - 30	15	11
DRAINAGE - 10	10	5
SAFETY - 20	1	1
CAPACITY - 30	24	23
SUFFICIENCY RATING	50	40
ADJUSTED RATING	48	42
DEFICIENT MILEAGE	.38	4.05

FAP ROUTE NO 25 & 26
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.3	7.2	12.0	22.5	29.1	34.6	35.7	44.4	54.7	66.0	71.3	73.3	79.1	BEGINNING MILE POST
LENGTH	0.3	6.9	4.8	10.4	6.6	5.5	1.1	8.6	10.2	11.2	5.3	2.0	5.7	1.8	LENGTH
YEAR BUILT	U	50	50	50	48	48	U	57	U	65	65	65	65	U	YEAR BUILT
YEAR IMPROVED	R	50	50	50	48	48	P	60	R	65	65	65	65	R	YEAR IMPROVED
SURFACE WIDTH	B	22	22	22	25	25	R	28	D C	28	28	28	28	P	SURFACE WIDTH
ROADWAY WIDTH	A	24	24	24	25	25	A	28	L G	28	28	28	28	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	BST	BST	N	PMS	P N	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		327	293	274	357	571		764	S	354	401	464	571		ADT
DHV		42	38	35	45	74		91	T	46	52	60	74		DHV
SERVICE VOLUME		431	243	421	266	441		492	P	522	504	312	480		SERVICE VOLUME
FOUNDATION - 10		0	0	0	0	0		0	U	7	8	9	8		FOUNDATION - 10
SURFACE - 30		14	13	10	11	9		9	C	22	23	26	23		SURFACE - 30
DRAINAGE - 10		10	10	10	9	9		10	T	10	10	10	10		DRAINAGE - 10
SAFETY - 20		3	1	5	2	1		20	I	13	4	2	7		SAFETY - 20
CAPACITY - 30		29	28	29	27	27		27	C	29	28	27	28		CAPACITY - 30
SUFFICIENCY RATING		56	52	54	46	43		66	N	81	73	74	76		SUFFICIENCY RATING
ADJUSTED RATING		64	61	63	56	49		68		85	78	78	79		ADJUSTED RATING
DEFICIENT MILEAGE		3.03	2.31	4.80	3.37	3.03		2.94		2.14	1.43	.54	1.37		DEFICIENT MILEAGE

FAP ROUTE 2
SHEET 1 OF 1

BEGINNING MILE POST	0.0	8.7
LENGTH	8.7	0.0
YEAR BUILT	36	U
YEAR IMPROVED	72	U
SURFACE WIDTH	22	T
ROADWAY WIDTH	22	
SURFACE TYPE	BST	O
ADT	322	F
OHV	72	
SERVICE VOLUME	253	S
FOUNDATION - 10	4	1
SURFACE - 30	17	A
DRAINAGE - 10	6	7
SAFETY - 20	0	E
CAPACITY - 30	26	
SUFFICIENCY RATING	53	
ADJUSTED RATING	61	
DEFICIENT MILEAGE	4.09	

45.0	47.3	53.7	60.0	64.2	68.3	68.5	68.6	70.3	82.0	90.9	95.3	96.6	101.1	BEGINNING MILE POST
2.3	6.4	6.2	4.2	4.1	0.2	0.1	1.5	11.7	8.9	4.4	1.0	4.6	0.5	LENGTH
65	65	65	69	34	U	34	U	21	36	74	U	74	68	YEAR BUILT
65	65	65	69	57	R	57	R	54	36	74	R	74	68	YEAR IMPROVED
28	28	28	34	22	B	22	B	22	21	40	B	44	40	SURFACE WIDTH
28	28	28	34	22	A	24	A	24	24	40	A	44	40	ROADWAY WIDTH
PMS	PMS	PMS	PMS	RMS	M	RMS	N	RMS	RMS	PMS	N	PMS	PMS	SURFACE TYPE
416	450	501	545	1008		1733		1169	1161	1332		1814	2141	ADT
93	101	112	122	244		389		233	232	266		362	428	OHV
890	394	591	522	591		595		544	486	309		344	309	SERVICE VOLUME
7	5	7	8	0		0		0	0	10		9	6	FOUNDATION - 10
18	17	19	25	6		10		11	13	30		28	21	SURFACE - 30
10	10	10	10	8		8		8	8	10		10	10	DRAINAGE - 10
4	0	1	20	1		20		5	4	15		2	20	SAFETY - 20
28	26	27	26	24		20		24	23	17		14	5	CAPACITY - 30
67	58	64	89	39		58		48	48	82		64	66	SUFFICIENCY RATING
72	63	68	90	38		54		47	47	81		60	68	ADJUSTED RATING
.76	2.69	2.25	.46	2.52		.04		6.09	4.64	.79		1.68	.19	DEFICIENT MILEAGE

FAP ROUTE NO 28
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.2	5.6	10.7	13.0	14.8	19.9	25.1	33.0	34.1	42.2	43.2	49.5	57.2	58.3	59.8	66.0	67.9	68.8	75.0	77.8	80.1	83.4	BEGINNING MILE POST
LENGTH	0.2	5.4	5.0	2.3	1.7	5.1	5.2	7.9	1.1	8.0	1.0	6.8	7.3	1.1	1.4	5.7	2.0	0.8	6.1	2.8	2.3	3.2	2.9	LENGTH
YEAR BUILT	U	50	51	56	U	45	42	40	U	39	U	39	36	36	36	36	31	51	31	34	28	28	U	YEAR BUILT
YEAR IMPROVED	R	50	51	56	R	45	42	40	R	39	R	35	36	63	63	36	40	51	62	62	60	71	R	YEAR IMPROVED
SURFACE WIDTH	B	24	28	28	B	20	20	20	B	22	B	20	22	22	22	22	24	34	22	24	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	32	28	A	24	24	24	A	24	A	24	24	24	24	24	31	34	26	30	30	30	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	PMS	N	RMS	RMS	RMS	N	RMS	N	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT		829	666	723		1056	1124	1485		928		1240	1168	337	337	340	391	398	417	534	712	1229		ADT
DHV		174	139	151		221	236	311		194		186	175	50	50	51	50	51	54	69	92	159		DHV
SERVICE VOLUME		420	243	324		315	390	702		812		420	225	390	540	567	248	243	296	302	627	331		SERVICE VOLUME
FOUNDATION - 10		5	5	5		4	0	0		0		0	0	0	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30		16	19	17		16	12	9		10		11	14	10	10	10	13	12	13	14	14	14		SURFACE - 30
DRAINAGE - 10		7	8	10		5	8	8		8		5	6	4	5	5	10	10	7	7	7	8		DRAINAGE - 10
SAFETY - 20		2	5	20		3	4	16		20		17	1	0	1	1	1	4	2	0	1	1		SAFETY - 20
CAPACITY - 30		24	21	23		19	21	23		26		23	18	28	25	29	27	27	27	27	28	23		CAPACITY - 30
SUFFICIENCY RATING		56	58	75		47	45	56		64		56	39	42	45	45	51	53	49	48	50	46		SUFFICIENCY RATING
ADJUSTED RATING		57	61	77		47	44	53		64		54	36	49	53	53	58	59	55	52	52	44		ADJUSTED RATING
DEFICIENT MILEAGE		2.39	2.11	.58		2.71	2.88	3.48		2.69		2.91	4.46	.66	.81	3.18	.98	.41	3.13	1.46	1.16	1.76		DEFICIENT MILEAGE

FAP ROUTE NO 29
SHEET 1 OF 1



BEGINNING MILE POST	0.0	10.1	20.6	23.3	BEGINNING MILE POST
LENGTH	10.1	10.4	2.7	0.8	LENGTH
YEAR BUILT	38	40	40	U	YEAR BUILT
YEAR IMPROVED	40	40	40	R	YEAR IMPROVED
SURFACE WIDTH	20	20	20	B	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	SURFACE TYPE
ADT	404	251	330		ADT
DHV	56	35	46		DHV
SERVICE VOLUME	290	290	315		SERVICE VOLUME
FOUNDATION - 10	0	0	0		FOUNDATION - 10
SURFACE - 30	11	13	12		SURFACE - 30
DRAINAGE - 10	7	8	8		DRAINAGE - 10
SAFETY - 20	3	2	1		SAFETY - 20
CAPACITY - 30	27	28	28		CAPACITY - 30
SUFFICIENCY RATING	48	51	49		SUFFICIENCY RATING
ADJUSTED RATING	54	61	57		ADJUSTED RATING
DEFICIENT MILEAGE	5.27	5.14	1.40		DEFICIENT MILEAGE

FAP ROUTE NO 30

SHEET. 1 OF 1



BEGINNING MILE POST	0.0	1.4	2.0	16.9	25.6	32.4	39.3	50.3	50.8	BEGINNING MILE POST
LENGTH	1.4	0.6	14.8	8.6	6.8	6.8	11.0	0.4	10.0	LENGTH
YEAR BUILT	62	62	65	64	55	54	52	U	57	YEAR BUILT
YEAR IMPROVED	62	62	65	64	55	54	71	R	66	YEAR IMPROVED
SURFACE WIDTH	28	32	32	30	24	24	24	B	28	SURFACE WIDTH
ROADWAY WIDTH	28	32	32	30	24	24	24	A	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	RMS	K	PMS	SURFACE TYPE
ADT	661	939	1008	402	348	354	322		79	ADT
DHV	100	141	152	60	52	53	48		11	DHV
SERVICE VOLUME	396	672	676	414	353	301	332		448	SERVICE VOLUME
FOUNDATION - 10	4	7	5	4	4	4	8		7	FOUNDATION - 10
SURFACE - 30	14	21	15	16	11	11	26		21	SURFACE - 30
DRAINAGE - 10	9	10	10	10	9	10	10		8	DRAINAGE - 10
SAFETY - 20	2	13	14	11	11	8	1		6	SAFETY - 20
CAPACITY - 30	26	27	26	28	28	27	28		30	CAPACITY - 30
SUFFICIENCY RATING	55	78	70	69	69	66	73		72	SUFFICIENCY RATING
ADJUSTED RATING	58	78	70	74	75	73	79		87	ADJUSTED RATING
DEFICIENT MILEAGE	.64	.14	4.46	2.68	2.12	2.32	2.99		2.80	DEFICIENT MILEAGE

FAP ROUTE NO 31

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.7	7.5	14.1	23.4	28.1	35.2	39.8	44.4	48.1	50.7	51.7	60.5	BEGINNING MILE POST
LENGTH	3.7	3.7	6.6	9.2	4.7	7.0	4.6	4.6	3.7	2.5	0.9	9.1	4.8	LENGTH
YEAR BUILT	33	33	33	33	33	33	33	33	33	33	U	56	45	YEAR BUILT
YEAR IMPROVED	45	45	45	45	45	45	45	45	45	45	R	66	68	YEAR IMPROVED
SURFACE WIDTH	20	20	20	20	20	20	20	20	20	20	O	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	24	24	24	24	24	24	A	26	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	RMS	RPS	RMS	RMS	RMS	RPS	RMS	N	PMS	RMS	SURFACE TYPE
ADT	317	506	427	307	242	255	294	331	357	366		242	98	ADT
DHV	44	70	59	42	33	36	41	46	49	51		33	13	DHV
SERVICE VOLUME	584	421	387	220	239	387	201	220	421	220		520	384	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0		8	4	FOUNDATION - 10
SURFACE - 30	9	11	10	16	14	10	13	12	12	12		23	16	SURFACE - 30
DRAINAGE - 10	10	9	9	7	8	7	8	5	8	6		10	10	DRAINAGE - 10
SAFETY - 20	4	3	1	1	1	1	2	1	7	1		2	2	SAFETY - 20
CAPACITY - 30	29	28	28	27	28	29	27	27	28	27		29	29	CAPACITY - 30
SUFFICIENCY RATING	52	51	48	51	51	47	50	45	55	46		72	61	SUFFICIENCY RATING
ADJUSTED RATING	60	56	54	59	61	57	59	53	62	55		80	77	ADJUSTED RATING
DEFICIENT MILEAGE	1.80	1.83	3.44	4.56	2.33	3.73	2.33	2.52	1.66	1.34		2.57	1.90	DEFICIENT MILEAGE

FAP ROUTE NO 32

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.6	1.2	9.5	14.0	17.6	30.0	42.8	53.8	54.5	64.9	BEGINNING MILE POST
LENGTH	0.6	0.5	8.3	4.4	3.6	12.3	12.7	11.1	0.6	10.3	1.9	LENGTH
YEAR BUILT	U	59	42	67	74	74	74	74	71	71	40	YEAR BUILT
YEAR IMPROVED	R	59	50	67	74	74	14	74	71	71	40	YEAR IMPROVED
SURFACE WIDTH	B	26	28	34	34	34	34	34	34	34	20	SURFACE WIDTH
ROADWAY WIDTH	A	37	28	34	34	34	34	34	34	34	24	ROADWAY WIDTH
SURFACE TYPE	N	BST	BST	PMS	PMS	PMS	PMS	PMS	PMS	PMS	RMS	SURFACE TYPE
ADT		3598	1402	737	510	266	179	166	353	515	749	ADT
DHV		467	182	95	66	34	23	24	45	67	97	DHV
SERVICE VOLUME		397	349	688	385	307	174	159	90	290	157	SERVICE VOLUME
FOUNDATION - 10		5	2	8	9	10	10	9	9	8	0	FOUNDATION - 10
SURFACE - 30		16	14	24	24	28	28	27	28	26	9	SURFACE - 30
DRAINAGE - 10		10	8	10	10	10	10	10	10	10	8	DRAINAGE - 10
SAFETY - 20		1	1	3	2	2	2	1	1	1	20	SAFETY - 20
CAPACITY - 30		12	22	28	27	28	28	28	23	27	26	CAPACITY - 30
SUFFICIENCY RATING		44	49	73	72	78	76	75	71	72	63	SUFFICIENCY RATING
ADJUSTED RATING		35	46	75	76	84	86	84	77	76	65	ADJUSTED RATING
DEFICIENT MILEAGE		.31	4.24	1.19	1.02	2.72	2.61	2.79	.19	2.91	.73	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	7.0	
LENGTH	7.0	8.6	
YEAR BUILT	51	51	
YEAR IMPROVED	60	60	
SURFACE WIDTH	24	24	
ROADWAY WIDTH	24	24	
SURFACE TYPE	PMS	PMS	
ADT	629	335	
DHV	88	46	
SERVICE VOLUME	336	336	
FOUNDATION - 10	7	7	
SURFACE - 30	19	19	
DRAINAGE - 10	9	8	
SAFETY - 20	3	1	
CAPACITY - 30	26	28	
SUFFICIENCY RATING	64	63	
ADJUSTED RATING	67	70	
DEFICIENT MILEAGE	2.53	3.18	

FAP ROUTE NO 33 & 34

SHEET 1 OF 1



BEGINNING MILE POST	0.0	3.3	7.6	11.4	12.9	16.0	BEGINNING MILE POST
LENGTH	3.3	4.2	3.8	1.4	3.1	5.3	LENGTH
YEAR BUILT	60	72	65	63	65	68	YEAR BUILT
YEAR IMPROVED	60	72	69	69	69	69	YEAR IMPROVED
SURFACE WIDTH	24	30	30	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	24	30	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	1280	933	684	663	644	612	ADT
DHV	211	153	112	109	106	100	DHV
SERVICE VOLUME	338	512	463	488	622	474	SERVICE VOLUME
FOUNDATION - 10	5	8	9	10	10	10	FOUNDATION - 10
SURFACE - 30	15	25	26	28	28	28	SURFACE - 30
DRAINAGE - 10	7	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	3	7	3	3	2	8	SAFETY - 20
CAPACITY - 30	21	26	26	27	27	26	CAPACITY - 30
SUFFICIENCY RATING	49	76	74	78	77	82	SUFFICIENCY RATING
ADJUSTED RATING	47	76	76	80	79	84	ADJUSTED RATING
DEFICIENT MILEAGE	1.72	1.03	.98	.32	.72	.96	DEFICIENT MILEAGE

FAP ROUTE NO 35

SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.6	7.4	13.8	16.2	18.9	26.1	31.1	31.6	36.1	40.1	BEGINNING MILE POST
LENGTH	3.6	3.8	6.4	2.3	2.7	7.1	4.9	0.5	4.4	4.1	6.5	LENGTH
YEAR BUILT	44	41	34	41	63	63	40	40	40	37	37	YEAR BUILT
YEAR IMPROVED	47	47	47	41	63	63	40	40	51	61	65	YEAR IMPROVED
SURFACE WIDTH	20	20	20	20	28	28	20	20	20	24	24	SURFACE WIDTH
ROADWAY WIDTH	26	25	24	26	28	28	25	25	26	26	26	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	BST	PMS	PMS	BST	BST	RMS	RMS	RMS	SURFACE TYPE
ADT	750	615	526	487	176	825	560	453	482	538	621	ADT
DHV	112	92	18	73	116	123	84	67	72	80	93	DHV
SERVICE VOLUME	283	206	115	267	599	629	536	308	312	889	357	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	5	5	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	9	12	12	9	18	17	7	13	11	10	11	SURFACE - 30
DRAINAGE - 10	7	6	6	6	10	10	7	7	6	7	7	DRAINAGE - 10
SAFETY - 20	5	2	1	4	11	10	5	1	5	20	11	SAFETY - 20
CAPACITY - 30	24	23	20	26	27	27	28	27	27	29	26	CAPACITY - 30
SUFFICIENCY RATING	45	43	39	45	71	69	47	46	49	66	55	SUFFICIENCY RATING
ADJUSTED RATING	47	46	43	50	72	70	51	54	54	70	58	ADJUSTED RATING
DEFICIENT MILEAGE	2.01	2.16	3.90	1.31	.79	2.21	2.64	.26	2.26	1.39	2.93	DEFICIENT MILEAGE

FAP ROUTE 36
SHEET 1 OF 1



BEGINNING MILE POST	0.0	7.8	17.2	24.4	27.2	33.0	38.6	39.5	40.7	41.2	42.0	46.5	53.6	62.3	64.3	69.6	79.2	82.4	84.7	95.7	BEGINNING MILE POST
LENGTH	7.8	9.3	7.2	2.7	5.8	5.6	0.8	1.1	0.5	0.8	4.4	7.1	8.6	1.9	5.3	9.6	3.1	2.2	10.9	7.9	LENGTH
YEAR BUILT	54	54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	69	69	YEAR BUILT
YEAR IMPROVED	54	54	54	54	76	74	75	75	75	75	54	54	54	57	57	67	67	67	69	69	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	24	40	40	48	56	48	24	24	24	24	24	28	28	28	28	28	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	24	40	40	48	56	48	24	24	24	28	28	28	28	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	1207	1196	1300	1439	1469	1557	1641	1770	1877	1967	1174	1075	1070	879	622	533	529	526	602	672	ADT
DHV	162	161	175	194	198	210	221	238	253	265	158	145	144	118	83	71	71	71	81	90	DHV
SERVICE VOLUME	393	418	196	593	212	135	150	272	1368	272	237	120	258	435	285	435	252	289	435	368	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	9	10	10	10	10	10	2	4	4	4	0	4	5	4	6	8	FOUNDATION - 10
SURFACE - 30	9	13	13	10	28	28	30	30	30	30	16	17	17	16	15	14	20	18	20	27	SURFACE - 30
DRAINAGE - 10	8	8	8	10	10	10	10	10	10	10	9	8	9	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	5	2	12	11	20	7	20	20	20	20	7	1	3	5	10	13	8	6	20	6	SAFETY - 20
CAPACITY - 30	24	24	17	25	16	7	8	17	27	15	20	12	22	26	26	28	26	26	27	26	CAPACITY - 30
SUFFICIENCY RATING	46	47	50	56	83	62	78	67	97	85	54	42	55	61	61	69	69	64	83	77	SUFFICIENCY RATING
ADJUSTED RATING	45	46	48	53	81	59	75	85	96	82	53	41	54	62	64	73	73	66	85	79	ADJUSTED RATING
DEFICIENT MILEAGE	4.24	4.95	3.64	1.19	.99	2.13	.19	.14	.01	.13	2.05	4.12	3.91	.78	2.07	2.59	.98	.81	1.86	1.81	DEFICIENT MILEAGE

FAP ROUTE NO 37
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.1	6.4	7.3	7.7	8.0	8.6	BEGINNING MILE POST
LENGTH	4.1	2.2	0.9	0.3	0.3	0.5	0.2	LENGTH
YEAR BUILT	75	75	U	37	77	37	71	YEAR BUILT
YEAR IMPROVED	75	75	R	55	77	55	71	YEAR IMPROVED
SURFACE WIDTH	44	44	B	22	36	22	44	SURFACE WIDTH
ROADWAY WIDTH	44	44	A	24	36	24	44	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	N	RMS	PMS	RMS	RMS	SURFACE TYPE
ADT	3627	6430		3539	3539	3539	3539	ADT
DHV	504	900		495	495	495	495	DHV
SERVICE VOLUME	170	920		216	333	249	705	SERVICE VOLUME
FOUNDATION - 10	10	0		0	10	0	7	FOUNDATION - 10
SURFACE - 30	30	8		11	28	11	18	SURFACE - 30
DRAINAGE - 10	10	8		1	10	6	10	DRAINAGE - 10
SAFETY - 20	4	2		20	3	6	20	SAFETY - 20
CAPACITY - 30	0	15		0	8	0	19	CAPACITY - 30
SUFFICIENCY RATING	54	33		38	59	23	74	SUFFICIENCY RATING
ADJUSTED RATING	45	21		29	50	16	67	ADJUSTED RATING
DEFICIENT MILEAGE	1.90	1.52		.23	.12	.44	.06	DEFICIENT MILEAGE

0.0	4.2	13.2	13.9	21.4	22.7	26.0	31.7	36.5	42.4	51.1	BEGINNING MILE POST
4.2	9.0	0.6	7.4	1.3	3.3	5.6	4.8	5.8	8.7	0.1	LENGTH
64	64	58	58	49	49	49	49	53	51	67	YEAR BUILT
64	64	67	77	67	67	70	70	67	67	67	YEAR IMPROVED
24	24	24	26	24	24	24	24	24	24	28	SURFACE WIDTH
24	24	24	26	24	24	24	24	24	24	28	ROADWAY WIDTH
PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	SURFACE TYPE
511	294	314	373	497	912	737	703	733	839	910	ADT
76	44	47	55	74	136	110	105	109	125	136	DHV
431	556	280	396	218	249	301	275	468	431	318	SERVICE VOLUME
4	0	8	9	5	4	4	0	0	0	10	FOUNDATION - 10
17	10	25	30	17	15	17	72	10	11	26	SURFACE - 30
7	8	10	10	8	8	6	5	8	5	10	DRAINAGE - 10
0	20	1	7	1	1	1	1	1	1	20	SAFETY - 20
27	29	27	28	25	22	25	24	27	26	24	CAPACITY - 30
55	67	71	84	56	50	53	42	46	43	90	SUFFICIENCY RATING
60	75	78	88	61	51	55	44	46	44	90	ADJUSTED RATING
7.90	2.98	.19	1.19	.58	1.65	2.67	2.80	3.16	4.97	.01	DEFICIENT MILEAGE

FAP ROUTE 38 & 39

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.1	0.1
LENGTH	0.1	0.1	0.2
YEAR BUILT	72	U	72
YEAR IMPROVED	72	R	72
SURFACE WIDTH	40	B	40
ROADWAY WIDTH	40	A	40
SURFACE TYPE	PMS	N	PMS
ADT	1315		1315
DHV	170		170
SERVICE VOLUME	289		528
FOUNDATION - 10	9		9
SURFACE - 30	27		27
DRAINAGE - 10	10		10
SAFETY - 20	20		20
CAPACITY - 30	21		25
SUFFICIENCY RATING	87		91
ADJUSTED RATING	86		90
DEFICIENT MILEAGE	.01		.02

BEGINNING MILE POST	0.0	6.3	11.7	16.8	19.8	27.4	BEGINNING MILE POST
LENGTH	6.3	5.4	5.1	2.9	7.6	5.0	LENGTH
YEAR BUILT	61	62	77	70	65	57	YEAR BUILT
YEAR IMPROVED	61	62	77	70	65	72	YEAR IMPROVED
SURFACE WIDTH	28	28	28	30	30	24	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	30	30	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	PMS	SURFACE TYPE
ADT	195	168	164	170	195	231	ADT
DHV	32	28	27	28	32	38	DHV
SERVICE VOLUME	276	515	312	235	259	237	SERVICE VOLUME
FOUNDATION - 10	0	0	10	4	5	7	FOUNDATION - 10
SURFACE - 30	12	8	30	16	15	20	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	4	1	2	2	5	5	SAFETY - 20
CAPACITY - 30	28	29	29	28	28	28	CAPACITY - 30
SUFFICIENCY RATING	54	54	81	60	63	70	SUFFICIENCY RATING
ADJUSTED RATING	66	67	89	72	74	79	ADJUSTED RATING
DEFICIENT MILEAGE	2.92	2.48	.97	1.18	2.83	1.50	DEFICIENT MILEAGE

FAP ROUTE NO 40 & 41

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.9	8.2	19.7	31.7	37.2	46.0	52.2	56.2	58.5	59.1	70.5	73.2	75.4	BEGINNING MILE POST
LENGTH	1.9	6.3	11.4	12.0	5.4	8.7	6.1	4.0	2.2	0.6	11.3	2.7	2.1	0.7	LENGTH
YEAR BUILT	60	60	63	62	56	57	57	36	36	36	34	34	34	U	YEAR BUILT
YEAR IMPROVED	64	64	64	71	64	64	64	66	66	66	34	34	58	P	YEAR IMPROVED
SURFACE WIDTH	24	24	24	30	24	24	24	28	30	30	22	22	22	B	SURFACE WIDTH
ROADWAY WIDTH	40	40	42	30	34	32	32	28	36	36	26	26	26	A	ROADWAY WIDTH
SURFACE TYPE	BST	BST	BST	PMS	BST	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	N	SURFACE TYPE
ADT	159	141	98	88	84	75	105	155	189	646	604	673	1633		ADT
DHV	25	22	15	14	13	12	16	24	30	103	96	139	261		DHV
SERVICE VOLUME	902	571	627	388	380	627	642	448	720	696	290	737	340		SERVICE VOLUME
FOUNDATION - 10	0	0	0	4	0	0	0	6	8	8	0	0	0		FOUNDATION - 10
SURFACE - 30	8	6	6	21	15	9	10	24	26	26	15	10	12		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	10	10	10	10	7	9	9		DRAINAGE - 10
SAFETY - 20	20	10	20	10	6	20	18	8	9	20	1	4	1		SAFETY - 20
CAPACITY - 30	30	29	30	29	29	30	30	29	29	28	25	27	18		CAPACITY - 30
SUFFICIENCY RATING	68	55	66	74	60	69	66	77	82	92	48	50	40		SUFFICIENCY RATING
ADJUSTED RATING	79	69	81	87	77	85	82	86	89	93	52	51	37		ADJUSTED RATING
DEFICIENT MILEAGE	.63	2.83	3.88	3.13	2.18	2.72	1.97	.93	.41	.04	5.89	1.36	1.30		DEFICIENT MILEAGE

FAP ROUTE NO 42
SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.6	1.3	3.0	9.4	14.8	25.2	29.0	35.2	BEGINNING MILE POST
LENGTH	0.6	0.7	1.6	6.4	5.3	10.4	3.7	6.2	7.5	LENGTH
YEAR BUILT	U	77	77	50	50	63	63	63	62	YEAR BUILT
YEAR IMPROVED	R	77	77	50	50	63	63	63	62	YEAR IMPROVED
SURFACE WIDTH	B	48	44	24	24	28	28	28	30	SURFACE WIDTH
ROADWAY WIDTH	A	48	44	28	28	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		2791	2042	1224	728	271	277	300	234	ADT
DHV		362	265	159	94	35	36	39	30	DHV
SERVICE VOLUME		1512	376	415	356	469	500	639	639	SERVICE VOLUME
FOUNDATION - 10		10	10	0	2	3	5	5	3	FOUNDATION - 10
SURFACE - 30		30	30	14	14	18	20	20	20	SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20		7	1	4	5	12	20	6	7	SAFETY - 20
CAPACITY - 30		26	19	24	26	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING		83	70	52	57	72	84	70	69	SUFFICIENCY RATING
ADJUSTED RATING		79	66	50	59	79	89	77	78	ADJUSTED RATING
DEFICIENT MILEAGE		.12	.49	3.10	2.29	2.92	.59	1.86	2.34	DEFICIENT MILEAGE

FAP ROUTE NO 43
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.7	13.1	14.2	21.9	27.8	BEGINNING MILE POST
LENGTH	2.7	10.4	1.1	7.6	5.9	0.5	LENGTH
YEAR BUILT	54	54	U	48	48	72	YEAR BUILT
YEAR IMPROVED	54	54	R	48	48	72	YEAR IMPROVED
SURFACE WIDTH	24	24	B	20	20	34	SURFACE WIDTH
ROADWAY WIDTH	24	24	A	20	20	34	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	N	RMS	RMS	RMS	SURFACE TYPE
ADT	442	533		817	658	541	ADT
DHV	62	75		116	93	76	DHV
SERVICE VOLUME	575	591		620	422	688	SERVICE VOLUME
FOUNDATION - 10	0	0		0	0	9	FOUNDATION - 10
SURFACE - 30	14	14		7	6	28	SURFACE - 30
DRAINAGE - 10	7	7		6	6	10	DRAINAGE - 10
SAFETY - 20	20	1		5	3	10	SAFETY - 20
CAPACITY - 30	28	28		27	27	28	CAPACITY - 30
SUFFICIENCY RATING	69	50		45	42	85	SUFFICIENCY RATING
ADJUSTED RATING	74	54		46	45	87	ADJUSTED RATING
DEFICIENT MILEAGE	.85	5.21		4.21	3.42	.07	DEFICIENT MILEAGE

FAP ROUTE NO 44

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.3	8.0	15.1	22.1	23.8	26.2	33.3	37.8	43.8	BEGINNING MILE POST
LENGTH	0.5	6.7	0.6	1.1	7.0	1.0	4.4	5.0	4.5	5.9	0.1	LENGTH
YEAR BUILT	U	35	69	42	U	69	U	46	35	70	U	YEAR BUILT
YEAR IMPROVED	R	56	69	42	N	69	N	55	39	10	R	YEAR IMPROVED
SURFACE WIDTH	B	22	30	20	D C	30	D C	24	20	32	B	SURFACE WIDTH
ROADWAY WIDTH	A	24	30	24	E O	30	E O	26	24	32	A	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	RMS	R N	RMS	R N	RMS	RMS	PMS	N	SURFACE TYPE
ADT		751	532	474	S	397	S	278	340	384		ADT
DHV		91	69	61	T	51	T	36	44	49		DHV
SERVICE VOLUME		191	549	448	R	329	R	398	431	616		SERVICE VOLUME
FOUNDATION - 10		0	8	0	U	10	U	0	0	8		FOUNDATION - 10
SURFACE - 30		12	25	9	C	26	C	11	17	19		SURFACE - 30
DRAINAGE - 10		5	10	4	T	10	T	10	7	10		DRAINAGE - 10
SAFETY - 20		1	5	1	I	20	I	4	3	20		SAFETY - 20
CAPACITY - 30		23	28	28	O	28	O	29	28	29		CAPACITY - 30
SUFFICIENCY RATING		41	16	42	N	94	N	54	50	86		SUFFICIENCY RATING
ADJUSTED RATING		43	19	47		55		63	58	89		ADJUSTED RATING
DEFICIENT MILEAGE		4.00	.16	4.49		.06		2.33	2.26	.83		DEFICIENT MILEAGE

FAP ROUTE NO 45

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.1	1.1	4.1	7.7	16.9	26.3	31.6	36.8	41.8	51.3	51.3	56.4	58.0	58.8	64.9	65.2	73.6	15.0	76.4	17.1	BEGINNING MILE POST
LENGTH	0.1	1.0	2.9	3.6	9.3	9.2	5.2	5.2	4.9	9.3	0.1	5.5	1.0	0.8	6.0	0.3	8.2	1.3	1.4	0.4	0.7	LENGTH
YEAR BUILT	60	0	60	60	60	62	65	65	65	61	61	61	61	61	61	70	61	68	68	34	76	YEAR BUILT
YEAR IMPROVED	63	U	63	63	63	62	65	65	65	61	61	61	61	61	61	70	61	68	68	76	76	YEAR IMPROVED
SURFACE WIDTH	28	1	28	28	28	30	28	26	26	26	26	26	26	30	26	44	26	34	34	32	34	SURFACE WIDTH
ROADWAY WIDTH	28		28	28	28	30	28	26	26	28	28	28	28	33	28	44	28	34	34	32	34	ROADWAY WIDTH
SURFACE TYPE	PMS	D	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	298	F	291	304	435	365	295	271	261	218	184	191	166	182	315	443	561	589	581	565	560	ADT
DHV	44		44	45	65	54	44	41	39	32	27	28	24	27	47	66	84	88	87	84	84	DHV
SERVICE VOLUME	498	S	381	561	448	600	569	595	398	354	501	413	427	535	371	522	382	515	529	683	381	SERVICE VOLUME
FOUNDATION - 10	10	1	1	7	8	6	7	8	7	5	7	2	4	6	4	8	3	8	9	5	10	FOUNDATION - 10
SURFACE - 30	28	A	18	16	23	15	17	18	18	15	18	13	15	16	15	19	14	24	26	15	30	SURFACE - 30
DRAINAGE - 10	10	1	10	10	10	10	10	10	10	9	10	10	10	10	8	10	6	10	10	10	10	DRAINAGE - 10
SAFETY - 20	0	E	23	20	6	20	4	16	17	2	20	3	2	4	3	1	1	5	3	3	16	SAFETY - 20
CAPACITY - 30	29		28	25	28	29	29	29	29	29	29	29	29	29	28	28	27	27	26	28	27	CAPACITY - 30
SUFFICIENCY RATING	71		83	82	75	84	67	83	61	60	84	51	60	65	58	66	51	74	76	61	93	SUFFICIENCY RATING
ADJUSTED RATING	83		68	67	79	88	15	88	81	70	90	69	72	76	66	71	55	77	19	65	94	ADJUSTED RATING
DEFICIENT MILEAGE	.02		.50	.66	2.34	1.47	1.73	.89	.54	3.74	.01	2.39	.42	.29	2.54	.13	4.03	.34	.34	.19	.05	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0
LENGTH	5.9
YEAR BUILT	49
YEAR IMPROVED	49
SURFACE WIDTH	20
ROADWAY WIDTH	26
SURFACE TYPE	RMS
ADT	1239
DHV	173
SERVICE VOLUME	535
FOUNDATION - 10	2
SURFACE - 30	15
DRAINAGE - 10	8
SAFETY - 20	9
CAPACITY - 30	25
SUFFICIENCY RATING	59
ADJUSTED RATING	57
DEFICIENT MILEAGE	2.45

FAP ROUTE NO 46 & 47
SHEET 1 OF 1





BEGINNING MILE POST	0.2	0.0
LENGTH	0.6	0.2
YEAR BUILT	76	71
YEAR IMPROVED	76	71
SURFACE WIDTH	44	40
ROADWAY WIDTH	44	40
SURFACE TYPE	PMS	PMS
ADT	3549	3549
DHV	461	461
SERVICE VOLUME	806	464
FOUNDATION - 10	10	9
SURFACE - 30	30	28
DRAINAGE - 10	10	10
SAFETY - 20	9	20
CAPACITY - 30	21	15
SUFFICIENCY RATING	80	82
ADJUSTED RATING	74	76
DEFICIENT MILEAGE	.11	.05

BEGINNING MILE POST	2.5	1.0	1.3	6.7	11.6	18.3	22.1	26.4	29.5
LENGTH	0.1	0.2	5.4	4.6	6.6	4.3	3.6	3.1	0.3
YEAR BUILT	70	70	41	45	54	63	63	63	74
YEAR IMPROVED	70	70	63	45	54	63	63	63	74
SURFACE WIDTH	40	40	21	20	24	28	28	28	34
ROADWAY WIDTH	40	40	24	24	24	28	28	28	34
SURFACE TYPE	PMS	RMS	RMS	RMS	RMS	PMS	PMS	PMS	PMS
ADT	4587	2774	1565	768	563	502	467	472	492
DHV	642	304	219	107	78	70	65	66	68
SERVICE VOLUME	340	134	421	377	494	353	332	575	355
FOUNDATION - 10	7	7	3	3	4	5	5	10	10
SURFACE - 30	21	23	17	11	18	27	27	21	30
DRAINAGE - 10	10	10	8	9	10	10	10	10	10
SAFETY - 20	20	1	10	9	10	6	18	20	3
CAPACITY - 30	2	0	22	26	28	27	27	28	27
SUFFICIENCY RATING	60	41	60	64	70	75	91	95	80
ADJUSTED RATING	45	35	57	66	73	82	92	98	83
DEFICIENT MILEAGE	.07	.16	2.18	1.75	1.99	.92	.33	.15	.06

BEGINNING MILE POST	0.0	0.1	0.2	3.0	6.8	13.6	16.1	26.8
LENGTH	0.1	0.1	2.4	3.7	6.8	2.4	10.6	0.7
YEAR BUILT	46	U	46	46	59	59	53	U
YEAR IMPROVED	74	R	62	62	59	59	53	R
SURFACE WIDTH	40	B	24	24	24	24	24	B
ROADWAY WIDTH	40	A	26	26	24	24	28	A
SURFACE TYPE	RMS	N	RMS	RMS	PMS	PMS	PMS	N
ADT	1735		3572	4005	1105	651	999	
DHV	225		464	520	143	123	129	
SERVICE VOLUME	696		567	319	249	327	629	
FOUNDATION - 10	4		3	0	0	0	0	
SURFACE - 30	17		18	13	17	14	13	
DRAINAGE - 10	6		7	8	10	8	8	
SAFETY - 20	2		6	2	4	20	19	
CAPACITY - 30	46		18	6	21	25	27	
SUFFICIENCY RATING	55		52	29	52	67	67	
ADJUSTED RATING	51		43	21	51	67	67	
DEFICIENT MILEAGE	.04		1.16	2.69	3.30	.82	3.51	

FAP ROUTE NO 48 & 49
SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.5	7.3	8.3	8.5	10.4	16.6	31.1	40.1	47.9	60.8	70.1	76.4	81.9	87.0	BEGINNING MILE POST
LENGTH	0.5	7.1	1.0	0.1	1.9	6.0	14.5	8.9	1.8	12.9	9.3	6.2	5.4	5.2	3.5	LENGTH
YEAR BUILT	U	68	64	64	62	63	63	60	60	55	67	58	64	60	U	YEAR BUILT
YEAR IMPROVED	R	66	64	64	72	63	63	60	60	55	67	60	64	60	R	YEAR IMPROVED
SURFACE WIDTH	B	40	34	52	32	32	32	28	28	28	28	32	32	36	B	SURFACE WIDTH
ROADWAY WIDTH	A	40	34	52	32	32	32	28	28	28	28	32	32	36	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		1436	1467	1174	988	746	745	850	1164	1283	1200	1489	2839	5082		ADT
DHV		316	322	165	155	117	116	139	182	201	188	233	445	762		DHV
SERVICE VOLUME		309	774	320	220	510	648	455	455	348	249	696	696	283		SERVICE VOLUME
FOUNDATION - 10		8	8	9	9	7	5	6	7	5	9	8	6	8		FOUNDATION - 10
SURFACE - 30		23	22	24	25	17	16	21	22	19	28	25	24	26		SURFACE - 30
DRAINAGE - 10		10	10	10	10	10	10	10	10	9	10	10	10	10		DRAINAGE - 10
SAFETY - 20		20	20	1	1	20	20	4	5	2	1	13	7	6		SAFETY - 20
CAPACITY - 30		15	24	21	19	27	27	26	24	21	19	25	20	6		CAPACITY - 30
SUFFICIENCY RATING		76	84	65	64	81	78	67	68	56	67	81	69	56		SUFFICIENCY RATING
ADJUSTED RATING		74	82	64	64	82	79	68	67	54	66	79	62	36		ADJUSTED RATING
DEFICIENT MILEAGE		1.71	.16	.05	.70	1.14	3.21	2.94	2.50	5.69	3.07	1.18	1.69	2.66		DEFICIENT MILEAGE

FAP ROUTE 50
SHEET 1 OF 1

BEGINNING MILE POST	0.0	3.3	8.3	9.0	18.7	27.2	21.5	32.5	38.4	46.2	59.9	BEGINNING MILE POST
LENGTH	3.3	5.0	0.7	9.6	8.4	0.3	5.0	5.8	10.7	10.6	11.1	LENGTH
YEAR BUILT	60	60	60	59	59	U	58	58	57	56	55	YEAR BUILT
YEAR IMPROVED	61	61	61	59	59	R	77	77	77	77	71	YEAR IMPROVED
SURFACE WIDTH	30	30	30	28	28	8	24	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	28	28	4	32	32	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	411	256	163	169	161		226	189	227	259	466	ADT
DHV	57	35	22	23	25		31	26	31	36	65	DHV
SERVICE VOLUME	655	463	362	371	342		592	425	524	436	395	SERVICE VOLUME
FOUNDATION - 10	7	6	8	0	0		6	8	6	8	8	FOUNDATION - 10
SURFACE - 30	23	21	24	14	13		30	28	30	30	30	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	13	20	20	14	19		6	13	13	7	13	SAFETY - 20
CAPACITY - 30	29	29	30	29	29		29	29	29	29	28	CAPACITY - 30
SUFFICIENCY RATING	82	86	92	67	71		83	88	90	84	84	SUFFICIENCY RATING
ADJUSTED RATING	86	90	95	76	81		89	93	93	89	91	ADJUSTED RATING
DEFICIENT MILEAGE	.59	.10	.06	3.19	2.45		.85	.70	1.07	1.70	1.23	DEFICIENT MILEAGE

FAP ROUTE 51
SHEET 1 OF 1



BEGINNING MILE POST	0.0	7.1	10.3	16.0	23.6	26.2	28.2	30.2	32.2	33.5	33.9	41.5	BEGINNING MILE POST
LENGTH	7.1	3.2	7.6	5.5	2.6	1.5	2.0	1.9	1.3	0.3	7.6	3.9	LENGTH
YEAR BUILT	40	47	48	37	36	10	36	56	22	35	34	34	YEAR BUILT
YEAR IMPROVED	50	47	65	65	60	59	64	56	49	57	55	55	YEAR IMPROVED
SURFACE WIDTH	21	24	24	24	24	24	24	24	24	22	22	22	SURFACE WIDTH
ROADWAY WIDTH	24	24	25	24	25	24	24	28	24	22	24	24	ROADWAY WIDTH
SURFACE TYPE	BST	BST	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	1983	1257	1297	1297	1447	1756	1889	3360	3121	1643	1902	1971	ADT
DHV	293	186	191	191	214	259	279	497	461	539	281	291	DHV
SERVICE VOLUME	210	206	522	336	481	220	208	198	374	132	390	435	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0	0	FOUNDATION - 10
SURFACE - 30	12	13	14	15	11	13	13	12	14	11	13	17	SURFACE - 30
DRAINAGE - 10	7	6	8	7	6	5	5	10	6	5	4	4	DRAINAGE - 10
SAFETY - 20	1	1	6	1	8	4	2	4	2	0	1	3	SAFETY - 20
CAPACITY - 30	9	17	25	21	21	12	10	0	12	0	19	20	CAPACITY - 30
SUFFICIENCY RATING	29	37	53	44	50	34	30	26	34	16	37	44	SUFFICIENCY RATING
ADJUSTED RATING	25	35	51	42	47	30	26	19	27	11	33	39	ADJUSTED RATING
DEFICIENT MILEAGE	5.06	2.02	3.59	3.12	1.33	1.31	1.40	1.46	.88	.28	4.81	2.22	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	4.3	6.3	15.9	23.1	31.5	32.8	34.2	40.5	45.3	46.2		
LENGTH	4.3	2.0	9.5	7.2	8.4	0.4	2.1	6.2	4.8	0.8	0.4		
YEAR BUILT	U	63	48	48	48	U	48	48	56	U	56		
YEAR IMPROVED	P	63	48	48	48	P	48	57	56	P	56		
SURFACE WIDTH	B	36	20	20	20	B	20	22	30	B	30		
ROADWAY WIDTH	A	32	24	24	24	A	24	28	30	A	30		
SURFACE TYPE	N	RMS	RMS	RMS	RMS	N	RMS	RMS	BST	N	BST		
ADT		2910	1496	1193	1153		1127	1114	992		1153		
DHV		378	194	155	149		146	144	128		149		
SERVICE VOLUME		643	201	421	634		239	289	391		612		
FOUNDATION - 10		8	0	6	3		0	0	0		2		
SURFACE - 30		24	13	11	10		14	11	11		13		
DRAINAGE - 10		10	8	9	7		7	8	10		10		
SAFETY - 20		1	1	13	5		1	1	20		20		
CAPACITY - 30		21	16	24	26		21	23	25		26		
SUFFICIENCY RATING		71	38	57	48		43	43	66		71		
ADJUSTED RATING		65	35	50	47		42	42	65		70		
DEFICIENT MILEAGE		.58	5.94	3.13	4.37		1.23	3.58	1.64		.12		

FAP ROUTE NO 52 & 53
SHEET 1 OF 1

BEGINNING MILE POST	0.0	9.1	17.6	23.7	BEGINNING MILE POST
LENGTH	9.1	8.7	5.9	5.5	LENGTH
YEAR BUILT	59	66	74	76	YEAR BUILT
YEAR IMPROVED	66	66	75	76	YEAR IMPROVED
SURFACE WIDTH	24	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	24	32	30	30	ROADWAY WIDTH
SURFACE TYPE	BST	PMS	PMS	PMS	SURFACE TYPE
ADT	199	253	273	311	ADT
DHV	25	32	35	40	DHV
SERVICE VOLUME	327	529	530	512	SERVICE VOLUME
FOUNDATION - 10	0	8	9	10	FOUNDATION - 10
SURFACE - 30	14	26	30	28	SURFACE - 30
DRAINAGE - 10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	2	6	20	20	SAFETY - 20
CAPACITY - 30	29	29	29	29	CAPACITY - 30
SUFFICIENCY RATING	55	81	98	97	SUFFICIENCY RATING
ADJUSTED RATING	66	87	98	98	ADJUSTED RATING
DEFICIENT MILEAGE	4.10	1.66	.11	.16	DEFICIENT MILEAGE

FAP ROUTE NO 54
SHEET 1 OF 1



BEGINNING MILE POST	0.0	2.1	2.4	12.1	12.9	BEGINNING MILE POST
LENGTH	2.1	0.2	9.7	0.8	0.1	LENGTH
YEAR BUILT	53	53	53	U	66	YEAR BUILT
YEAR IMPROVED	53	53	53	R	66	YEAR IMPROVED
SURFACE WIDTH	24	24	24	B	32	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	32	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	PMS	SURFACE TYPE
ADT	827	827	1379		1550	ADT
DHV	136	136	227		255	DHV
SERVICE VOLUME	333	391	289		340	SERVICE VOLUME
FOUNDATION - 10	4	4	4		9	FOUNDATION - 10
SURFACE - 30	16	16	15		26	SURFACE - 30
DRAINAGE - 10	8	8	8		10	DRAINAGE - 10
SAFETY - 20	4	20	8		20	SAFETY - 20
CAPACITY - 30	24	25	18		19	CAPACITY - 30
SUFFICIENCY RATING	56	73	53		84	SUFFICIENCY RATING
ADJUSTED RATING	51	74	51		82	ADJUSTED RATING
DEFICIENT MILEAGE	.94	.07	4.56		.01	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	8.1	16.5	22.0	27.8	BEGINNING MILE POST
LENGTH	8.1	8.3	5.4	5.8	6.7	LENGTH
YEAR BUILT	57	63	63	60	56	YEAR BUILT
YEAR IMPROVED	57	63	63	60	56	YEAR IMPROVED
SURFACE WIDTH	24	26	28	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	26	28	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	312	316	321	378	524	ADT
DHV	47	41	49	57	79	DHV
SERVICE VOLUME	327	318	212	321	278	SERVICE VOLUME
FOUNDATION - 10	3	6	6	3	5	FOUNDATION - 10
SURFACE - 30	17	17	18	17	11	SURFACE - 30
DRAINAGE - 10	8	8	8	7	9	DRAINAGE - 10
SAFETY - 20	1	2	2	2	3	SAFETY - 20
CAPACITY - 30	28	28	27	27	26	CAPACITY - 30
SUFFICIENCY RATING	57	61	61	56	60	SUFFICIENCY RATING
ADJUSTED RATING	65	69	69	63	64	ADJUSTED RATING
DEFICIENT MILEAGE	3.51	3.26	2.13	2.57	2.70	DEFICIENT MILEAGE

FAP ROUTE NO 55 & 56

SHEET NO 1 OF 1



BEGINNING MILE POST	0.0	5.3	7.0	10.4	17.9	21.8	26.5	33.2	36.6	41.8	54.3	56.6	57.8	BEGINNING MILE POST
LENGTH	5.4	1.7	3.3	7.5	3.9	4.6	6.6	3.4	5.1	12.4	2.3	1.1	6.5	LENGTH
YEAR BUILT	60	61	61	64	64	38	38	37	37	38	33	55	71	YEAR BUILT
YEAR IMPROVED	60	61	61	64	64	50	50	37	37	56	71	55	71	YEAR IMPROVED
SURFACE WIDTH	32	32	32	32	32	24	24	24	24	22	22	24	32	SURFACE WIDTH
ROADWAY WIDTH	32	32	32	32	32	25	25	30	30	24	24	32	32	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	PMS	SURFACE TYPE
ADT	1768	1766	1759	1665	1478	1440	1460	1495	1601	1358	1417	1440	1462	ADT
DHV	210	210	209	198	175	171	173	177	190	161	168	171	173	DHV
SERVICE VOLUME	2217	406	406	352	536	408	418	737	470	343	308	442	585	SERVICE VOLUME
FOUNDATION - 10	4	5	5	5	7	0	0	0	0	0	3	4	8	FOUNDATION - 10
SURFACE - 30	21	20	20	16	19	13	10	9	8	14	17	14	26	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	7	6	9	9	6	7	10	10	DRAINAGE - 10
SAFETY - 20	14	20	11	19	20	16	7	6	17	5	1	20	14	SAFETY - 20
CAPACITY - 30	29	22	22	22	25	24	24	26	24	23	22	24	26	CAPACITY - 30
SUFFICIENCY RATING	78	77	68	72	81	60	47	48	58	48	50	72	84	SUFFICIENCY RATING
ADJUSTED RATING	75	74	66	69	79	57	44	45	55	46	47	70	68	ADJUSTED RATING
DEFICIENT MILEAGE	1.19	.40	1.06	2.10	.75	1.87	3.50	1.78	2.17	6.46	1.16	.31	.71	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 1 OF 4

BEGINNING MILE POST	64.4	64.5	66.9	73.5	76.9	79.2	80.8	83.1	88.2	94.3	103.2	112.9	121.7	123.1	131.0	135.5	136.5	137.6	146.6	156.7	BEGINNING MILE POST
LENGTH	0.5	2.0	6.5	3.3	2.3	1.7	2.1	5.0	6.0	8.9	9.6	8.7	1.4	7.7	4.5	0.9	1.1	11.0	7.5	1.6	LENGTH
YEAR BUILT	71	71	47	47	47	47	U	42	37	37	40	51	29	31	31	U	31	54	51	73	YEAR BUILT
YEAR IMPROVED	71	71	54	54	54	54	P	42	56	57	55	51	58	58	58	R	69	54	51	73	YEAR IMPROVED
SURFACE WIDTH	32	32	24	24	24	24	B	24	24	24	24	24	18	20	20	B	22	24	24	30	SURFACE WIDTH
ROADWAY WIDTH	32	32	31	31	31	31	A	30	30	30	32	24	24	24	24	A	24	24	24	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	PMS	PMS	BST	PMS	PMS	PMS	N	PMS	PMS	BST	PMS	SURFACE TYPE
ADT	1540	1441	1540	1664	1904	1160		961	784	818	809	342	302	286	288		402	385	363	330	ADT
DHV	183	171	183	198	226	206		125	101	106	123	52	46	43	44		61	58	52	50	DHV
SERVICE VOLUME	548	672	565	384	565	780		415	333	367	549	713	414	634	406		418	384	266	567	SERVICE VOLUME
FOUNDATION - 10	10	5	6	6	1	7		4	2	0	0	0	0	0	0		0	0	0	10	FOUNDATION - 10
SURFACE - 30	28	27	20	19	20	17		11	15	13	13	10	8	7	7		11	12	12	30	SURFACE - 30
DRAINAGE - 10	10	10	9	9	9	9		10	8	9	9	9	5	4	7		10	10	8	10	DRAINAGE - 10
SAFETY - 20	20	8	12	3	3	3		11	2	1	3	3	20	4	1		6	10	1	7	SAFETY - 20
CAPACITY - 30	25	28	25	22	24	26		25	25	26	27	29	28	29	28		26	28	27	29	CAPACITY - 30
SUFFICIENCY RATING	93	80	72	59	63	62		67	52	49	52	51	61	44	43		55	62	48	86	SUFFICIENCY RATING
ADJUSTED RATING	92	78	69	55	59	58		67	54	50	53	59	69	53	52		61	72	55	90	ADJUSTED RATING
DEFICIENT MILEAGE	.03	.40	1.83	1.37	.87	.66		1.67	2.89	4.56	4.64	4.27	.57	4.36	2.59		.50	3.74	4.15	.23	DEFICIENT MILEAGE

FAP ROUTE NO 5
SHEET 2 OF 4

BEGINNING MILE POST	156.3	161.5	171.2	180.2	192.2	199.0	206.8	212.1	212.4	213.0	218.0	226.7	238.9	241.4	242.4	BEGINNING MILE POST
LENGTH	3.1	9.5	8.1	11.8	6.8	7.6	5.3	0.2	0.6	4.9	8.6	12.2	2.5	1.0	6.0	LENGTH
YEAR BUILT	13	66	48	73	36	36	36	37	U	37	36	31	38	68	36	YEAR BUILT
YEAR IMPROVED	73	66	52	73	53	53	57	41	K	52	49	54	54	68	54	YEAR IMPROVED
SURFACE WIDTH	30	36	22	32	24	24	22	22	N	24	24	24	24	36	24	SURFACE WIDTH
ROADWAY WIDTH	30	36	24	32	24	24	26	24	A	26	25	24	24	36	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	RMS	RMS	RMS	RMS	N	RMS	BST	RMS	RMS	RMS	RMS	SURFACE TYPE
ADT	358	331	328	326	301	358	400	1223		426	342	340	341	340	338	ADT
DHV	54	50	50	49	46	54	61	181		65	52	52	52	52	51	DHV
SERVICE VOLUME	567	425	406	400	499	499	450	235		500	469	243	312	212	243	SERVICE VOLUME
FOUNDATION - 10	9	5	0	8	0	0	0	0		0	0	0	0	7	0	FOUNDATION - 10
SURFACE - 30	26	20	10	26	8	9	10	12		12	10	11	12	22	13	SURFACE - 30
DRAINAGE - 10	10	10	7	10	9	9	1	8		8	8	8	9	10	9	DRAINAGE - 10
SAFETY - 20	13	11	1	17	1	1	1	5		2	1	1	2	20	1	SAFETY - 20
CAPACITY - 30	25	28	28	28	29	28	28	16		28	28	27	28	26	27	CAPACITY - 30
SUFFICIENCY RATING	89	80	46	89	47	41	46	43		50	47	47	51	85	50	SUFFICIENCY RATING
ADJUSTED RATING	92	85	54	92	55	54	52	41		56	55	55	55	89	56	ADJUSTED RATING
DEFICIENT MILEAGE	.35	1.41	4.34	1.30	3.65	4.06	2.68	.15		2.49	4.60	6.46	1.24	.15	3.04	DEFICIENT MILEAGE

FAP ROUTE NO 57
SHEET 3 OF 4

BEGINNING MILE POST	248.6	256.5	262.3	267.4	278.3	279.3	280.7	287.7	289.8	296.8	306.4	316.7	324.6	BEGINNING MILE POST
LENGTH	8.0	5.8	5.1	10.9	1.3	1.0	6.9	2.1	7.0	9.6	10.2	8.0	4.6	LENGTH
YEAR BUILT	40	40	47	41	U	66	66	64	64	76	67	61	U	YEAR BUILT
YEAR IMPROVED	54	54	47	56	R	66	66	64	64	76	67	61	R	YEAR IMPROVED
SURFACE WIDTH	24	24	24	24	B	32	32	32	32	32	40	32	P	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	25	A	32	32	32	32	32	40	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	BST	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT	317	353	383	454		1398	852	668	634	645	753	932		ADT
DHV	48	54	58	69		213	110	89	82	83	97	121		DHV
SERVICE VOLUME	243	266	452	515		592	621	403	448	666	296	666		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0		7	7	6	7	10	7	4		FOUNDATION - 10
SURFACE - 30	13	13	10	6		25	25	21	21	30	25	23		SURFACE - 30
DRAINAGE - 10	9	9	8	10		10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	1	1	4	9		7	20	11	20	6	17	11		SAFETY - 20
CAPACITY - 30	27	27	28	28		25	27	27	27	28	25	27		CAPACITY - 30
SUFFICIENCY RATING	50	50	50	55		74	89	75	85	84	84	75		SUFFICIENCY RATING
ADJUSTED RATING	58	57	57	61		72	89	77	86	85	85	75		ADJUSTED RATING
DEFICIENT MILEAGE	4.00	2.90	2.59	4.92		.26	.76	.53	1.05	1.53	1.63	2.00		DEFICIENT MILLAGE

BEGINNING MILE POST	330.7	330.5	330.1	329.3
LENGTH	0.4	0.2	0.3	0.8
YEAR BUILT	69	48	60	U
YEAR IMPROVED	69	50	60	R
SURFACE WIDTH	24	24	72	D
ROADWAY WIDTH	24	34	88	A
SURFACE TYPE	PMS	PMS	PMS	N
ADT	4610	4615	4620	
DHV	553	553	554	
SERVICE VOLUME	608	336	2840	
FOUNDATION - 10	8	6	7	
SURFACE - 30	29	19	17	
DRAINAGE - 10	10	8	10	
SAFETY - 20	20	20	20	
CAPACITY - 30	16	5	27	
SUFFICIENCY RATING	79	58	81	
ADJUSTED RATING	71	47	74	
DEFICIENT MILEAGE	.08	.09	.06	

FAP ROUTE NO 57
SHEET 4 OF 4



BEGINNING MILE POST	0.0	3.3	5.1	12.3	17.3	25.5	31.5	35.8	39.3	43.7	44.4	BEGINNING MILE POST
LENGTH	3.3	6.3	2.2	5.2	8.2	6.0	4.2	4.0	3.7	0.8	5.8	LENGTH
YEAR BUILT	35	35	29	28	28	58	64	56	56	61	56	YEAR BUILT
YEAR IMPROVED	51	51	35	40	40	64	64	64	56	61	56	YEAR IMPROVED
SURFACE WIDTH	22	22	20	20	20	44	32	32	24	28	22	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	24	24	44	32	32	28	28	22	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	PMS	RMS	RMS	PMS	PMS	PMS	RMS	PMS	RMS	SURFACE TYPE
ADT	1480	813	687	822	880	884	1469	1362	1034	570	492	ADT
DHV	268	158	133	160	111	112	285	257	201	111	95	DHV
SERVICE VOLUME	748	386	480	302	302	500	541	630	523	485	420	SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	7	1	8	3	6	3	FOUNDATION - 10
SURFACE - 30	10	9	6	10	9	21	21	22	17	15	13	SURFACE - 30
DRAINAGE - 10	8	8	8	4	4	10	10	10	9	10	10	DRAINAGE - 10
SAFETY - 20	7	2	1	0	0	2	5	4	3	6	17	SAFETY - 20
CAPACITY - 30	24	24	26	22	22	25	23	24	24	27	21	CAPACITY - 30
SUFFICIENCY RATING	49	43	43	36	35	65	66	68	56	68	10	SUFFICIENCY RATING
ADJUSTED RATING	46	44	46	37	36	66	63	66	56	71	74	ADJUSTED RATING
DEFICIENT MILEAGE	1.71	3.62	1.26	3.37	5.33	2.10	1.45	1.28	1.66	.21	1.75	DEFICIENT MILEAGE

FAP ROUTE NO 58
SHEET 1 OF 1

BEGINNING MILE POST	0.0	2.2	4.5	14.9	15.3	15.3	15.3	20.4	24.8	29.6	38.0	40.7	45.3	49.4	BEGINNING MILE POST
LENGTH	1.7	2.2	10.2	0.4	0.3	0.1	5.0	4.2	4.7	8.3	2.7	4.6	4.1	8.0	LENGTH
YEAR BUILT	55	41	41	U	38	U	38	73	73	73	42	36	36	36	YEAR BUILT
YEAR IMPROVED	55	41	41	R	38	R	38	73	73	73	52	47	47	63	YEAR IMPROVED
SURFACE WIDTH	24	20	20	B	20	B	20	32	32	32	24	24	24	22	SURFACE WIDTH
ROADWAY WIDTH	36	24	24	A	24	A	24	32	32	32	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	RMS	RMS	RMS	N	RMS	N	RMS	PMS	PMS	PMS	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	1475	1212	836		615		655	635	311	251	234	226	342	369	AOT
OHV	221	181	125		92		98	95	46	37	35	33	51	55	OHV
SERVICE VOLUME	580	453	431		627		655	696	720	694	839	582	805	642	SERVICE VOLUME
FOUNDATION - 10	1	3	0		0		0	8	6	9	0	0	0	0	FOUNDATION - 10
SURFACE - 30	17	17	13		13		9	26	23	28	8	10	9	9	SURFACE - 30
DRAINAGE - 10	10	9	9		8		8	10	10	10	8	6	8	8	DRAINAGE - 10
SAFETY - 20	12	20	5		20		4	5	20	15	18	4	2	3	SAFETY - 20
CAPACITY - 30	24	24	26		28		28	28	29	29	29	29	29	25	CAPACITY - 30
SUFFICIENCY RATING	70	73	53		69		49	77	90	91	63	49	48	49	SUFFICIENCY RATING
ADJUSTED RATING	67	72	54		72		52	79	93	94	73	60	56	56	ADJUSTED RATING
DEFICIENT MILEAGE	.52	.01	4.81		.01		2.56	.97	.47	.75	1.01	2.34	2.17	4.09	DEFICIENT MILEAGE

FAP ROUTE NO 59

SHEET 1 OF 1

BEGINNING MILE POST	0.0	9.7	17.0	25.3	28.7	35.8	38.9	49.4	53.6	60.3	62.1	71.0	74.5	81.4	87.3	88.3	90.3	BEGINNING MILE POST
LENGTH	9.5	7.3	8.3	3.3	7.2	3.1	10.5	4.2	6.6	1.9	9.1	3.6	6.9	5.8	0.9	2.0	5.3	LENGTH
YEAR BUILT	35	59	59	59	59	U	52	52	40	69	69	55	52	42	35	39	U	YEAR BUILT
YEAR IMPROVED	69	63	63	63	63	R	52	52	40	69	69	55	55	52	71	71	R	YEAR IMPROVED
SURFACE WIDTH	28	26	26	26	26	B	22	22	26	48	40	40	24	28	32	32	B	SURFACE WIDTH
ROADWAY WIDTH	28	26	26	26	26	A	26	26	26	48	40	40	32	31	32	32	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	N	PMS	PMS	BST	PMS	PMS	BMS	PMS	BMS	BMS	BMS	N	SURFACE TYPE
ADT	465	477	424	386	349		603	586	472	416	492	2064	2845	3022	3990	4147		ADT
DHV	69	71	63	58	52		90	87	70	62	73	270	370	392	518	545		DHV
SERVICE VOLUME	554	471	471	622	331		441	441	571	520	568	356	428	384	302	365		SERVICE VOLUME
FOUNDATION - 10	9	7	6	6	6		5	7	0	9	9	2	4	2	3	4		FOUNDATION - 10
SURFACE - 30	26	21	21	15	17		14	18	14	27	27	14	15	14	16	17		SURFACE - 30
DRAINAGE - 10	10	10	10	10	10		8	8	9	10	10	10	10	10	10	10		DRAINAGE - 10
SAFETY - 20	7	4	11	1	1		2	5	5	2	9	7	15	3	2	20		SAFETY - 20
CAPACITY - 30	28	28	28	29	28		27	27	28	28	28	20	17	15	4	8		CAPACITY - 30
SUFFICIENCY RATING	80	70	76	65	62		56	65	56	76	83	53	61	44	35	59		SUFFICIENCY RATING
ADJUSTED RATING	83	74	80	71	69		59	68	61	80	86	48	54	36	26	49		ADJUSTED RATING
DEFICIENT MILEAGE	1.91	2.21	1.99	1.16	2.73		4.63	1.48	2.93	.46	1.56	1.69	2.71	1.30	.64	.92		DEFICIENT MILEAGE

FAP ROUTE NO 60

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.0	7.0	13.0	21.8	26.6	27.7	33.8	38.6	43.5	45.1	54.8	66.6	70.4	83.4	BEGINNING MILE POST
LENGTH	0.6	5.9	6.0	8.8	4.7	1.1	6.0	4.8	4.8	1.5	9.6	11.8	3.8	12.9	4.5	LENGTH
YEAR BUILT	U	50	77	35	63	63	65	52	41	62	62	61	62	59	60	YEAR BUILT
YEAR IMPROVED	K	54	77	66	63	63	65	52	67	62	62	61	62	63	60	YEAR IMPROVED
SURFACE WIDTH	b	24	40	22	30	30	30	24	24	32	30	30	30	28	28	SURFACE WIDTH
ROADWAY WIDTH	A	30	40	24	30	30	30	28	30	32	30	30	30	28	28	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	RMS	PMS	PMS	PMS	RMS	RMS	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT		1201	1092	835	677	592	624	671	693	760	327	298	358	297	334	ADT
DHV		156	141	108	88	76	81	87	90	127	54	50	60	49	56	DHV
SERVICE VOLUME		364	252	298	522	367	391	377	367	569	554	583	333	570	584	SERVICE VOLUME
FOUNDATION - 10		0	10	0	7	7	6	3	0	4	0	0	3	0	0	FOUNDATION - 10
SURFACE - 30		13	30	12	20	19	20	14	13	16	11	12	16	11	5	SURFACE - 30
DRAINAGE - 10		10	10	5	10	10	10	10	9	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20		6	9	1	16	1	4	5	2	6	7	16	9	11	7	SAFETY - 20
CAPACITY - 30		24	22	25	27	27	27	27	26	27	29	29	27	25	25	CAPACITY - 30
SUFFICIENCY RATING		53	81	43	80	64	67	59	50	63	57	67	65	61	55	SUFFICIENCY RATING
ADJUSTED RATING		52	60	44	82	67	70	62	53	65	65	75	72	69	63	ADJUSTED RATING
DEFICIENT MILEAGE		2.79	1.14	5.02	.94	.40	1.99	2.00	2.44	.57	4.15	3.90	1.36	5.04	2.06	DEFICIENT MILEAGE

FAP ROUTE NO 61

SHEET 1 OF 2

BEGINNING MILE POST	88.0	93.5	102.3	110.3	118.1	124.4	130.3	136.7	142.0	147.3	155.5	156.9	BEGINNING MILE POST
LENGTH	5.5	8.7	8.0	7.8	6.2	5.9	6.3	5.2	5.2	8.1	1.3	C.6	LENGTH
YEAR BUILT	60	60	57	37	49	47	42	42	42	38	38	U	YEAR BUILT
YEAR IMPROVED	60	60	59	59	49	47	42	42	42	42	42	R	YEAR IMPROVED
SURFACE WIDTH	28	28	24	24	22	25	20	20	20	24	24	8	SURFACE WIDTH
ROADWAY WIDTH	28	28	24	24	22	25	24	24	24	26	26	A	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	BST	BST	RMS	RMS	PMS	RMS	RMS	N	SURFACE TYPE
ADT	356	373	259	176	153	200	285	329	371	559	1837		ADT
DHV	59	62	43	29	25	33	47	55	62	93	308		DHV
SERVICE VOLUME	584	732	462	312	220	278	354	564	203	319	374		SERVICE VOLUME
FOUNDATION - 10	0	0	0	0	0	0	0	0	0	0	0		FOUNDATION - 10
SURFACE - 30	10	8	14	14	13	12	14	10	15	11	13		SURFACE - 30
DRAINAGE - 10	10	10	10	10	7	8	8	8	9	8	8		DRAINAGE - 10
SAFETY - 20	9	20	16	17	2	3	20	11	2	7	7		SAFETY - 20
CAPACITY - 30	28	25	29	29	28	28	28	29	25	26	18		CAPACITY - 30
SUFFICIENCY RATING	57	67	69	64	50	51	70	58	51	52	46		SUFFICIENCY RATING
ADJUSTED RATING	64	73	77	75	63	62	77	64	58	58	42		ADJUSTED RATING
DEFICIENT MILEAGE	2.39	2.90	2.49	2.80	3.12	2.90	1.91	2.21	2.58	3.89	.75		DEFICIENT MILEAGE

FAP ROUTE NO 61
SHEET 2 OF 2



BEGINNING MILE POST	0.0	1.5	2.0	3.9	8.8	12.1	20.2	24.9	29.7	33.3	37.0	BEGINNING MILE POST
LENGTH	0.8	0.4	1.8	4.8	3.3	8.0	4.6	4.7	3.6	3.6	1.0	LENGTH
YEAR BUILT	U	61	U	U	70	40	40	40	38	37	U	YEAR BUILT
YEAR IMPROVED	R	61	N	N	70	45	49	49	49	49	R	YEAR IMPROVED
SURFACE WIDTH	B	36	0 C	0 C	34	24	24	24	24	24	B	SURFACE WIDTH
ROADWAY WIDTH	A	36	E O	E O	34	26	26	26	26	26	A	ROADWAY WIDTH
SURFACE TYPE	N	PMS	R N	R N	PMS	PMS	PMS	PMS	PMS	PMS	N	SURFACE TYPE
ADT		857	S	S	655	636	828	1049	1157	2863		ADT
DHV		128	F	T	98	95	124	157	173	429		DHV
SERVICE VOLUME		560	R	R	360	255	255	277	387	277		SERVICE VOLUME
FOUNDATION - 10		7	U	U	8	0	0	2	2	0		FOUNDATION - 10
SURFACE - 30		16	C	C	23	14	15	17	17	11		SURFACE - 30
DRAINAGE - 10		10	T	T	10	8	8	8	8	9		DRAINAGE - 10
SAFETY - 20		10	1	1	20	2	4	4	5	3		SAFETY - 20
CAPACITY - 30		27	G	G	26	24	23	21	23	7		CAPACITY - 30
SUFFICIENCY RATING		70	N	N	87	48	50	52	55	30		SUFFICIENCY RATING
ADJUSTED RATING		71			88	51	51	52	54	23		ADJUSTED RATING
DEFICIENT MILEAGE		.74			.43	4.20	2.32	2.27	1.63	2.56		DEFICIENT MILEAGE

FAP ROUTE NO 62
SHEET 1 OF 1



BEGINNING MILE POST	0.0	4.0	13.5	17.8	18.4	19.2	22.2	22.8	24.8	25.4	26.6	33.4	35.4	36.3	BEGINNING MILE POST
LENGTH	3.7	9.4	4.2	0.6	0.7	3.0	0.6	1.9	0.5	1.2	6.8	2.0	0.8	3.2	LENGTH
YEAR BUILT	49	49	49	U	49	47	47	47	47	47	41	41	46	46	YEAR BUILT
YEAR IMPROVED	54	54	54	R	54	73	73	62	62	57	70	70	59	60	YEAR IMPROVED
SURFACE WIDTH	24	24	24	B	24	24	24	24	24	24	24	24	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	A	24	24	24	24	24	24	24	24	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	N	PMS	PMS	PMS	RMS	RMS	RMS	RMS	RMS	RMS	RMS	SURFACE TYPE
AOT	1055	874	890		818	893	1009	1050	1049	1020	952	981	981	1155	AOT
OHV	137	113	115		106	116	131	136	136	132	123	127	127	150	OHV
SERVICE VOLUME	258	408	297		258	384	450	429	360	237	278	360	450	278	SERVICE VOLUME
FOUNDATION - 10	0	0	0		5	3	3	2	3	2	1	5	2	3	FOUNDATION - 10
SURFACE - 30	11	14	12		15	14	14	13	12	12	18	16	13	13	SURFACE - 30
DRAINAGE - 10	9	10	10		10	10	10	10	10	9	10	10	8	9	DRAINAGE - 10
SAFETY - 20	2	5	3		1	4	1	10	1	20	2	13	16	2	SAFETY - 20
CAPACITY - 30	22	26	24		24	25	26	25	24	22	23	25	26	22	CAPACITY - 30
SUFFICIENCY RATING	44	55	49		55	56	60	60	50	65	60	69	67	49	SUFFICIENCY RATING
ADJUSTED RATING	44	56	50		56	57	60	60	50	65	60	69	67	48	ADJUSTED RATING
DEFICIENT MILEAGE	2.10	4.26	2.18		.32	1.32	.27	.71	.29	.42	2.73	.62	.28	1.64	DEFICIENT MILEAGE



BEGINNING MILE POST	0.0	3.0	7.1
LENGTH	3.0	4.1	2.4
YEAR BUILT	72	73	73
YEAR IMPROVED	77	73	73
SURFACE WIDTH	30	24	24
ROADWAY WIDTH	30	24	24
SURFACE TYPE	PMS	GRV	GRV
AOT	836	766	760
OHV	117	107	107
SERVICE VOLUME	384	250	272
FOUNDATION - 10	10	0	0
SURFACE - 30	30	0	0
DRAINAGE - 10	10	5	5
SAFETY - 20	2	1	1
CAPACITY - 30	25	24	22
SUFFICIENCY RATING	77	30	28
ADJUSTED RATING	78	31	29
DEFICIENT MILEAGE	.69	2.92	1.76

FAP ROUTE NO 63 & 64

SHEET 1 OF 1



BEGINNING MILE POST	0.0
LENGTH	0.3
YEAR BUILT	38
YEAR IMPROVED	38
SURFACE WIDTH	40
ROADWAY WIDTH	40
SURFACE TYPE	RMS
ADT	T641
DHV	331
SERVICE VOLUME	614
FOUNDATION - 10	7
SURFACE - 30	T6
DRAINAGE - 10	7
SAFETY - 20	20
CAPACITY - 30	22
SUFFICIENCY RATING	T2
ADJUSTED RATING	69
DEFICIENT MILEAGE	.06

BEGINNING MILE POST	0.0	10.6	23.2	37.3	BEGINNING MILE POST
LENGTH	T0.6	T2.6	14.0	12.7	LENGTH
YEAR BUILT	6T	59	59	59	YEAR BUILT
YEAR IMPROVED	6T	59	59	59	YEAR IMPROVED
SURFACE WIDTH	28	28	28	28	SURFACE WIDTH
ROADWAY WIDTH	28	28	28	28	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PNS	PMS	SURFACE TYPE
ADT	26T	390	413	466	ADT
DHV	4T	62	66	74	DHV
SERVICE VOLUME	478	448	446	478	SERVICE VOLUME
FOUNDATION - 10	0	4	4	5	FOUNDATION - T0
SURFACE - 30	13	17	16	18	SURFACE - 30
DRAINAGE - T0	10	9	10	10	DRAINAGE - 10
SAFETY - 20	6	4	9	20	SAFETY - 20
CAPACITY - 30	29	28	28	28	CAPACITY - 30
SUFFICIENCY RATING	58	62	67	81	SUFFICIENCY RATING
ADJUSTED RATING	67	68	72	84	ADJUSTED RATING
DEFICIENT MILEAGE	4.46	4.T9	4.63	2.41	DEFICIENT MILEAGE

FAP ROUTE NO 65 & 66

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.7
LENGTH	0.7	1.0
YEAR BUILT	U	28
YEAR IMPROVED	R	52
SURFACE WIDTH	B	20
ROADWAY WIDTH	A	24
SURFACE TYPE	N	RMS
ADT		935
DHV		121
SERVICE VOLUME		334
FOUNDATION - 10		3
SURFACE - 30		15
DRAINAGE - 10		7
SAFETY - 20		1
CAPACITY - 30		23
SUFFICIENCY RATING		51
ADJUSTED RATING		51
DEFICIENT MILEAGE		.50



BEGINNING MILE POST	0.0	0.1	1.2
LENGTH	0.1	1.0	0.2
YEAR BUILT	33	U	63
YEAR IMPROVED	53	R	63
SURFACE WIDTH	24	B	30
ROADWAY WIDTH	28	A	30
SURFACE TYPE	RMS	N	PMS
ADT	675		1038
DHV	205		155
SERVICE VOLUME	368		311
FOUNDATION - 10	0		9
SURFACE - 30	10		25
DRAINAGE - 10	8		10
SAFETY - 20	0		20
CAPACITY - 30	22		23
SUFFICIENCY RATING	40		81
ADJUSTED RATING	43		81
DEFICIENT MILEAGE	.10		.03



BEGINNING MILE POST	0.0	0.6	2.9	5.6	6.1	10.0	13.8	22.1	28.1	31.0	37.0	38.0
LENGTH	0.6	2.3	2.0	1.0	3.9	3.8	8.4	6.0	2.8	6.0	1.0	0.3
YEAR BUILT	U	33	68	68	70	64	61	57	51	55	U	13
YEAR IMPROVED	R	55	68	68	10	64	61	71	57	59	P	73
SURFACE WIDTH	B	32	30	30	32	28	26	24	24	24	B	40
ROADWAY WIDTH	A	32	30	30	32	28	26	24	24	24	A	40
SURFACE TYPE	N	RMS	PMS	PMS	PMS	PMS	PMS	PMS	BST	BST	N	PMS
ADT		1100	911	880	592	561	511	417	564	588		1095
DHV		165	145	132	88	84	76	71	84	148		164
SERVICE VOLUME		680	414	655	456	312	291	554	301	353		755
FOUNDATION - 10		2	6	3	5	4	4	7	4	4		10
SURFACE - 30		11	26	21	17	15	18	22	17	17		30
DRAINAGE - 10		10	10	8	10	10	4	10	7	7		10
SAFETY - 20		9	2	4	16	3	1	4	3	3		20
CAPACITY - 30		26	25	27	27	26	26	28	26	24		27
SUFFICIENCY RATING		56	69	63	75	61	58	71	51	55		97
ADJUSTED RATING		57	69	64	78	65	63	75	61	55		96
DEFICIENT MILEAGE		.97	.63	.39	.98	1.42	3.56	1.74	1.22	2.70		.00

FAP ROUTE NO 67, 68 & 69

SHEET 1 OF 1



BEGINNING MILE POST		0.0	0.2	1.2	1.5	1.5
LENGTH		0.2	1.0	0.1	0.0	1.2
YEAR BUILT	N		31	U	31	U
YEAR IMPROVED	O		52	R	52	R
SURFACE WIDTH	N		22	6	22	8
ROADWAY WIDTH	E		24	A	24	A
SURFACE TYPE	R		RMS	N	AMS	N
ADT	I		93		225	
DHV	S		12		29	
SERVICE VOLUME	T		544		716	
FOUNDATION - 10	E		0		0	
SURFACE - 30	N		5		14	
DRAINAGE - 10	I		5		5	
SAFETY - 20			20		20	
CAPACITY - 30			30		29	
SUFFICIENCY RATING			60		68	
ADJUSTED RATING			76		77	
DEFICIENT MILEAGE			.41		.01	

BEGINNING MILE POST	0.0	5.1	5.6	10.3	11.7	14.5
LENGTH	5.1	0.4	4.8	1.1	2.8	6.9
YEAR BUILT	61	70	61	49	49	48
YEAR IMPROVED	61	70	61	49	49	48
SURFACE WIDTH	30	30	30	24	20	24
ROADWAY WIDTH	30	30	30	24	24	24
SURFACE TYPE	PMS	PMS	PMS	BST	RMS	RMS
ADT	515	517	713	772	707	972
DHV	82	92	114	123	113	155
SERVICE VOLUME	414	402	384	673	431	396
FOUNDATION - 10	0	7	4	2	0	3
SURFACE - 30	15	21	17	14	12	15
DRAINAGE - 10	8	10	7	5	4	6
SAFETY - 20	8	10	6	1	3	2
CAPACITY - 30	27	27	26	27	26	24
SUFFICIENCY RATING	58	75	60	49	45	50
ADJUSTED RATING	63	78	62	51	47	50
DEFICIENT MILEAGE	2.17	.12	1.94	.57	1.54	3.49

FAP ROUTE NO 70 & 72

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.6
LENGTH	1.6	1.2
YEAR BUILT	49	U
YEAR IMPROVED	61	R
SURFACE WIDTH	24	B
ROADWAY WIDTH	28	A
SURFACE TYPE	RMS	N
ADT	1020	
DHV	121	
SERVICE VOLUME	249	
FOUNDATION - 10	3	
SURFACE - 30	19	
DRAINAGE - 10	8	
SAFETY - 20	3	
CAPACITY - 30	23	
SUFFICIENCY RATING	56	
ADJUSTED RATING	56	
DEFICIENT MILEAGE	.73	

FAP ROUTE NO 75

SHEET 1 OF 1



BEGINNING MILE POST	0.0	6.8
LENGTH	6.8	0.2
YEAR BUILT	U	50
YEAR IMPROVED	R	50
SURFACE WIDTH	B	24
ROADWAY WIDTH	A	36
SURFACE TYPE	N	PMS
ADT		443
DHV		57
SERVICE VOLUME		264
FOUNDATION - 10		3
SURFACE - 30		15
DRAINAGE - 10		8
SAFETY - 20		20
CAPACITY - 30		27
SUFFICIENCY RATING		73
ADJUSTED RATING		77
DEFICIENT MILEAGE		.07

BEGINNING MILE POST	0.0	1.7
LENGTH	1.7	0.2
YEAR BUILT	41	U
YEAR IMPROVED	41	R
SURFACE WIDTH	20	B
ROADWAY WIDTH	26	A
SURFACE TYPE	BST	N
ADT	944	
DHV	141	
SERVICE VOLUME	800	
FOUNDATION - 10	0	
SURFACE - 30	8	
DRAINAGE - 10	6	
SAFETY - 20	4	
CAPACITY - 30	27	
SUFFICIENCY RATING	45	
ADJUSTED RATING	45	
DEFICIENT MILEAGE	.96	

FAP ROUTE NO 76 & 77

SHEET 1 OF 1

BEGINNING MILE POST	0.0	0.4	6.0	13.3	19.6	23.9	24.3	25.1	27.4	29.9	45.8	46.4	47.2	BEGINNING MILE POST
LENGTH	0.4	5.5	7.2	6.3	4.2	0.3	0.7	2.3	2.5	15.8	0.5	0.8	0.4	LENGTH
YEAR BUILT	U	52	53	57	60	60	60	60	35	35	57	U	72	YEAR BUILT
YEAR IMPROVED	R	52	53	57	60	60	60	60	35	45	57	R	72	YEAR IMPROVED
SURFACE WIDTH	B	24	24	24	24	24	24	24	20	20	26	B	44	SURFACE WIDTH
ROADWAY WIDTH	A	24	24	24	24	24	24	24	20	24	28	A	44	ROADWAY WIDTH
SURFACE TYPE	N	RMS	RMS	PMS	PMS	PMS	PMS	PMS	RMS	RMS	RMS	N	PMS	SURFACE TYPE
ADT		597	334	283	352	425	329	287	403	1515	1601		1209	ADT
DHV		98	55	46	58	70	54	47	66	249	264		157	DHV
SERVICE VOLUME		556	278	591	440	394	522	348	391	450	425		795	SERVICE VOLUME
FOUNDATION - 10		0	0	0	7	9	9	9	0	0	8		9	FOUNDATION - 10
SURFACE - 30		10	12	13	26	26	27	27	10	8	24		28	SURFACE - 30
DRAINAGE - 10		7	6	6	9	10	10	9	6	5	10		10	DRAINAGE - 10
SAFETY - 20		1	1	2	4	20	5	1	7	1	0		20	SAFETY - 20
CAPACITY - 30		27	27	29	28	27	28	28	27	22	27		27	CAPACITY - 30
SUFFICIENCY RATING		45	46	50	74	92	79	74	44	36	63		94	SUFFICIENCY RATING
ADJUSTED RATING		49	54	59	80	93	84	81	50	33	60		93	ADJUSTED RATING
DEFICIENT MILEAGE		3.06	3.92	3.18	1.10	.03	.76	.60	1.44	10.15	.27		.02	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0
LENGTH	2.5
YEAR BUILT	64
YEAR IMPROVED	64
SURFACE WIDTH	30
ROADWAY WIDTH	30
SURFACE TYPE	PMS
ADT	659
DHV	85
SERVICE VOLUME	664
FOUNDATION - 10	6
SURFACE - 30	23
DRAINAGE - 10	10
SAFETY - 20	3
CAPACITY - 30	28
SUFFICIENCY RATING	70
ADJUSTED RATING	72
DEFICIENT MILEAGE	.75

FAP ROUTE NO 78 & 79

SHEET 1 OF 1



BEGINNING MILE POST	0.0	1.5	2.3	4.0	5.1	14.6	24.2	28.1	29.1	34.4	39.5	45.6	46.1	49.8	50.8	55.3	66.0	67.0	BEGINNING MILE POST
LENGTH	1.5	0.7	1.6	1.1	9.5	9.5	3.9	0.9	5.3	5.0	6.0	0.4	3.7	1.0	8.4	6.7	0.9	0.1	LENGTH
YEAR BUILT	53	U	62	56	U	62	64	U	64	65	64	62	62	53	53	53	U	27	YEAR BUILT
YEAR IMPROVED	53	R	62	56	N	62	64	R	64	65	64	62	62	52	52	53	R	27	YEAR IMPROVED
SURFACE WIDTH	24	B	30	25	D	C	30	30	B	28	28	28	24	24	24	24	24	R	24	SURFACE WIDTH
ROADWAY WIDTH	24	A	30	25	E	O	30	30	A	28	28	28	24	24	24	24	24	A	26	ROADWAY WIDTH
SURFACE TYPE	AMS	N	PMS	BST	P	N	PMS	PMS	N	PMS	PMS	PMS	PMS	PMS	PMS	PMS	PMS	N	BST	SURFACE TYPE
ADT	618		625	543		S	346	305		247	208	181	172	159	168	202	318		903	ADT
DHV	93		94	81		T	52	46		37	31	27	25	24	25	30	48		136	DHV
SERVICE VOLUME	294		410	257		R	410	576		600	621	377	518	276	494	469	469		481	SERVICE VOLUME
FOUNDATION - 10	8		6	0		U	7	7		6	5	3	0	2	6	6	5		2	FOUNDATION - 10
SURFACE - 30	23		23	13		C	22	24		23	21	17	12	15	17	17	17		14	SURFACE - 30
DRAINAGE - 10	10		10	4		T	10	10		10	10	10	5	5	5	9	10		3	DRAINAGE - 10
SAFETY - 20	3		2	1		I	20	20		7	20	10	2	3	4	2	3		20	SAFETY - 20
CAPACITY - 30	25		27	25		O	28	29		29	29	29	29	29	29	25	28		26	CAPACITY - 30
SUFFICIENCY RATING	69		68	43		N	87	90		75	85	69	48	54	65	63	63		65	SUFFICIENCY RATING
ADJUSTED RATING	72		71	47			90	93		82	90	79	61	67	77	74	71		66	ADJUSTED RATING
DEFICIENT MILEAGE	.49		.52	.63			1.23	.39		1.32	.76	1.88	.25	1.72	.35	3.11	2.48		.04	DEFICIENT MILEAGE

FAP ROUTE NO 80

SHEET 1 OF 1



BEGINNING MILE POST	0.0	12.9	13.8	26.7	29.5	32.6
LENGTH	12.9	0.8	12.8	2.8	3.0	9.8
YEAR BUILT	59	U	73	73	73	51
YEAR IMPROVED	59	R	73	73	73	51
SURFACE WIDTH	24	B	24	24	24	24
ROADWAY WIDTH	24	A	24	24	24	24
SURFACE TYPE	PMS	N	PMS	RMS	RMS	BST
AOT	269		416	389	381	362
DHV	41		64	60	59	56
SERVICE VOLUME	487		394	446	243	243
FOUNDATION - 10	7		7	5	4	2
SURFACE - 30	22		23	17	14	13
DRAINAGE - 10	10		10	10	8	8
SAFETY - 20	2		1	2	1	1
CAPACITY - 30	29		28	28	26	27
SUFFICIENCY RATING	70		69	62	53	51
ADJUSTED RATING	78		74	68	60	58
DEFICIENT MILEAGE	3.88		3.99	1.07	1.45	4.81



BEGINNING MILE POST	0.0	5.4
LENGTH	5.4	1.4
YEAR BUILT	52	55
YEAR IMPROVED	71	55
SURFACE WIDTH	24	24
ROADWAY WIDTH	24	24
SURFACE TYPE	PMS	RMS
AOT	2346	2467
DHV	340	357
SERVICE VOLUME	514	243
FOUNDATION - 10	8	4
SURFACE - 30	23	14
DRAINAGE - 10	8	10
SAFETY - 20	4	7
CAPACITY - 30	20	8
SUFFICIENCY RATING	63	43
ADJUSTED RATING	57	37
DEFICIENT MILEAGE	2.02	.83

FAP ROUTE NO 81 & 82

SHEET 1 OF 1

BEGINNING MILE POST	0.0	14.7	23.1	30.8	41.6	BEGINNING MILE POST
LENGTH	14.7	8.3	7.6	11.0	5.8	LENGTH
YEAR BUILT	52	52	52	59	59	YEAR BUILT
YEAR IMPROVED	52	52	52	59	59	YEAR IMPROVED
SURFACE WIDTH	24	22	22	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	26	26	24	24	ROADWAY WIDTH
SURFACE TYPE	AMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	1123	770	530	548	556	ADT
DHV	197	135	93	96	97	DHV
SERVICE VOLUME	438	192	175	221	429	SERVICE VOLUME
FOUNDATION - 10	0	0	3	2	2	FOUNDATION - 10
SURFACE - 30	13	15	17	14	14	SURFACE - 30
DRAINAGE - 10	7	7	7	6	7	DRAINAGE - 10
SAFETY - 20	4	2	1	3	5	SAFETY - 20
CAPACITY - 30	23	19	22	23	27	CAPACITY - 30
SUFFICIENCY RATING	47	43	50	48	55	SUFFICIENCY RATING
ADJUSTED RATING	46	45	54	52	59	ADJUSTED RATING
DEFICIENT MILEAGE	7.82	4.76	3.84	5.75	2.63	DEFICIENT MILEAGE

FAP ROUTE NO 83

SHEET 1 OF 2



BEGINNING MILE POST	47.7	54.5	65.1	77.7	82.6	86.2	BEGINNING MILE POST
LENGTH	6.7	10.6	12.6	4.8	3.7	4.7	LENGTH
YEAR BUILT	58	55	58	62	59	59	YEAR BUILT
YEAR IMPRUVED	58	55	63	62	59	59	YEAR IMPROVED
SURFACE WIDTH	24	24	24	30	24	24	SURFACE WIDTH
ROADWAY WIDTH	24	24	24	30	24	24	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	RMS	PMS	PMS	PMS	SURFACE TYPE
ADT	518	532	720	823	743	903	ADT
DHV	91	93	126	144	124	151	DHV
SERVICE VOLUME	384	258	299	333	237	384	SERVICE VOLUME
FOUNDATION - 10	2	2	0	5	5	6	FOUNDATION - 10
SURFACE - 30	15	15	10	19	17	17	SURFACE - 30
DRAINAGE - 10	6	7	6	10	10	10	DRAINAGE - 10
SAFETY - 20	8	9	2	14	19	16	SAFETY - 20
CAPACITY - 30	26	25	24	24	22	24	CAPACITY - 30
SUFFICIENCY RATING	57	58	42	72	73	73	SUFFICIENCY RATING
ADJUSTED RATING	62	62	44	73	74	73	ADJUSTED RATING
DEFICIENT MILEAGE	2.51	4.46	7.32	1.36	1.00	1.27	DEFICIENT MILEAGE

FAP ROUTE NO 83

SHEET 2 OF 2

BEGINNING MILE POST	0.0	6.4	11.4	20.3
LENGTH	6.4	5.0	8.8	8.7
YEAR BUILT	53	52	55	55
YEAR IMPROVED	53	52	55	55
SURFACE WIDTH	24	24	24	24
ROADWAY WIDTH	24	24	24	24
SURFACE TYPE	BMS	BMS	BMS	BMS
ADT	424	373	349	861
DHV	72	63	59	146
SERVICE VOLUME	374	394	243	365
FOUNDATION - 10	6	5	4	5
SURFACE - 30	18	17	15	18
DRAINAGE - 10	9	10	9	8
SAFETY - 20	1	1	1	1
CAPACITY - 30	27	28	26	24
SUFFICIENCY RATING	61	61	55	56
ADJUSTED RATING	67	66	62	57
DEFICIENT MILEAGE	2.50	1.91	3.96	3.84

BEGINNING MILE POST	0.0
LENGTH	6.7
YEAR BUILT	53
YEAR IMPROVED	53
SURFACE WIDTH	24
ROADWAY WIDTH	24
SURFACE TYPE	BMS
ADT	1659
DHV	273
SERVICE VOLUME	534
FOUNDATION - 10	4
SURFACE - 30	15
DRAINAGE - 10	8
SAFETY - 20	7
CAPACITY - 30	22
SUFFICIENCY RATING	56
ADJUSTED RATING	52
DEFICIENT MILEAGE	2.95

FAP ROUTE NO 84 & 85

SHEET 1 OF 1



BEGINNING MILE POST	0.0	0.9	3.8	9.5	16.3	18.7	31.4	BEGINNING MILE POST
LENGTH	0.9	2.8	5.7	6.7	2.4	12.6	6.7	LENGTH
YEAR BUILT	U	58	61	73	48	45	63	YEAR BUILT
YEAR IMPROVED	R	58	61	73	48	45	63	YEAR IMPROVED
SURFACE WIDTH	B	25	30	31	20	20	28	SURFACE WIDTH
ROADWAY WIDTH	A	25	30	31	20	20	28	ROADWAY WIDTH
SURFACE TYPE	N	PMS	PMS	PMS	GRV	GRV	PMS	SURFACE TYPE
ADT		2793	1813	537	459	127	155	ADT
DHV		558	362	107	91	19	23	DHV
SERVICE VOLUME		661	738	469	345	262	534	SERVICE VOLUME
FOUNDATION - 10		3	5	4	0	0	4	FOUNDATION - 10
SURFACE - 30		15	17	21	0	0	16	SURFACE - 30
DRAINAGE - 10		4	10	10	3	2	10	DRAINAGE - 10
SAFETY - 20		2	1	3	3	5	13	SAFETY - 20
CAPACITY - 30		17	23	27	26	29	29	CAPACITY - 30
SUFFICIENCY RATING		41	56	65	32	36	72	SUFFICIENCY RATING
ADJUSTED RATING		34	52	69	37	50	83	ADJUSTED RATING
DEFICIENT MILEAGE		1.68	2.53	2.36	1.67	8.12	1.88	DEFICIENT MILEAGE

BEGINNING MILE POST	0.0	1.4	3.0	6.7	10.0	20.2	BEGINNING MILE POST
LENGTH	1.3	1.5	3.7	3.3	10.2	2.1	LENGTH
YEAR BUILT	63	72	63	67	67	67	YEAR BUILT
YEAR IMPROVED	63	72	63	67	67	67	YEAR IMPROVED
SURFACE WIDTH	30	30	30	30	30	30	SURFACE WIDTH
ROADWAY WIDTH	30	30	30	30	30	30	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	PMS	PMS	PMS	PMS	SURFACE TYPE
ADT	347	355	393	431	478	535	ADT
DHV	74	76	84	93	103	116	DHV
SERVICE VOLUME	518	510	562	323	583	764	SERVICE VOLUME
FOUNDATION - 10	7	7	7	7	6	7	FOUNDATION - 10
SURFACE - 30	24	25	26	25	22	23	SURFACE - 30
DRAINAGE - 10	10	10	10	10	10	10	DRAINAGE - 10
SAFETY - 20	20	1	4	1	5	2	SAFETY - 20
CAPACITY - 30	28	28	28	26	27	28	CAPACITY - 30
SUFFICIENCY RATING	89	71	75	69	70	70	SUFFICIENCY RATING
ADJUSTED RATING	92	77	80	74	74	74	ADJUSTED RATING
DEFICIENT MILEAGE	.15	.45	.93	1.02	3.06	.65	DEFICIENT MILEAGE

FAP ROUTE NO 86 & 87

SHEET 1 OF 1

BEGINNING MILE POST	0.0	6.8	16.4	21.0	BEGINNING MILE POST
LENGTH	6.8	9.6	4.6	11.4	LENGTH
YEAR BUILT	64	64	U	U	YEAR BUILT
YEAR IMPROVED	64	64	N	N	YEAR IMPROVED
SURFACE WIDTH	30	30	D C	D C	SURFACE WIDTH
ROADWAY WIDTH	30	30	E U	E U	ROADWAY WIDTH
SURFACE TYPE	PMS	PMS	R N	R N	SURFACE TYPE
ADT	905	1012	S	S	ADT
DHV	144	161	I	I	DHV
SERVICE VOLUME	236	549	A	A	SERVICE VOLUME
FOUNDATION - 10	3	5	U	U	FOUNDATION - 10
SURFACE - 30	13	15	C	C	SURFACE - 30
DRAINAGE - 10	8	10	I	I	DRAINAGE - 10
SAFETY - 20	1	4	I	I	SAFETY - 20
CAPACITY - 30	21	26	O	O	CAPACITY - 30
SUFFICIENCY RATING	46	60	N	N	SUEFICIENCY RATING
ADJUSTED RATING	47	60			ADJUSTED RATING
DEFICIENT MILEAGE	3.68	3.86			DEFICIENT MILEAGE

FAP ROUTE NO 93

SHEET 1 OF 1

SUFFICIENCY RATINGS BY FINANCIAL DISTRICTS



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT I
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SFC	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SFF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P052	33+0.584	JCT FAP RTE 83	FLATHEAD	1 35 57	.344	22	22	RMS	3643	539	132	0	11	5	0	0	16	11	.3
P005	128+0.492	WHITEFISH	FLATHEAD	1 34 54	6.201	22	22	RMS	2386	310	132	0	13	4	1	0	18	14	5.1
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1 40 64	3.634	30	30	PMS	4285	685	348	0	12	8	4	0	24	16	2.8
P038	8+0.079	0.6 E COL FALLS	FLATHEAD	1 37 55	.576	22	24	RMS	3539	495	249	0	11	6	6	0	23	16	.4
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1 56 56	1.975	24	28	RMS	3380	497	198	0	12	10	4	0	26	19	1.5
P001	138+0.360	JCT FAP RTE 36	FLATHEAD	1 34 66	1.705	24	30	PMS	4228	807	365	0	13	8	6	0	27	19	1.2
P038	4+0.134	0.3 W FAS 206	FLATHEAD	1 75 75	2.275	44	44	PMS	6430	900	920	0	8	8	2	15	33	21	1.5
P001	140+0.075	1.7 E FAP 38	FLATHEAD	1 29 65	2.443	24	24	RMS	3883	741	469	0	14	10	1	6	31	23	1.7
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1 31 34	10.727	20	24	RMS	2586	493	415	0	12	5	1	12	30	24	7.5
P001	25+0.405	6.4 W LIBBY	LINCOLN	1 38 52	4.437	24	24	RMS	1961	254	220	0	11	3	1	13	28	24	3.2
P001	16+0.932	JCT FAP 56	LINCOLN	1 34 38	4.574	20	24	RMS	1858	241	182	0	12	3	3	10	28	24	3.3
P005	24+0.366	9.3 N LAKE CO	LAKE	1 55 60	3.147	32	32	PMS	5068	739	302	5	17	10	4	0	36	25	2.0
P052	0+0.000	JCT FAP RTE 5	LAKE	1 40 50	7.134	21	24	BST	1983	293	210	0	12	7	1	9	29	25	5.1
P052	28+0.294	FLATHEAD CO	FLATHEAD	1 36 64	2.004	24	24	RMS	1689	279	208	0	13	5	2	10	30	26	1.4
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAD	1 22 49	1.347	24	24	RMS	3121	461	374	0	14	6	2	12	34	27	.9
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1 37 55	.373	22	24	RMS	3539	495	216	0	11	7	20	0	38	29	.2
P005	168+0.284	FORTINE	LINCOLN	1 31 52	9.654	22	22	RMS	1443	197	140	0	15	5	1	10	31	29	6.7
P005	179+0.692	EUREKA	LINCOLN	1 43 57	1.370	22	24	RMS	2337	303	319	0	11	8	1	16	36	30	.9
P052	26+0.266	2.0 S FLATHEAD CO	LAKE	1 36 59	1.995	24	24	RMS	1756	259	220	0	13	5	4	12	34	30	1.3
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1 32 52	6.932	22	24	RMS	1699	229	341	0	10	4	1	20	35	31	4.5
P001	15+0.265	TROY	LINCOLN	1 37 38	1.655	20	24	RMS	2583	335	365	0	10	5	7	16	38	31	1.0
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1 50 50	5.797	24	30	RMS	3921	572	491	2	15	8	4	13	42	32	3.4
P005	57+0.826	1.1 S FAP 52	LAKE	1 58 58	1.188	32	32	PMS	5636	822	454	6	17	10	8	3	44	32	.7
P005	86+0.330	2.0 S ROLLINS	LAKE	1 33 65	6.417	24	24	RMS	1568	211	374	0	8	4	1	22	35	32	4.2
P005	15+0.054	LAKE CO	LAKE	1 40 40	3.437	24	30	RMS	3468	506	507	0	15	8	4	15	42	33	2.0
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1 34 51	10.056	22	24	RMS	2702	516	716	0	9	8	4	19	40	33	6.0
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1 34 55	7.644	22	24	RMS	1902	281	390	0	13	4	1	19	37	33	4.8
P005	104+0.255	JCT FAP 82	FLATHEAD	1 49 61	5.341	38	38	PMS	6298	755	383	6	18	10	13	0	47	34	2.8
P052	7+0.124	7.1 N FAP 5	LAKE	1 47 47	3.214	24	24	BST	1257	186	208	0	13	6	1	17	37	35	2.0
P033	0+0.658	LIBBY	LINCOLN	1 59 59	.558	26	37	BST	3598	467	397	5	16	10	1	12	44	35	.3
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1 33 35	3.632	18	20	RMS	714	136	199	0	11	3	0	20	34	36	2.4
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1 49 63	6.886	24	27	RMS	1650	214	223	0	13	8	4	16	41	37	4.1
P001	49+0.289	13.5 E FAS 482	LINCOLN	1 35 39	6.669	20	24	RMS	1137	147	228	0	11	4	3	20	38	37	4.3
P005	159+0.617	STRYKER	LINCOLN	1 31 64	8.683	24	24	RMS	1038	134	138	0	17	4	1	15	37	37	5.5
P082	5+0.451	1.4 W FAP 52	FLATHEAD	1 55 55	1.472	24	24	RMS	2467	357	243	4	14	10	7	6	43	37	.8
P006	115+0.193	LAKE CO	LAKE	1 34 52	.936	20	24	RMS	1395	207	448	0	9	8	1	23	41	39	.6
P052	41+0.541	CRESTON	FLATHEAD	1 34 55	3.975	22	24	RMS	1971	291	435	0	17	4	3	20	44	39	2.2
P005	27+0.503	JCT FAP 6	LAKE	1 56 60	2.550	44	44	PMS	4185	611	578	5	18	10	3	14	50	40	1.3
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1 56 60	1.843	32	32	PMS	3863	563	544	4	13	10	9	14	50	40	.9
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1 41 43	6.753	20	24	PMS	1222	158	234	0	13	7	2	20	42	40	3.9
P001	21+0.505	4.6 E FAP 56	LINCOLN	1 37 70	3.927	24	26	RMS	1910	248	470	0	10	4	9	22	45	40	2.2
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1 37 53	6.645	22	24	RMS	1151	149	243	0	14	5	2	21	42	41	3.9
P001	37+0.882	3.1 E LIBBY	LINCOLN	1 36 51	6.395	24	24	RMS	1575	204	515	0	10	7	4	24	45	42	3.5
P052	18+0.000	YELLOW BAY	LAKE	1 37 65	5.585	24	24	RMS	1297	191	336	0	15	7	1	21	44	42	3.1
P001	103+0.175	3.8 E MARION	FLATHEAD	1 40 63	3.262	24	24	RMS	1388	180	278	0	13	8	4	20	45	43	1.8
P001	153+0.269	JCT FAP 65	FLATHEAD	1 48 49	3.364	24	28	PMS	900	171	129	6	17	7	2	10	42	43	2.0
P001	56+0.167	20.4 E FAS 482	LINCOLN	1 38 50	8.685	20	26	RMS	1180	153	278	0	11	6	6	22	45	44	4.8
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1 52 52	9.172	28	28	RMS	963	125	187	0	12	7	5	20	44	44	5.1
P005	120+0.676	5.8 N KALISPELL	FLATHEAD	1 60 60	4.785	36	36	PMS	5055	606	662	4	16	10	10	16	56	44	2.1
P005	56+0.943	2.0 S FAP 52	LAKE	1 73 73	.882	40	40	PMS	5517	805	308	6	22	10	18	0	56	44	.4
P005	61+0.600	0.6 N POLSON	LAKE	1 54 54	2.852	24	32	PMS	2847	384	584	0	18	10	4	20	52	44	1.4
P083	65+0.165	17.7 N LAKE CO.	LAKE	1 58 63	12.634	24	24	RMS	720	126	299	0	10	6	2	24	42	44	7.3
P005	98+0.643	5.2 NLFLATHEADOCO	FLATHEAD	1 63 63	5.548	32	32	PMS	2976	401	589	4	15	10	4	20	53	45	2.6
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1 75 75	4.148	44	44	PMS	3627	504	170	10	30	10	4	0	54	45	1.9
P033	1+0.219	0.6 N LIBBY	LINCOLN	1 42 50	8.320	28	28	BST	1402	182	349	2	14	8	3	22	49	46	4.2

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	72	.388	32	32	PMS	3882	566	432	7	21	10	8	10	56	46	.2
P001	89+0.546	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	925	120	522	0	10	6	3	27	46	46	5.3
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	1168	151	364	0	9	7	8	24	48	47	2.6
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	51	6.278	24	31	PMS	2768	359	481	3	14	8	10	19	54	47	2.9
P001	6+0.982	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1767	229	508	0	14	8	6	23	51	47	3.4
P005	114+0.862	KALISPELL	FLATHEAD	1	57	60	5.799	36	36	PMS	4778	573	662	5	18	10	8	17	58	47	2.4
P052	23+0.600	4.7 S FLATHEAD CO	LAKE	1	36	60	2.661	24	25	RMS	1447	214	481	0	13	6	8	23	50	47	1.3
P005	41+0.154	2.4 S RONAN	LAKE	1	66	66	5.018	40	40	PMS	4737	691	648	5	16	10	14	14	59	48	2.1
P005	59+0.004	JCT FAP 52	LAKE	1	58	58	.331	40	40	PMS	6612	965	326	8	23	10	20	0	61	48	.1
P005	47+0.372	RONAN	LAKE	1	70	70	6.021	40	40	PMS	5094	743	309	10	27	10	12	0	59	48	2.5
P001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1	49	51	4.352	22	28	PMS	1259	163	338	4	13	8	2	23	50	48	2.2
P005	61+0.013	POLSON	LAKE	1	66	66	.587	40	40	PMS	3032	409	326	9	26	10	1	11	57	49	.3
P005	125+0.445	JCT FAP 38	FLATHEAD	1	60	60	1.488	36	36	PMS	8095	971	537	6	19	10	15	14	64	50	.5
P005	32+0.761	ST IGNATIUS	LAKE	1	69	69	.340	44	44	RMS	3501	511	336	5	17	10	20	7	59	50	.1
P001	99+0.410	MARION	FLATHEAD	1	47	61	3.779	24	30	PMS	1313	170	331	0	15	7	8	22	52	50	1.8
P038	7+0.760	0.3 E COL FALLS	FLATHEAD	1	77	77	.303	36	36	PMS	3539	495	333	10	28	10	3	8	59	50	.1
P052	10+0.345	10.3 N FAP 5	LAKE	1	48	65	7.657	24	25	RMS	1297	191	522	0	14	8	6	25	53	51	3.6
P001	123+0.228	KALISPELL U L	FLATHEAD	1	67	67	1.404	44	44	PMS	5108	715	731	8	24	10	5	15	62	51	.5
P005	30+0.048	2.5 N JCT FAP 6	LAKE	1	56	60	2.564	32	32	PMS	3564	520	544	4	17	10	13	16	60	51	1.0
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	64	5.181	32	32	PMS	1777	239	307	4	14	10	10	18	56	52	2.3
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	5270	769	688	8	22	10	11	13	64	53	1.2
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	4297	627	580	6	19	10	15	14	64	54	2.1
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	482	72	312	0	11	6	5	27	49	54	2.3
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	BST	453	67	308	0	13	7	1	27	48	54	.3
P005	46+0.161	0.4 S RONAN	LAKE	1	70	70	.411	40	40	PMS	5403	788	848	8	24	10	8	16	56	55	.1
P082	0+0.000	JCT FAP 5	FLATHEAD	1	52	71	5.474	24	24	PMS	2346	340	514	8	23	8	4	20	63	57	2.0
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	2266	305	411	4	16	10	15	19	64	58	1.1
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	875	167	301	6	19	10	0	22	57	58	.2
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	57	59	2.834	26	26	PMS	744	142	384	5	16	10	1	24	56	58	1.2
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	621	93	357	0	11	7	11	26	55	58	2.9
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	1105	143	187	0	15	6	20	19	60	59	.9
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	861	111	284	0	14	9	11	24	58	59	4.7
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	999	129	284	0	15	9	13	23	60	60	1.1
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	1301	169	569	3	15	10	8	26	62	60	4.2
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	771	147	357	6	16	10	2	24	58	60	.6
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	993	189	324	7	22	10	0	21	60	60	.2
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	1032	134	323	4	16	9	7	24	60	60	1.0
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1230	166	278	4	14	10	15	21	64	62	.3
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	532	93	258	2	15	7	9	25	58	62	4.5
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	518	91	384	2	15	6	8	26	57	62	2.9
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	615	79	353	0	14	9	10	27	60	63	2.6
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1698	229	662	6	19	10	7	25	67	63	.6
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	57	59	5.217	26	26	PMS	812	155	357	5	16	8	10	23	62	63	2.0
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	378	57	327	3	17	7	2	27	56	63	2.6
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	524	79	278	5	17	9	3	26	60	64	2.7
P001	37+0.373	4.5 E LIBBY	LINCOLN	1	76	76	.509	44	44	PMS	2384	309	222	10	30	10	10	9	69	64	.2
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	77	12.259	32	32	PMS	851	162	575	6	17	10	5	26	64	65	4.4
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	1622	218	469	5	24	9	7	23	68	65	1.2
P033	64+0.921	2.0 E FA 5	LINCOLN	1	40	40	1.975	20	24	RMS	749	97	357	0	9	8	20	26	63	65	.7
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	RMS	3539	495	705	7	18	10	20	19	74	67	.1
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	856	163	154	6	19	7	20	14	66	67	.8
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	327	49	212	6	18	8	2	27	61	69	2.1
P065	0+0.000	JCT FAP I W GLAC	FLATHEAD	1	38	38	.305	40	40	PMS	1641	331	614	7	16	7	20	22	72	69	.1
P036	36+0.100	4.4 W FLATHEAD CO	FLATHEAD	1	37	61	4.101	24	26	RMS	538	80	889	0	10	7	20	29	66	70	1.4
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	6.212	32	32	PMS	1601	216	447	6	24	10	12	23	75	72	1.6

FINANCIAL DISTRICT NUMBER 1

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS RT	YEARS IM	SECTION LENGTH	WIDTH SEF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS---- ENG	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	36+0.664	4.0 E LIBBY	LINCOLN	1	76	76	.709	62	62	PMS	2552	331	272	9	27	10	20	12	78	73	.2
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	76	76	3.326	68	68	PMS	4536	569	2016	9	28	10	7	26	80	73	.7
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1	62	62	4.859	30	30	PMS	823	144	333	5	19	10	14	24	72	73	1.4
P083	86+0.260	3.7 N FAS RTE 209	FLATHEAD	1	59	59	4.733	24	24	PMS	903	151	364	6	17	10	16	24	73	73	1.3
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	743	124	237	5	17	10	19	22	73	74	1.0
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.984	34	34	PMS	740	141	456	9	23	10	7	25	74	75	.7
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	737	95	688	8	24	10	3	23	73	75	1.2
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	510	66	365	9	24	10	2	27	72	76	1.0
P033	54+0.527	0.7 N RES BR	LINCOLN	1	71	71	10.394	34	34	PMS	519	67	290	8	26	10	1	27	72	76	2.9
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	76	2.036	68	68	PMS	4278	556	1720	9	30	10	8	25	82	76	.4
P033	53+0.851	RESERV BR APPR	LINCOLN	1	71	71	.676	34	34	PMS	353	45	90	9	28	10	1	23	71	77	.2
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	693	132	365	6	17	10	20	25	78	80	1.4
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	7451	894	1680	9	28	10	20	22	89	83	.1
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	714	136	478	7	26	10	14	26	83	84	.4
P033	17+0.654	LIBBY DAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	266	34	307	10	26	10	2	26	78	84	2.7
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	186	24	159	9	27	10	1	28	75	84	2.8
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	179	23	174	10	28	10	2	28	78	86	2.8
		DISTRICT TOTAL					557.268													47	263.5

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING BY FINANCIAL DISTRICT 2

RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS TM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	OFFIC MILES
P001	221+1.600	BROWNING	GLACIER	2	32	70	2.814	22	24	RMS	3465	675	254	3	16	9	1	0	29	21	2.0
P001	220+0.469	1.3 W BROWNING	GLACIER	2	45	45	1.390	24	24	RMS	1526	297	278	0	13	7	1	14	35	32	.9
P001	383+0.815	HAVRE	HILL	2	46	54	7.204	24	30	PMS	5797	753	565	6	18	10	4	10	48	35	3.7
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1756	280	345	0	11	8	3	18	40	36	3.0
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	2	28	40	8.213	20	24	RMS	880	171	302	0	9	4	0	22	35	36	5.3
P058	12+0.053	KIOWA JCT	GLACIER	2	28	40	5.269	20	24	RMS	822	160	302	0	10	4	0	22	36	37	3.4
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1398	223	514	0	11	5	1	23	40	38	1.3
P001	211+0.317	2.1 E EAST GLAC	GLACIER	2	39	63	1.867	26	30	RMS	1291	246	400	0	12	8	2	21	43	41	1.1
P001	379+0.167	JCT FAP RTE 10	HILL	2	52	52	1.516	40	40	RMS	4201	455	654	0	12	10	10	20	52	42	.7
P001	210+0.124	0.9 E EAST GLAC	GLACIER	2	43	62	1.211	26	30	RMS	1295	247	400	0	14	9	1	21	45	43	.7
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.784	24	24	RMS	1192	178	575	0	12	4	3	25	44	43	3.8
P058	3+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.368	22	24	RMS	813	158	386	0	9	8	2	24	43	44	3.6
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1132	181	546	0	12	7	2	25	46	45	3.8
P001	218+0.818	2.9 W BROWNING	GLACIER	2	35	63	1.575	26	30	RMS	1369	261	572	0	10	7	8	23	48	46	.8
P058	9+0.786	9.9 W BROWNING	GLACIER	2	29	35	2.247	20	24	PMS	687	133	480	0	8	8	1	26	43	46	1.3
P058	0+0.000	JCT FAP RTE 1	GLACIER	2	35	51	3.371	22	24	RMS	1480	288	748	0	10	8	7	24	49	46	1.7
P001	435+0.143	5.8 E FAP 66	BLAINE	2	25	71	4.686	22	24	RMS	982	127	348	2	15	4	1	25	47	47	2.5
P001	391+0.007	BLAINE CO	BLAINE	2	46	54	2.849	24	31	PMS	2884	374	565	5	18	10	5	20	58	50	1.2
P001	254+0.122	0.6 W OF CUT BANK	GLACIER	2	55	55	.402	42	42	PMS	2534	304	817	4	16	10	4	24	58	51	.2
P001	429+0.077	0.6 E FAP 66	BLAINE	2	36	62	5.241	28	30	RMS	1216	158	491	3	13	10	2	25	53	51	2.5
P001	413+0.431	0.4 E ZURICH	BLAINE	2	49	56	.591	32	32	PMS	2019	262	680	5	16	10	1	24	56	51	.3
P010	97+0.042	7.6 N HILL CO	HILL	2	28	41	7.369	22	24	RMS	1808	235	510	0	15	7	10	23	55	51	3.3
P067	0+0.715	SHELBY LIMITS	TOOLE	2	28	52	1.040	20	24	RMS	935	121	334	3	15	7	1	25	51	51	.5
P010	90+0.926	1.5 N HILL CO	HILL	2	30	73	6.098	22	26	PMS	1809	235	535	0	14	7	12	23	56	52	2.7
P001	209+0.252	EAST GLACIER	GLACIER	2	63	63	.874	32	32	PMS	1294	247	428	5	17	10	1	21	54	52	.4
P001	278+0.459	JCT FAI 15	TOOLE	2	60	60	.350	68	68	PMS	3558	498	3520	3	13	10	7	28	61	52	.1
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	1640	213	580	3	14	10	6	24	57	53	.8
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52	70	6.390	26	26	PMS	1031	196	264	5	17	10	3	19	54	54	2.9
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63	63	4.884	32	32	PMS	1079	206	441	4	15	10	5	23	57	56	2.1
P001	251+0.968	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1946	291	272	8	26	10	3	14	61	56	.8
P058	39+0.819	BABB	GLACIER	2	56	56	3.767	24	28	RMS	1034	201	523	3	17	9	3	24	56	56	1.7
P001	354+0.598	1.0 E GILDFORD	HILL	2	36	59	8.956	26	31	RMS	1164	151	564	5	17	10	1	26	59	58	3.7
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	2051	266	663	6	16	10	8	24	64	59	1.8
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	PMS	2377	309	663	6	17	10	9	23	65	59	1.5
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1566	234	544	3	17	10	9	24	63	60	2.6
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1315	210	564	5	17	10	6	24	62	60	.5
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60	60	.368	68	68	PMS	1572	235	3520	3	14	10	7	29	63	60	.1
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35	71	6.447	24	24	BST	879	114	508	2	16	6	9	27	60	61	2.6
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47	60	7.280	26	26	RMS	786	102	476	4	16	10	2	27	59	61	3.0
P001	372+0.142	8.6 E KREMLIN	HILL	2	60	60	7.002	32	32	PMS	2192	284	696	4	17	10	11	24	66	61	2.4
P001	228+0.797	BLACKFOOT	GLACIER	2	57	57	1.050	24	32	RMS	1517	242	731	4	16	10	11	25	66	63	.4
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47	60	5.785	26	26	RMS	960	124	539	6	17	10	3	27	63	63	2.1
P003	101+0.021	9.2 S FAP RTE 1	GLACIER	2	51	51	2.132	26	28	RMS	667	160	592	4	16	10	4	26	60	63	.9
P058	31+0.544	ST MARYS	GLACIER	2	64	64	4.280	32	32	PMS	1465	285	597	7	21	10	5	23	66	63	1.5
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	3558	498	1760	3	14	9	20	26	72	64	.1
P001	424+0.712	HARLEM	BLAINE	2	68	68	3.805	40	40	PMS	2014	261	304	8	26	10	8	17	69	65	1.2
P001	363+0.532	APPR TO KREMLIN	HILL	2	36	70	8.591	28	32	RMS	1241	161	696	7	18	10	5	27	67	65	2.8
P058	35+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	1322	257	630	8	22	10	4	24	68	66	1.3
P058	25+0.515	6.0 S ST MARYS	GLACIER	2	58	64	6.011	44	44	PMS	884	172	500	7	21	10	2	25	65	66	2.1
P001	223+0.702	2.8 E BROWNING	GLACIER	2	60	60	.184	32	32	PMS	2911	556	464	8	23	10	20	12	73	67	
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1492	223	580	6	19	10	12	24	71	68	2.0
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	2256	293	663	5	17	10	18	23	73	68	2.6
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	2	59	59	12.623	28	28	PMS	390	62	448	4	17	9	4	28	62	68	4.8
P001	254+0.576	CUT BANK	GLACIER	2	55	55	.229	42	42	PMS	3130	375	817	5	17	10	20	23	75	69	.1
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1931	251	663	6	16	10	17	24	73	69	.7

FINANCIAL DISTRICT NUMBER 2

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DPN	SAF	CAP	TOT	ADJ	DEFIC MILES
P001	247+0.019	7.7 N OF CUT BANK	GLACIER	2	27	76	4.950	24	24	PMS	1452	217	617	9	28	7	3	25	72	70	1.4
P010	89+0.606	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1624	211	720	8	25	10	4	26	73	70	.4
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	824	107	616	0	13	10	20	27	70	71	2.2
P058	43+0.621	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	570	111	485	6	19	10	6	27	68	71	.3
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	2	59	59	14.057	28	28	PMS	413	66	448	4	16	10	9	28	67	72	4.6
P010	104+0.366	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	2017	262	304	7	22	10	20	17	76	72	1.2
P001	332+0.615	HILL CO	HILL	2	71	71	9.281	40	40	PMS	951	123	264	9	27	10	4	23	73	73	2.5
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	2	60	60	7.233	32	32	RMS	917	220	639	4	17	10	18	25	74	74	1.9
P058	44+0.487	4.7 N BABB	GLACIER	2	56	56	5.857	22	22	RMS	492	95	420	3	13	10	17	27	70	74	1.8
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	1041	135	616	2	17	10	20	27	76	76	2.8
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	1041	135	672	8	22	10	9	27	76	76	1.5
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	59	8.023	32	32	PMS	793	103	648	2	17	10	20	28	77	78	1.8
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	829	107	680	4	17	10	20	28	79	80	.2
P001	262+0.815	TOOLE CO	TOOLE	2	67	67	.272	40	40	PMS	1309	196	680	6	19	10	20	26	81	80	.1
P003	95+0.089	5.9 N GLACIER CO	GLACIER	2	66	66	5.926	34	34	PMS	635	153	664	9	26	10	7	27	79	81	1.2
P001	423+0.924	0.8 W HARLEM	BLAINE	2	68	68	.797	40	40	PMS	1702	221	304	8	27	10	20	19	84	82	.1
P001	341+0.907	0.3 E FAS RTE 432	HILL	2	60	60	5.813	32	32	PMS	1367	177	720	7	22	10	20	26	85	84	.9
P066	37+0.321	12.7 S JCT FAP 1	BLAINE	2	59	59	12.714	28	28	PMS	466	74	478	5	18	10	20	28	81	84	2.4
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	65	65	7.491	32	32	PMS	1376	206	720	8	22	10	20	26	86	85	1.0
P001	428+0.518	JCT FAP 66	BLAINE	2	68	68	.553	40	40	PMS	1382	179	264	9	28	10	20	20	87	86	.1
P003	89+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	34	PMS	700	168	697	9	27	10	13	26	85	86	.9
P010	89+0.417	HILL CO	HILL	2	30	70	.189	30	30	RMS	1263	164	702	7	24	10	20	26	87	86	
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	PMS	1979	257	720	9	28	10	18	25	90	88	.7
P001	322+0.620	CHESTER	LIBERTY	2	77	77	3.787	40	40	PMS	1598	207	304	10	30	10	20	20	90	88	.4
P001	321+0.077	0.6 W CHESTER	LIBERTY	2	77	77	.701	40	40	PMS	1244	161	264	10	30	10	20	21	91	90	.1
P001	326+0.338	3.8 E CHESTER	LIBERTY	2	76	76	6.154	40	40	PMS	1271	165	304	10	30	10	20	22	92	91	.5
P001	213+0.173	3.9 E EAST GLAC	GLACIER	2			5.712	UNDER CONSTRUCTION													
		DISTRICT TOTAL					374.589													35	130.3

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 3
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SPF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P042	73+0.246	JCT FAP RTE 31	VALLEY	3	34	58	2.174	22	26	RMS	1633	261	340	0	12	9	1	18	40	37	1.3
P061	155+0.524	JCT FAS RTE 363	PHILLIPS	3	38	42	1.399	24	26	RMS	1837	308	374	0	13	8	7	18	46	42	.8
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3	30	56	.518	24	24	RMS	1242	161	381	0	10	10	2	24	46	44	.3
P001	537+0.631	3.7 W GLASGOW	VALLEY	3	48	48	3.338	24	26	PMS	3067	414	793	0	10	10	10	22	52	44	1.6
P001	541+0.099	0.3 W GLASGOW	VALLEY	3	48	48	.328	24	26	RMS	5483	740	728	0	14	8	20	15	57	45	.1
P001	526+0.523	14.1 W GLASGOW	VALLEY	3	50	55	11.122	24	27	PMS	1307	176	308	2	14	10	2	21	49	47	5.7
P022	42+0.348	PLENTYWOOD	SHERIDAN	3	33	40	1.033	20	24	RMS	2265	339	526	0	13	10	10	20	53	47	.5
P022	43+0.383	JCT FAP 30	SHERIDAN	3	33	40	9.226	20	24	RMS	1048	157	352	0	14	9	2	23	48	48	4.8
P022	7+0.586	7.1 E SCOBEY	DANIELS	3	35	36	10.261	20	24	BST	500	75	159	0	11	8	1	23	43	48	5.8
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3	46	50	5.368	24	32	RMS	1081	140	302	0	17	9	2	23	51	50	2.6
P042	70+0.530	2.7 S FAP RTE 31	VALLEY	3	34	34	2.725	22	26	RMS	873	139	737	0	10	9	4	27	50	51	1.4
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3	34	34	11.343	22	26	RMS	604	96	290	0	15	7	1	25	48	52	5.9
P022	29+0.335	ARCHER	SHERIDAN	3	37	62	11.850	20	24	RMS	684	102	377	0	11	9	3	26	49	52	6.0
P032	39+0.886	4.7 N DANIELS CO	DANIELS	3	33	45	4.599	20	24	RMS	331	46	220	0	12	5	1	27	45	53	2.5
P001	626+0.151	BROCKTON	ROOSEVELT	3	43	57	3.243	24	30	RMS	1145	148	414	0	16	10	3	25	54	53	1.5
P001	543+0.809	JCT FAP 31	VALLEY	3	62	62	2.430	36	36	PMS	1966	265	616	5	17	10	3	24	59	54	1.0
P032	7+0.507	3.8 N FAP 1	ROOSEVELT	3	33	45	6.626	20	24	RMS	427	59	387	0	10	9	1	28	48	54	3.4
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	3	38	40	10.149	20	24	RMS	404	56	290	0	11	7	3	27	48	54	5.3
P032	48+0.193	2.6 S SCOBEY	DANIELS	3	33	45	2.587	20	24	RMS	366	51	220	0	12	8	1	27	48	55	1.3
P032	3+0.751	JCT FAP RTE 1	ROOSEVELT	3	33	45	3.750	20	24	RMS	506	70	421	0	11	9	3	28	51	56	1.8
P022	17+0.900	SHERIDAN CO	SHERIDAN	3	36	36	3.028	22	25	BST	341	51	222	0	11	8	2	27	48	56	1.6
P061	147+0.379	9.5 S MALTA	PHILLIPS	3	38	42	8.114	24	26	RMS	559	93	319	0	11	8	7	26	52	56	3.9
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3	40	40	2.757	20	24	RMS	330	46	315	0	12	8	1	28	49	57	1.4
P032	28+0.175	7.0 S DANIELS CO	ROOSEVELT	3	33	45	7.041	20	24	RMS	259	36	387	0	10	7	1	29	47	57	3.7
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.116	24	27	PMS	1270	171	471	3	18	10	3	25	59	57	2.1
P017	3+0.200	3.5 N FAP RTE 42	VALLEY	3	38	63	5.422	20	24	RMS	466	70	364	0	14	7	4	27	52	57	2.6
P031	0+0.000	JCT FAP 42	VALLEY	3	62	62	1.443	26	26	PMS	667	100	396	4	14	9	2	26	55	58	.6
P061	142+0.098	14.7 S MALTA	PHILLIPS	3	42	42	5.278	20	24	RMS	371	62	203	0	15	9	2	25	51	58	2.6
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3	33	45	9.277	20	24	RMS	307	42	220	0	16	7	1	27	51	59	4.5
P032	35+0.227	DANIELS CO	DANIELS	3	33	45	4.667	20	24	RMS	294	41	201	0	13	8	2	27	50	59	2.3
P001	546+0.252	2.4 E FAP 31	VALLEY	3	53	53	8.404	24	30	RMS	1466	197	631	0	14	10	13	25	62	59	3.2
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	3	52	52	3.338	24	30	RMS	975	126	414	0	12	10	13	25	60	60	1.3
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	4.409	24	30	RMS	1008	131	442	0	14	10	10	26	60	60	1.8
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3	33	45	3.765	20	24	RMS	317	44	584	0	9	10	4	29	52	60	1.8
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	45	4.759	20	24	RMS	242	33	239	0	14	8	1	28	51	61	2.3
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	251	35	290	0	13	8	2	28	51	61	5.1
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	327	49	406	0	12	9	4	28	53	61	4.0
P001	542+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	2898	391	3600	6	19	10	5	28	68	61	.4
P017	8+0.774	3.1 S NASHUA	VALLEY	3	38	63	1.783	20	24	RMS	457	69	233	4	17	8	1	26	56	61	.8
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	45	3.711	20	24	RMS	357	49	421	0	12	8	7	28	55	62	1.7
P061	124+0.473	22.0 N FAP RTE 66	PHILLIPS	3	47	47	5.924	25	25	BST	200	33	278	0	12	8	3	28	51	62	2.9
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	3	49	49	6.252	22	22	BST	153	25	220	0	13	7	2	28	50	63	3.1
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	2226	267	680	5	18	10	11	24	68	63	3.1
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	2079	249	648	6	17	10	12	24	69	64	1.8
P061	88+0.067	PHILLIPS CO	PHILLIPS	3	60	60	5.580	28	28	PMS	356	59	584	0	10	10	9	28	57	64	2.4
P061	136+0.795	18.9 S FAS 363	PHILLIPS	3	42	42	5.281	20	24	PMS	329	55	584	0	10	8	11	29	58	66	2.2
P066	0+0.000	JCT FAP RTE 61	PHILLIPS	3	61	61	10.621	28	28	PMS	261	41	478	0	13	10	6	29	58	67	4.5
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1133	152	500	0	14	9	20	25	68	67	2.1
P001	499+1.054	SACO	PHILLIPS	3	55	55	1.515	24	28	PMS	1123	151	586	0	12	10	20	26	68	67	.5
P034	0+0.000	JCT FAP 22	SHERIDAN	3	51	60	7.029	24	24	PMS	629	88	336	7	19	9	3	26	64	67	2.5
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	684	92	536	7	18	10	4	27	66	68	1.8
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	970	126	428	0	13	10	20	26	69	69	.5
P017	0+0.000	JCT FAP RTE 42	VALLEY	3	69	69	3.500	24	24	BST	477	72	327	4	17	6	10	27	64	69	1.3
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1447	195	526	4	17	10	17	24	72	70	1.6
P001	644+1.008	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	1069	144	629	7	17	10	10	27	71	70	.9

FINANCIAL DISTRICT NUMBER 3

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH RCY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS EVO	SKF	CPN	SAF	CAP	TOT	ADJ	OEFIC MILES
P034	7+0.070	RAYMOND	SHERIDAN	3	51	60	8.604	24	24	PMS	335	46	336	7	19	8	1	28	63	70	3.2
P031	2+0.075	0.6 N FAP 1	VALLEY	3	65	65	14.871	32	32	PMS	1008	152	616	5	15	10	14	26	70	70	4.5
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	785	117	406	0	14	10	20	26	70	71	2.1
P001	661+0.539	5.6 W N D LINE	ROOSEVELT	3	55	62	5.605	32	32	PMS	771	104	352	7	17	10	10	26	70	71	1.7
P001	466+0.722	12.1 E DODSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1468	190	600	2	16	10	20	25	73	71	1.3
P062	1+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	857	128	560	7	16	10	10	27	70	71	.1
P017	10+0.569	1.4 S NASHUA	VALLEY	3	57	57	1.424	24	28	RMS	454	68	371	7	17	10	6	27	67	72	.5
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1519	205	616	3	17	10	20	25	75	73	2.3
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	3	54	54	6.850	24	24	PMS	354	53	301	4	17	10	8	27	66	73	2.3
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	8.793	28	28	PMS	373	62	732	0	8	10	20	29	67	73	2.9
P031	16+0.960	JCT AIRBASE ROAD	VALLEY	3	64	64	8.673	30	30	PMS	402	60	414	4	16	10	11	28	69	74	2.7
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1086	146	569	7	19	10	13	26	75	74	2.5
P001	611+0.926	POPLAR	ROOSEVELT	3	70	70	13.687	40	40	PMS	1653	214	304	7	22	10	20	19	78	75	3.0
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	3	55	55	6.846	24	24	PMS	348	52	353	4	17	9	11	28	69	75	2.1
P022	63+0.803	MEDICINE LAKE	SHERIDAN	3	63	63	.265	32	32	PMS	648	97	828	7	23	10	5	28	73	75	.1
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	3	57	59	7.800	24	28	PMS	178	29	312	0	14	10	11	29	64	75	2.8
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1845	221	648	6	18	10	20	25	79	76	1.0
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1750	227	288	8	23	10	20	18	79	76	1.9
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1277	172	296	5	22	10	20	21	78	77	1.7
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	750	101	629	4	14	10	20	28	76	77	2.0
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	45	68	4.885	24	24	RMS	98	13	384	4	16	10	2	29	61	77	1.9
P061	130+0.393	25.0 S FAS RTE 363	PHILLIPS	3	42	42	6.398	20	24	RMS	285	47	354	0	14	8	20	28	70	77	1.9
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	3	57	59	8.062	24	28	PMS	259	43	462	0	14	10	16	29	69	77	2.5
P031	1+0.443	JCT FAP 1	VALLEY	3	62	62	.642	32	32	PMS	939	141	672	7	21	10	13	27	78	78	.1
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	958	129	696	7	23	10	11	27	78	78	1.9
P031	39+0.360	11.0 S OPHEIM	VALLEY	3	52	71	11.080	24	24	RMS	322	48	332	8	26	10	1	28	73	79	3.0
P032	51+0.737	SCOBEY	DANIELS	3	58	68	9.190	24	26	PMS	242	33	520	8	23	10	2	29	72	80	2.6
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	686	103	621	7	21	10	14	28	80	81	1.4
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.360	40	40	PMS	1100	143	304	7	24	10	20	23	84	83	1.2
P001	571+0.774	FRAZER	VALLEY	3	58	76	9.318	24	32	PMS	1299	175	720	4	24	10	20	26	84	83	1.5
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1101	143	304	8	23	10	20	23	84	83	1.2
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	601	90	532	9	25	10	10	27	81	83	.4
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	709	106	621	6	22	10	20	27	85	86	1.7
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1412	190	544	7	25	10	20	25	87	86	.1
P031	50+0.833	OPHEIM	VALLEY	3	57	66	10.022	28	28	PMS	79	11	448	7	21	8	6	30	72	87	2.8
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.293	30	36	RMS	189	30	720	8	26	10	9	29	82	89	.4
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	688	103	592	9	24	10	20	27	90	91	.5
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1078	145	528	9	27	10	20	26	92	91	
P042	58+0.581	JCT FAP RTE 17	VALLEY	3	36	66	.600	30	36	RMS	648	103	696	8	26	10	20	28	92	93	
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	3	76	76	2.019	32	32	PMS	529	79	621	10	30	10	20	28	98	98	
P022	64+0.346	MEDICINE LAKE	SHERIDAN	3	76	76	7.509	32	32	PMS	588	88	562	10	30	10	20	28	98	98	.2
P025	47+0.004	JCT FAP 32	ROOSEVELT	3			5.381	UNDER CONSTRUCTION													
P001	564+0.858	8.8 E NASHUA	VALLEY	3			6.923	UNDER CONSTRUCTION													
P001	454+0.550	DODSON	PHILLIPS	3			3.137	UNDER CONSTRUCTION													
P001	457+0.675	3.1 E DODSON	PHILLIPS	3			9.025	UNDER CONSTRUCTION													
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	3			1.845	UNDER CONSTRUCTION													
		DISTRICT TOTAL					583.364													34	198.4



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 4
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS RT	SECTION IM	LENGTH	WIDTH SUF	RDY	TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SPF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P062	33+0.331	3.6 N SIDNEY	RICHLAND	4	37	49	3.663	24	26	RMS	2863	429	277	0	11	9	3	7	30	23	2.6
P020	58+0.614	6.1 N SIDNEY	RICHLAND	4	35	35	3.906	20	24	RMS	1893	246	599	0	10	5	4	24	43	38	2.2
P020	52+0.570	SIDNEY	RICHLAND	4	35	35	6.066	20	24	RMS	2652	344	711	0	10	5	4	23	46	39	3.3
P026	0+0.771	0.8 E JCT FAP 20	RICHLAND	4	33	55	6.762	20	24	RMS	688	89	205	0	11	5	1	23	40	42	4.1
P025	44+0.762	1.8 S ROOSEVELT	MCCONE	4	30	36	1.745	20	24	BST	656	85	136	0	13	6	1	21	41	44	1.0
P025	0+0.055	CIRCLE	MCCONE	4	36	56	7.600	20	24	RMS	562	73	136	0	11	8	1	22	42	46	4.4
P057	330+0.553	0.3 W GLENDIVE	DAWSON	4	48	50	.222	24	34	PMS	4615	553	336	6	19	8	20	5	58	47	.1
P026	0+0.000	JCT FAP RTE 20	RICHLAND	4	36	36	.771	22	25	BST	1281	166	392	0	15	10	1	24	50	48	.4
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4	34	57	9.055	20	24	RMS	1211	157	608	0	10	8	5	26	49	48	4.6
P025	28+0.107	4.2 N FAS 254	MCCONE	4	40	40	7.404	20	24	RMS	614	79	387	0	10	7	3	27	47	50	3.9
P025	7+0.759	7.6 N CIRCLE	MCCONE	4	36	55	13.141	20	25	RMS	447	58	342	0	9	6	2	27	44	50	7.4
P062	12+0.176	8.3 S RICHLAND CO	RICHLAND	4	40	49	8.089	24	26	RMS	636	95	255	0	14	8	2	24	48	51	4.2
P062	20+0.286	4.6 N FAS 201	RICHLAND	4	40	49	4.651	24	26	RMS	828	124	255	0	15	8	4	23	50	51	2.3
P062	24+0.961	JCT FAS 201	RICHLAND	4	40	49	4.749	24	26	RMS	1049	157	277	2	17	8	4	21	52	52	2.3
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	550	71	258	0	13	7	2	26	48	52	3.7
P025	35+0.506	11.0S ROOSEVELT CO	MCCONE	4	37	37	9.233	20	25	RMS	569	73	201	0	15	6	3	25	49	53	4.7
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4	38	49	3.628	24	26	RMS	1157	173	387	2	17	8	5	23	55	54	1.6
P057	262+0.331	13.9 E FAP 42	MCCONE	4	47	47	5.189	24	24	BST	383	58	492	0	10	8	4	28	50	57	2.6
P057	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.800	24	24	RMS	353	54	266	0	13	9	1	27	50	57	2.9
P057	248+0.631	JCT FAP 42	MCCONE	4	40	54	8.010	24	24	RMS	317	48	243	0	13	9	1	27	50	58	4.0
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	1203	156	301	2	16	10	11	22	61	60	2.3
P057	267+0.491	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	454	69	515	0	8	10	9	28	55	61	4.9
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.375	40	40	PMS	1741	226	222	8	23	10	13	15	69	65	1.4
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	4195	545	1720	8	26	10	4	25	73	65	.5
P020	13+0.047	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	904	117	184	6	24	10	7	20	67	67	1.9
P020	63+0.923	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	958	124	896	8	21	10	1	28	68	68	.1
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	141	22	571	0	6	10	10	29	55	69	2.8
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	54	4.170	28	28	RMS	1055	137	434	0	18	10	17	25	70	70	1.3
P057	330+0.775	0.5 W GLENDIVE	DAWSON	4	69	69	.405	24	24	PMS	4610	553	608	8	25	10	20	16	79	71	.1
P057	279+0.793	CIRCLE	MCCONE	4	66	66	1.016	32	32	PMS	1398	213	592	7	25	10	7	25	74	72	.3
P020	31+0.497	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1209	157	266	10	30	10	2	21	73	72	.4
P057	330+0.190	GLENDIVE SPUR	DAWSON	4	60	60	.363	72	88	PMS	4620	554	2840	7	17	10	20	27	81	74	.1
P057	316+0.709	12.0 E FAS 470	DAWSON	4	61	61	8.026	32	32	PMS	932	121	666	4	23	10	11	27	75	75	2.0
P020	6+0.132	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	1028	133	643	7	23	10	9	27	76	76	1.6
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	BST	84	13	380	0	15	10	6	29	60	77	2.2
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	688	89	403	5	21	10	11	27	75	77	.5
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4	59	59	9.669	28	28	PMS	169	23	371	0	14	10	14	29	67	78	3.2
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	464	60	312	9	26	10	2	27	74	78	.5
P027	66+0.022	10.3 N FAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	401	52	504	8	23	10	4	28	73	78	1.4
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	1743	226	281	10	27	10	16	18	81	78	1.5
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4	65	65	5.731	28	28	PMS	571	74	480	8	23	10	7	28	76	79	1.4
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	181	25	342	0	13	10	19	29	71	81	2.5
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	98	15	627	0	6	10	20	30	66	81	3.9
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	105	16	642	0	10	10	18	30	68	82	2.0
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	75	12	627	0	9	10	20	30	69	85	2.7
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	354	46	522	7	22	10	13	29	81	85	2.1
P057	306+0.463	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	753	97	296	7	25	10	17	25	84	85	1.6
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	645	83	666	10	30	10	6	28	84	85	1.5
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	634	82	448	7	21	10	20	27	85	86	1.1
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1315	170	289	9	27	10	20	21	87	86	
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	155	24	448	6	24	10	8	29	77	86	.9
P051	0+0.000	JCT FAP RTE 57	MCCONE	4	60	61	3.326	30	30	PMS	411	57	655	7	23	10	13	29	82	86	.6
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	88	14	388	4	21	10	10	29	74	87	3.1
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	655	98	360	8	23	10	20	26	87	88	.4
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.933	32	32	PMS	852	110	621	7	25	10	20	27	89	89	.8

FINANCIAL DISTRICT NUMBER 4

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS RT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	AOJ	DEFIC MILES
P051	27+0.527	RICHEY	DAWSON	4	58	77	5.039	24	32	PMS	226	31	592	8	30	10	6	29	83	89	.9
P051	49+0.250	LAMBERT	RICHLAND	4	56	77	10.645	24	28	PMS	259	36	436	8	30	10	7	29	84	89	1.7
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	75	75	2.598	40	40	PMS	1205	156	296	10	28	10	20	22	90	89	.3
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	256	35	463	6	21	10	20	29	86	90	.7
P040	0+0.150	TERRY	PRAIRIE	4	72	72	.253	40	40	PMS	1315	170	528	9	27	10	20	25	91	90	
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	77	11.192	24	28	PMS	468	65	395	8	30	10	13	28	89	91	1.2
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	77	5.840	24	32	PMS	189	26	425	8	28	10	13	29	88	93	.7
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	77	10.781	24	28	PMS	227	31	524	8	30	10	13	29	90	93	1.1
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	163	22	702	8	24	10	20	30	92	95	.1
P062	3+0.941	RICHLAND CO	RICHLAND	4			4.894	UNDEP	CONSTRUCTION												
		DISTRICT TOTAL					372.537													33	122.2

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 5
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P057	212+0.180	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	1223	187	235	0	12	8	5	18	43	41	.2
P063	36+0.345	FERGUS CO	FERGUS	5	46	60	3.235	24	24	RMS	1155	150	278	3	13	9	2	22	49	48	1.6
P057	94+0.353	11.1 E LEWISTOWN	FERGUS	5	37	57	8.960	24	30	RMS	818	106	367	0	13	9	1	26	49	50	4.6
P043	3+0.018	2.4 N LEWISTOWN	FERGUS	5	50	50	6.473	24	28	RMS	1224	159	415	0	14	10	4	24	52	50	3.1
P057	206+0.821	5.3 W FA RTE 18	GARFIELD	5	36	57	5.344	22	26	RMS	400	61	450	0	10	7	1	28	46	52	2.9
P057	131+0.060	7.8 E PETROLEUM CO	PETROLEUM	5	31	58	4.553	20	24	RMS	288	44	406	0	7	7	1	28	43	52	2.6
P057	103+0.269	9.6 W FAP 61	FERGUS	5	40	55	9.667	24	32	RMS	809	123	599	0	13	9	3	27	52	53	4.6
P057	123+0.198	PETROLEUM CO	PETROLEUM	5	31	58	7.790	20	24	RMS	286	43	634	0	7	4	4	29	44	53	4.4
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5	31	35	4.902	20	24	BST	230	29	374	0	8	5	1	29	43	53	2.8
P061	38+0.688	6.5 S FAP RTE 57	FERGUS	5	41	67	4.893	24	30	RMS	693	90	367	0	13	9	2	26	50	53	2.4
P057	171+0.261	8.1 W SAND SPRINGS	GARFIELD	5	48	52	8.146	22	24	RMS	328	50	406	0	10	7	1	28	46	54	4.4
P057	195+0.094	10.5 E EDWARDS	GARFIELD	5	36	53	7.662	24	24	RMS	358	54	499	0	9	9	1	28	47	54	4.1
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	784	101	333	2	15	8	2	25	52	54	2.9
P057	148+0.698	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	BST	363	55	266	0	12	8	1	27	48	55	4.2
P057	218+0.065	JCT FAS RTE 341	GARFIELD	5	36	49	8.693	24	25	BST	342	52	469	0	10	8	1	28	47	55	4.6
P057	73+0.550	8.5 E FAP 63	FERGUS	5	47	54	3.349	24	31	PMS	1664	198	384	6	19	9	3	22	59	55	1.4
P057	226+0.736	8.7 E FAS 341	GARFIELD	5	37	54	12.201	24	24	RMS	340	52	243	0	11	8	1	27	47	55	6.5
P057	192+0.200	3.6 E EDWARDS	GARFIELD	5	36	53	6.889	24	24	RMS	301	46	499	0	8	9	1	29	47	55	3.7
P018	38+0.093	GARFIELD CO	GARFIELD	5	31	35	10.392	20	24	BST	203	26	357	0	7	7	1	29	44	55	5.8
P057	213+0.087	JORDAN	GARFIELD	5	37	52	4.996	24	26	RMS	426	65	500	0	12	8	2	28	50	56	2.5
P075	0+0.000	JCT FAP RTE 57	FERGUS	5	49	61	1.680	24	28	RMS	1020	121	249	3	19	8	3	23	56	56	.7
P063	19+0.218	FERGUS CO	FERGUS	5	47	73	3.002	24	24	PMS	893	116	384	3	14	10	4	25	56	57	1.3
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5	51	51	9.827	24	24	BST	362	56	243	2	13	8	1	27	51	58	4.8
P057	79+0.285	JCT FAP RTE 75	FERGUS	5	47	54	1.761	24	31	RMS	1780	206	780	7	17	9	3	26	62	58	.7
P057	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.092	24	24	RMS	338	51	243	0	13	9	1	27	50	58	3.0
P057	238+0.925	JCT FAS 462	GARFIELD	5	38	54	2.537	24	24	RMS	341	52	312	0	12	9	2	28	51	59	1.2
P057	112+0.981	JCT FAP RTE 61	FERGUS	5	51	51	8.723	24	24	BST	342	52	713	0	10	9	3	29	51	59	4.3
P057	76+0.912	2.3 W FAP 75	FERGUS	5	47	54	2.366	24	31	PMS	1904	226	565	7	20	9	3	24	63	59	.9
P043	9+0.492	JCT FAP RTE 81	FERGUS	5	50	50	5.335	24	28	RMS	728	94	356	2	14	10	5	26	57	59	2.3
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	RMS	381	59	243	4	14	8	1	26	53	60	1.5
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	RMS	952	123	278	7	18	10	2	23	60	60	2.7
P063	22+0.899	FERGUS CO	FERGUS	5	47	62	1.926	24	24	RMS	1050	136	429	2	13	10	10	25	60	60	.8
P057	136+0.507	WINNETT	PETROLEUM	5	31	69	1.123	22	24	PMS	402	61	416	0	11	10	6	28	55	61	.5
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	671	87	377	3	14	10	5	27	59	62	2.0
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	334	56	584	0	9	10	7	29	55	63	2.1
P063	25+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	1020	132	237	2	12	9	20	22	65	65	.4
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.657	30	30	PMS	327	54	554	0	11	10	7	29	57	65	4.2
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5	62	62	1.564	32	32	PMS	760	127	569	4	16	10	6	27	63	65	.6
P043	1+0.366	0.7 N LEWISTOWN	FERGUS	5	77	77	1.652	44	44	PMS	2042	265	376	10	30	10	1	19	70	66	.5
P057	83+0.163	LEWISTOWN	FERGUS	5	42	42	5.079	24	30	PMS	967	125	415	4	17	10	11	25	67	67	1.7
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.119	30	30	PMS	592	76	367	7	19	10	1	27	64	67	.4
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5	62	62	3.745	24	24	PMS	159	24	276	2	15	5	3	29	54	67	1.7
P081	26+0.723	12.8 SE DENTON	FERGUS	5	73	73	2.835	24	24	RMS	389	60	446	5	17	10	2	28	62	68	1.1
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5	59	63	12.938	28	28	PMS	297	49	510	0	11	10	11	29	61	69	5.0
P057	66+0.986	2.0 E FAP 63	FERGUS	5	47	54	6.539	24	31	PMS	1540	183	565	6	20	9	12	25	72	69	1.8
P057	121+0.739	8.7 E FAP 61	FERGUS	5	29	58	1.467	18	24	RMS	302	46	414	0	8	5	20	28	61	69	.6
P061	27+0.704	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	624	81	391	6	20	10	4	27	67	70	2.0
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	358	60	333	3	16	10	9	27	65	72	1.4
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	385	58	384	0	12	10	16	28	66	72	3.7
P081	13+0.840	DENTON	FERGUS	5	73	73	12.883	24	24	PMS	416	64	394	7	23	10	1	28	69	74	4.0
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5	61	61	11.832	30	30	PMS	298	50	583	0	12	10	16	29	67	75	3.9
P080	49+0.826	JCT FAP RTE 81	FERGUS	5	53	53	1.024	24	24	RMS	168	25	494	6	17	9	4	29	65	77	.4
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	300	39	639	5	20	10	6	29	70	77	1.9
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	234	30	639	3	20	10	7	29	69	78	2.3
P057	64+0.958	JCT FAP RTE 63	FERGUS	5	71	71	2.017	32	32	PMS	1441	171	672	9	27	10	8	26	80	78	.4

FINANCIAL DISTRICT NUMBER 5

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	374	48	368	6	22	10	7	28	73	78	2.5
P081	0+0.000	JCT FAP RTE 80	FERGUS	5	59	59	12.943	24	24	PMS	269	41	487	7	22	10	2	29	70	78	3.9
P042	0+0.000	JCT FAP RTE 57	GARFIELD	5	60	64	1.990	24	40	BST	159	25	902	0	8	10	20	30	68	79	.6
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.462	28	30	PMS	271	35	469	3	18	10	12	29	72	79	2.9
P043	0+0.633	LEWISTOWN LIMITS	FERGUS	5	77	77	.748	48	48	PMS	2791	362	1512	10	30	10	7	26	83	79	.1
P061	21+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.714	30	30	PMS	677	88	522	7	20	10	16	27	80	82	.9
P018	63+0.374	4.4 N COHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	310	40	567	7	24	10	8	29	78	84	2.2
P057	161+0.578	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	331	50	425	5	20	10	17	28	80	85	1.9
P018	58+0.960	COHAGEN	GARFIELD	5	76	76	4.360	30	30	PMS	263	34	548	10	28	10	5	29	82	87	.8
P057	241+0.447	2.5 E FAS 462	GARFIELD	5	68	68	1.022	36	36	RMS	340	52	212	7	22	10	20	26	85	89	.2
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.738	28	30	PMS	277	36	500	5	20	10	20	29	84	89	.6
P057	156+0.721	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.663	30	30	PMS	330	50	567	10	30	10	7	29	86	90	.2
P018	53+0.390	5.4 S COHAGEN	GARFIELD	5	77	77	5.433	30	30	PMS	249	32	392	10	30	10	6	29	85	90	.8
P057	158+0.394	GARFIELD CO	GARFIELD	5	73	73	3.184	30	30	PMS	358	54	567	9	28	10	13	29	89	92	.4
P057	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.848	32	32	PMS	326	49	400	8	26	10	17	28	89	92	1.3
P057	64+0.443	FERGUS CO	FERGUS	5	71	71	.515	32	32	PMS	1540	183	546	10	28	10	20	25	93	92	
DISTRICT TOTAL							398.315													39	155.0



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 6
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P060	87+0.349	FAS RTES 227 & 228	CASCADE	6 39 71	.996	32	32	RMS	3990	518	302	3	16	10	2	4	35	26	.6
P003	0+0.000	I 15 VAUGHN	CASCADE	6 55 71	1.402	28	32	RMS	5935	771	264	5	19	10	5	0	39	27	.9
P003	20+0.191	TETON CO	TETON	6 21 32	2.966	20	22	BST	2441	317	397	0	12	4	2	18	36	30	1.9
P003	59+0.625	4.6 N BYNUM	TETON	6 32 53	8.589	20	24	RMS	731	176	212	0	9	6	1	18	34	36	5.7
P060	81+0.469	7.0 N FAS 331	CASCADE	6 42 52	5.894	26	31	RMS	3022	392	384	2	14	10	3	15	44	36	3.3
P003	68+0.264	PONDERA CO	PONDERA	6 32 32	6.905	20	24	BST	725	174	338	0	8	4	1	22	35	37	4.5
P010	52+0.380	LOMA	CHOUTEAU	6 34 55	2.762	22	24	RMS	1501	195	340	0	10	8	2	21	41	38	1.6
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6 36 36	.677	24	24	RMS	1478	192	296	0	14	8	1	20	43	40	.4
P003	41+0.952	CHOTEAU	TETON	6 21 61	12.944	20	22	RMS	936	225	367	0	13	5	1	21	40	40	7.6
P003	23+1.038	FAIRFIELD	TETON	6 21 32	1.492	20	22	BST	965	125	420	0	12	3	0	26	41	41	.9
P003	54+0.948	BYNUM	TETON	6 32 53	4.648	20	24	RMS	732	176	338	0	11	6	2	22	41	43	2.7
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6 34 55	8.768	22	24	RMS	1367	177	406	0	12	8	2	23	45	43	4.8
P068	0+0.000	JCT I 15	CASCADE	6 33 53	.174	24	28	RMS	675	205	368	0	10	8	0	22	40	43	.1
P057	26+0.568	4.7 E GEYSER	JUDITH BASIN	6 36 50	6.610	24	25	RMS	1460	173	418	0	10	6	7	24	47	44	3.5
P024	116+0.833	CASCADE CO	CASCADE	6 52 52	10.632	24	26	RMS	1145	171	308	0	14	7	2	22	45	44	5.8
P024	138+0.485	SUN RIVER	CASCADE	6 36 71	1.322	25	31	RMS	2146	300	491	3	16	9	2	21	51	45	.6
P057	33+0.205	11.3 E GEYSER	JUDITH BASIN	6 37 37	3.438	24	30	RMS	1495	177	737	0	9	9	4	26	48	45	1.8
P044	21+0.954	7.6 E VALIER	PONDERA	6 48 48	5.911	20	20	RMS	658	93	422	0	6	6	3	27	42	45	3.4
P044	14+0.299	VALIER	PONDERA	6 48 48	7.655	20	20	RMS	817	116	620	0	7	6	5	27	45	46	4.2
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	6 36 56	12.442	22	24	RMS	1358	161	343	0	14	6	5	23	48	46	6.5
P003	1+0.866	1.4 W VAUGHN	CASCADE	6 36 48	6.230	24	31	RMS	4618	600	631	3	20	8	10	16	57	46	2.7
P003	18+0.076	2.1 S TETON CO	CASCADE	6 21 32	2.110	22	22	BST	1440	187	420	0	11	4	11	23	49	46	1.1
P003	75+0.208	DUPUYER	PONDERA	6 28 52	8.382	22	24	RMS	463	111	627	0	10	4	1	27	42	47	4.9
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6 34 55	6.870	22	24	RMS	1217	158	364	0	13	8	5	23	49	47	3.5
P057	54+0.311	MOCCASIN	JUDITH BASIN	6 33 71	2.337	22	24	RMS	1417	168	308	3	17	7	1	22	50	47	1.2
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	6 56 56	1.116	25	25	BST	543	81	257	0	13	4	1	25	43	47	.6
P060	71+0.018	JCT FAP RTE 57	CASCADE	6 55 55	3.606	40	40	RMS	2084	270	396	2	14	10	7	20	53	48	1.7
P009	43+0.145	TETON CO	TETON	6 35 35	2.646	20	24	RMS	522	83	205	0	11	8	1	24	44	48	1.6
P010	86+0.041	3.4 S HILL CO	CHOUTEAU	6 33 41	3.371	20	24	BST	1285	167	476	0	11	7	7	25	50	48	1.7
P021	0+0.825	3.0 S CONRAD	PONDERA	6 64 64	2.835	24	26	RMS	840	109	561	0	10	8	3	27	48	49	1.5
P003	8+0.105	JCT FAP 24	CASCADE	6 36 61	7.139	24	31	RMS	1365	177	469	0	13	8	6	24	51	49	3.5
P060	88+0.360	2.0 E GREAT FALLS	CASCADE	6 39 71	2.019	32	32	RMS	4197	545	365	4	17	10	20	8	59	49	.8
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	6 47 62	.581	24	24	RMS	1049	136	360	3	12	10	1	24	50	50	.3
P009	53+0.840	7.8 N FAS 408	TETON	6 36 36	6.133	22	25	RMS	499	79	226	0	12	8	1	25	46	51	3.3
P009	46+0.003	JCT FAS 408	TETON	6 35 35	7.848	20	24	RMS	466	74	247	0	12	8	1	26	47	52	4.2
P010	63+0.940	11.6 N LOMA	CHOUTEAU	6 34 55	8.465	22	24	RMS	1194	155	380	2	18	8	2	24	54	53	3.9
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	6 54 54	10.425	24	24	RMS	533	75	591	0	14	7	1	28	50	54	5.2
P060	74+0.514	JCT FAS RTE 331	CASCADE	6 52 55	6.955	24	32	PMS	2849	370	428	4	15	10	15	17	61	54	2.7
P057	36+0.650	JCT FAP RTE 80	JUDITH BASIN	6 37 37	5.169	24	30	RMS	1601	190	470	0	8	9	17	24	58	55	2.2
P057	21+0.888	GEYSER	JUDITH BASIN	6 36 50	4.693	24	25	RMS	1440	171	408	0	13	7	16	24	60	57	1.9
P003	28+0.226	4.2 N FAIRFIELD	TETON	6 40 40	12.297	24	30	RMS	881	114	600	0	15	7	9	27	58	59	5.2
P060	38+0.998	NEIHART	CASCADE	6 52 52	10.527	22	26	PMS	603	90	441	5	14	8	2	27	56	59	4.6
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	6 47 73	.678	24	24	PMS	1009	131	450	3	14	10	7	26	60	60	.3
P010	3+0.534	GREAT FALLS	CASCADE	6 40 71	6.102	28	28	PMS	2142	278	592	5	25	9	3	23	65	60	2.1
P010	80+0.000	BIG SANDY	CHOUTEAU	6 33 63	4.793	24	26	RMS	1355	176	567	0	11	7	20	25	63	61	1.8
P060	53+0.694	4.2 N MONARCH	CASCADE	6 40 40	6.667	26	26	BST	472	70	571	0	14	9	5	28	56	61	2.9
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	6 62 62	.497	24	24	PMS	172	25	518	0	12	5	2	29	48	61	.3
P003	25+0.541	1.5 N FAIRFIELD	TETON	6 21 32	2.698	20	22	BST	865	112	429	0	12	3	20	26	61	62	1.1
P009	60+0.000	4.0 S CHOTEAU	TETON	6 36 36	4.014	22	25	RMS	630	100	453	0	12	8	13	27	60	63	1.6
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6 51 57	3.833	30	30	PMS	1719	223	565	3	16	10	15	24	68	64	1.2
P057	7+0.062	JUDITH BASIN CO	JUDITH BASIN	6 61 61	3.343	32	32	PMS	1759	209	406	5	20	10	11	22	68	64	1.1
P024	133+0.232	5.7 E SIMMS	CASCADE	6 64 64	5.275	32	32	PMS	2132	298	608	5	23	10	10	23	71	66	1.5
P080	67+0.052	STANFORD	JUDITH BASIN	6 27 27	.122	24	26	BST	903	136	481	2	14	3	20	26	65	66	
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	6 46 59	.876	24	24	RMS	981	127	450	2	13	8	18	26	67	67	.3
P010	20+0.056	3.8 N CHOUTEAU CO	CHOUTEAU	6 63 63	9.726	32	32	PMS	1780	231	580	5	19	10	13	24	71	67	2.8

FINANCIAL DISTRICT NUMBER 6

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P060	49+0.470	MONARCH	CASCADE	6	52	52	4.234	22	26	PMS	586	87	441	7	18	8	5	27	65	68	1.5
P060	28+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	349	52	331	6	17	10	1	28	62	69	2.7
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	6	41	70	2.021	24	24	RMS	981	127	360	5	16	10	13	25	69	69	.6
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6	64	64	7.500	32	32	PMS	1665	198	352	5	16	10	19	22	72	69	2.1
P057	56+0.674	2.3 E MOCCASIN	JUDITH BASIN	6	55	55	1.138	24	32	RMS	1440	171	442	4	14	10	20	24	72	70	.3
P010	9+0.609	6.1 N GR FALLS	CASCADE	6	51	57	6.489	30	30	PMS	1731	225	414	4	17	10	20	22	73	70	1.8
P024	127+0.465	SIMMS	CASCADE	6	59	59	5.720	32	32	PMS	1931	270	643	8	24	10	9	24	75	71	1.4
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	6	53	53	6.712	24	24	RMS	318	48	469	5	17	10	3	28	63	71	2.5
P080	2+0.366	FORT BENTON	CHOUTEAU	6	62	62	1.631	30	30	RMS	625	94	410	6	23	10	2	27	68	71	.5
P080	0+0.000	JCT FAP 10	CHOUTEAU	6	53	53	1.596	24	24	RMS	618	93	294	8	23	10	3	25	69	72	.5
P003	15+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	RMS	1323	171	600	4	16	8	20	26	74	72	.4
P057	5+0.302	5.3 E FAP 60	CASCADE	6	61	61	1.770	32	32	PMS	1768	210	406	5	20	10	20	22	77	74	.4
P044	0+0.000	JCT FAP 3	PONDERA	6	54	54	2.760	24	24	RMS	442	62	575	0	14	7	20	28	69	74	.9
P080	50+0.880	FERGUS-J BASIN CO	JUDITH BASIN	6	53	53	8.418	24	24	RMS	202	30	469	6	17	9	2	29	63	74	3.1
P057	0+0.000	JCT FAP RTE 60	CASCADE	6	60	60	5.418	32	32	PMS	1768	210	2217	4	21	10	14	29	78	75	1.2
P003	16+0.870	8.8 N FAP 24	CASCADE	6	62	62	1.232	35	35	BST	1312	170	616	4	17	10	20	26	77	75	.3
P021	0+0.000	115 S CONRAD	PONDERA	6	73	73	.825	40	40	PMS	726	94	616	8	26	10	2	28	74	76	.2
P003	84+0.363	JCT FAP 44	PONDERA	6	66	66	4.863	34	34	PMS	647	155	752	8	25	10	5	27	75	77	1.2
P057	17+0.930	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	1478	175	536	7	19	10	20	25	81	79	.8
P080	39+0.544	1.5 S SQUARE BUTTE	CHOUTEAU	6	64	64	6.073	28	28	PMS	181	27	377	3	17	10	10	29	69	79	1.9
P060	60+0.343	10.7 N MONARCH	CASCADE	6	69	69	1.923	48	48	PMS	416	62	520	9	27	10	2	28	76	80	.5
P080	29+0.129	GERALDINE	CHOUTEAU	6	64	64	5.317	28	28	PMS	247	37	600	6	23	10	7	29	75	82	1.3
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	6	64	64	9.834	32	32	PMS	1869	242	720	7	23	10	20	25	85	82	1.5
P003	83+0.648	8.4 N DUPUYER	PONDERA	6	66	66	.713	34	34	PMS	455	109	584	9	26	10	7	27	79	83	.1
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	6	74	74	12.039	32	32	PMS	1231	160	621	10	28	10	12	26	86	85	1.7
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	6	69	69	9.198	40	40	PMS	492	73	568	9	27	10	9	28	83	86	1.6
P068	1+0.259	CASCADE	CASCADE	6	63	63	.235	30	30	PMS	1038	155	317	9	25	10	20	23	87	87	
P044	27+0.865	0.5 W JCT 115	PONDERA	6	72	72	.523	34	34	PMS	541	76	688	9	28	10	10	28	85	87	.1
P057	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6	71	71	6.520	32	32	PMS	1462	173	585	8	26	10	19	26	89	88	.7
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1315	170	720	8	26	10	20	26	90	89	.1
P021	4+0.995	CONRAD	PONDERA	6	73	73	.174	40	40	PMS	1507	195	289	10	30	10	20	20	90	89	
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	6	65	65	5.097	28	28	PMS	208	31	621	5	21	10	20	29	85	90	.8
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	6	62	62	9.506	30	30	PMS	346	52	410	7	22	10	20	28	87	90	1.2
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	6	64	64	3.984	30	30	PMS	305	46	576	7	24	10	20	29	90	93	.4
P080	5+0.120	2.7 S FORT BENTON	CHOUTEAU	6			9.572	UNDER CONSTRUCTION													
		DISTRICT TOTAL					433.717													39	170.1

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 7
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS END	SUF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P008	34+0.187	5.4 W HELENA	LEWIS AND CLARK	7	33	33	5.427	20	24	RMS	1748	227	299	0	12	8	2	19	41	37	3.2
P024	86+0.129	3.1 E FAS 279	LEWIS AND CLARK	7	57	64	5.094	28	30	PMS	1344	201	133	7	18	10	1	7	43	41	2.9
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7	48	70	5.819	24	25	RMS	1188	178	164	2	17	8	2	14	43	42	3.3
P024	109+0.052	JCT FAP RTE 9	LEWIS AND CLARK	7	52	52	7.789	24	26	RMS	1004	150	308	0	13	8	2	23	46	46	4.2
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7	48	63	3.399	24	25	RMS	1265	189	266	0	17	8	4	19	48	46	1.8
P024	100+0.420	JCT FAS RTE 434	LEWIS AND CLARK	7	51	51	8.628	25	25	BST	1038	155	243	0	14	8	7	20	49	49	4.4
P013	88+0.763	BROADWATER CO LINE	BROADWATER	7	32	61	4.247	20	24	RMS	526	68	396	0	10	7	2	27	46	50	2.3
P055	2+0.411	SIL BOW-JEFFERSON	JEFFERSON	7	53	53	9.717	24	24	RMS	1379	227	289	4	15	8	8	18	53	51	4.6
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7	60	60	5.887	24	24	PMS	1469	220	258	6	20	10	2	17	55	52	2.6
P014	6+0.412	4.0 E FAS 284	BROADWATER	7	37	66	7.187	24	25	RMS	556	83	530	0	11	7	2	28	48	52	3.7
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7	32	36	9.091	20	24	BST	355	56	211	0	11	7	1	26	45	52	5.0
P029	59+0.892	JEFFERSON CO LINE	JEFFERSON	7	36	36	5.791	22	24	RMS	340	51	567	0	10	5	1	29	45	53	3.2
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7	35	35	4.584	20	24	RMS	472	75	364	0	13	7	2	27	49	54	2.3
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7	34	52	.908	22	24	RMS	504	78	343	0	13	8	1	27	49	54	.5
P013	93+0.363	JCT FAP 8	BROADWATER	7	68	68	.330	40	40	RMS	823	106	75	8	25	10	1	9	53	54	.2
P014	13+0.545	11.2 E FAS 284	BROADWATER	7	51	51	9.901	20	26	RMS	449	67	297	0	14	5	3	27	49	55	5.0
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7	32	48	5.273	24	30	RMS	525	68	323	0	14	8	1	27	50	55	2.6
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7	32	36	8.470	20	24	BST	321	51	470	0	10	7	2	28	47	55	4.5
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7	31	62	6.155	22	26	RMS	417	54	296	0	13	7	2	27	49	55	3.1
P069	31+0.026	6.0 S BOULDER	JEFFERSON	7	59	59	6.004	24	24	BST	988	148	353	4	17	7	3	24	55	55	2.7
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7	57	64	4.104	28	30	PMS	1411	211	333	6	16	10	7	20	59	56	1.7
P008	65+0.436	0.7 S WINSTON	BROADWATER	7	56	65	11.541	32	32	PMS	2338	303	648	5	18	10	6	23	62	56	4.4
P069	0+0.673	WHITEHALL	JEFFERSON	7	33	55	2.318	32	32	RMS	1100	165	680	2	11	10	9	26	58	57	1.0
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7	60	60	3.867	24	24	PMS	1621	243	450	5	18	10	6	22	61	58	1.5
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7	31	40	2.000	24	31	RMS	391	50	248	0	13	10	1	27	51	58	1.0
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7	60	60	6.788	24	24	PMS	1322	218	328	5	21	10	4	20	60	58	2.7
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7	51	51	.688	34	34	RMS	398	51	243	0	12	10	4	27	53	59	.4
P008	108+0.855	1.0 S FAI 90	BROADWATER	7	68	68	.321	44	44	RMS	1196	155	128	10	27	10	1	12	60	59	.1
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7	69	69	1.670	40	40	PMS	3614	552	344	8	25	10	20	6	69	61	.5
P069	28+0.186	8.8 S BOULDER	JEFFERSON	7	57	57	2.840	24	24	BST	564	84	301	4	17	7	3	26	57	61	1.2
P008	98+0.993	0.8 E JCT FAS 437	BROADWATER	7	52	52	8.944	24	28	RMS	2058	267	401	2	15	10	20	20	67	62	3.0
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	7	61	61	8.498	26	26	PMS	511	76	291	4	18	9	1	26	58	63	3.6
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	7	68	68	1.060	30	30	PMS	880	132	655	3	21	8	4	27	63	64	.4
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	7	64	64	3.662	28	28	PMS	561	84	312	4	18	10	3	26	61	65	1.4
P008	54+0.482	JEFFERSON CO	JEFFERSON	7	69	69	1.514	40	40	PMS	2603	398	264	9	26	10	20	7	72	66	.4
P014	0+0.886	TOWNSEND	BROADWATER	7	64	64	1.514	32	32	PMS	1685	252	616	9	22	10	6	24	71	68	.4
P008	87+0.738	TOSTON APPR RD	BROADWATER	7	50	51	11.260	24	26	RMS	1639	213	507	4	15	10	19	24	72	69	3.2
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	7	68	68	2.055	30	30	PMS	971	145	414	6	26	10	2	25	69	69	.6
P069	22+0.186	14.8 S BOULDER	JEFFERSON	7	57	71	6.000	24	24	PMS	477	71	554	7	22	10	4	28	71	75	1.7
P008	57+0.135	1.1 E BROADWATER	BROADWATER	7	72	72	8.303	34	34	PMS	2135	277	504	7	23	10	17	22	79	75	1.7
P009	12+0.411	12.4 N FAI 15	LEWIS AND CLARK	7	63	63	7.749	32	32	PMS	379	60	447	3	17	10	12	28	70	76	2.3
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	7	70	70	3.920	32	32	PMS	592	88	456	5	17	10	16	27	75	78	1.0
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	7	77	77	2.263	56	56	PMS	1440	187	1200	10	30	10	3	28	81	79	.4
P008	107+0.893	JCT FAI 90	BROADWATER	7	52	52	.961	24	28	RMS	1196	155	503	7	20	10	20	25	82	81	.2
P008	55+0.995	BROADWATER CO	BROADWATER	7	69	69	1.139	40	40	PMS	1947	253	320	9	27	10	20	18	84	81	.2
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7	67	67	2.209	30	30	PMS	334	53	697	8	25	10	4	29	76	82	.5
P055	12+0.988	WHITEHALL	JEFFERSON	7	66	66	.090	32	32	PMS	1550	255	340	9	26	10	20	19	84	82	
P013	93+0.067	0.3 W FAP 8	BROADWATER	7	68	68	.296	40	40	RMS	529	68	96	9	26	10	20	19	84	86	
P009	1+0.950	1.9 N FAI 15	LEWIS AND CLARK	7	59	59	10.453	32	32	PMS	340	54	411	6	20	10	20	28	84	88	1.7
P014	2+0.399	JCT FAS RTE 284	BROADWATER	7	64	64	4.000	32	32	PMS	641	96	548	8	23	10	20	27	88	89	.5
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7	63	63	.726	32	32	PMS	299	47	365	8	19	10	20	28	85	89	.1
P069	38+0.095	BOULDER	JEFFERSON	7	73	73	.303	40	40	PMS	1095	164	795	10	30	10	20	27	97	96	
P008	78+0.114	TOWNSEND	BROADWATER	7			9.673	UNDER CONSTRUCTION													
P008	46+0.471	HELENA	LEWIS AND CLARK	7			2.060	UNDER CONSTRUCTION													
P008	30+0.034	2.2E LEW & CL CO	LEWIS AND CLARK	7			4.151	UNDER CONSTRUCTION													

FINANCIAL DISTRICT NUMBER 7

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
PDD8	49+0.568	EAST HELENA	LEWIS AND CLARK	7		3.267	UNDER CONSTRUCTION													
		DISTRICT TOTAL				262.108													38	99.9

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 8
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS 8T	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY FNO	SUFFICIENCY SRF	SUFFICIENCY ORN	SUFFICIENCY SAF	RATINGS CAP	RATINGS TOT	RATINGS AOJ	DEFIC MILES
P070	0+0.000	FUT W SUPERIOR INT	MINERAL	8			.200	NON EXISTENT													.2
P005	0+0.622	0.2 N FAI 90	MISSOULA	8	34	55	3.086	24	24	RMS	4242	619	280	0	12	7	1	0	20	13	2.5
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8	48	54	1.536	24	32	RMS	4074	594	220	0	13	7	4	0	24	16	1.2
P024	12+0.237	11.3 E BONNER	MISSOULA	8	41	63	3.821	24	24	RMS	2003	330	145	0	13	6	2	0	21	17	3.0
P024	22+0.634	6.6 E POTOMAC	MISSOULA	8	41	59	4.023	25	28	RMS	2002	330	204	0	9	7	3	6	25	21	3.0
P024	0+1.845	BONNER	MISSOULA	8	36	37	4.039	30	30	RMS	2305	380	234	3	14	4	1	6	28	23	2.9
P007	44+0.578	2.0 S HAMILTON	RAVALLI	8	34	59	2.036	22	24	RMS	4215	547	627	0	9	4	3	17	33	24	1.4
P024	7+0.551	6.7 E BONNER	MISSOULA	8	40	42	4.668	20	24	RMS	2119	349	260	0	13	5	2	10	30	25	3.3
P007	48+0.000	HAMILTON	RAVALLI	8	40	40	1.731	24	30	RMS	4615	599	830	0	8	4	7	19	38	28	1.1
P006	76+0.641	JCT FAP 36	SANDERS	8	31	34	2.278	18	24	RMS	1492	222	270	0	11	3	0	18	32	29	1.5
P007	31+0.292	DARBY	RAVALLI	8	34	35	11.755	18	24	RMS	2456	319	414	0	10	6	2	18	36	30	7.5
P006	76+0.261	PLAINS	SANDERS	8	31	34	.380	18	24	RMS	1737	258	294	0	11	3	4	17	35	31	.2
P006	68+0.701	WEEKSVILLE	SANDERS	8	38	52	3.890	20	24	RMS	1419	211	233	0	11	4	3	16	34	32	2.6
P007	43+0.042	3.5 S HAMILTON	RAVALLI	8	49	49	1.525	28	28	RMS	2649	344	331	3	13	9	1	14	40	33	.9
P006	51+0.570	THOMPSON FALLS	SANDERS	8	35	36	4.563	20	24	RMS	1750	260	255	0	13	6	3	15	37	33	2.9
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	1940	252	453	0	10	6	2	22	40	35	2.4
P006	108+0.148	DIXON	SANDERS	8	27	50	7.086	20	24	RMS	1189	177	470	0	9	4	1	24	38	37	4.4
P006	103+0.023	7.4 E PERMA	SANDERS	8	22	57	1.701	20	24	RMS	829	123	325	0	10	3	0	24	37	38	1.1
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31	51	6.095	20	24	RMS	1298	193	470	0	11	5	1	24	41	39	3.6
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1698	253	646	0	9	6	4	24	43	39	1.8
P006	105+0.123	1.4 W DIXON	SANDERS	8	22	34	1.062	22	24	RMS	838	124	423	0	9	3	1	26	39	40	.6
P007	82+0.745	LOLO	MISSOULA	8	68	68	.634	44	44	PMS	5724	744	232	10	27	10	6	0	53	40	.3
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	8	24	38	1.869	20	24	RMS	853	127	356	0	11	4	0	25	40	41	1.1
P024	26+0.710	5.2 W FAP 83	MISSOULA	8	49	49	5.164	25	25	8ST	1705	281	438	0	8	8	9	20	45	41	2.8
P024	55+0.670	JCT FAP 41	POWELL	8	61	61	9.806	24	26	PMS	1099	181	132	5	17	10	2	9	43	42	5.6
P006	64+0.701	8.6 E FAS 556	SANDERS	8	39	39	3.997	26	26	8ST	1184	176	330	0	13	6	2	22	43	42	2.3
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	4221	548	1092	0	9	10	11	22	52	42	1.1
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36	36	2.932	22	25	RMS	960	124	273	0	11	6	2	23	42	42	1.7
P006	56+0.095	JCT FAS 556	SANDERS	8	35	49	1.717	20	24	RMS	1159	172	184	0	13	5	9	16	43	42	1.0
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	814	121	470	0	10	4	2	26	42	43	1.7
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	8ST	895	116	235	0	11	7	1	23	42	43	2.0
P006	85+0.033	JCT FAP 35	SANDERS	8	31	51	3.637	20	24	RMS	877	130	453	0	11	4	1	26	42	43	2.1
P005	0+0.000	JCT FAI 90	MISSOULA	8	76	76	.622	64	64	PMS	4376	638	308	10	30	10	4	0	54	43	.3
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	638	92	507	0	9	3	1	27	40	43	3.0
P024	0+0.000	JCT FAI 90	MISSOULA	8	74	74	.975	44	44	PMS	3382	558	344	8	27	10	1	6	52	43	.5
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	8ST	526	78	115	0	12	6	1	20	39	43	3.9
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	76	9.496	36	36	PMS	3654	533	239	9	26	10	8	0	53	44	4.5
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	8ST	800	104	329	0	13	5	0	25	43	44	.1
P006	94+0.088	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	764	113	233	0	15	3	1	23	42	44	.7
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	3201	416	696	2	12	10	7	21	52	44	3.4
P008	13+0.007	JCT FAP RTE 41	POWELL	8	33	58	10.200	22	24	RMS	1151	149	573	0	9	6	4	26	45	44	5.6
P007	0+0.105	JCT FAP 46	RAVALLI	8	40	40	7.430	22	22	8ST	811	105	329	0	13	5	1	25	44	45	4.2
P024	31+0.845	JCT FAP 83	MISSOULA	8	54	54	3.823	24	30	RMS	1538	253	499	0	10	10	6	22	48	45	2.0
P077	0+0.000	JCT FAP RTE 36	SANDERS	8	41	41	1.746	20	26	8ST	944	141	800	0	8	6	4	27	45	45	1.0
P083	14+0.735	SEELEY LAKE	MISSOULA	8	52	52	8.364	22	26	PMS	770	135	192	0	15	7	2	19	43	45	4.8
P083	0+0.000	JCT FAP 24	MISSOULA	8	52	52	14.761	24	24	RMS	1123	197	438	0	13	7	4	23	47	46	7.8
P036	3+0.657	3.7 N FAP 6	SANDERS	8	41	47	3.802	20	25	8ST	615	92	206	0	12	6	2	23	43	46	2.2
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	8ST	895	116	235	0	13	7	2	23	45	46	1.9
P006	57+0.808	1.7 E FAS 556	SANDERS	8	34	49	6.899	20	24	RMS	1062	158	233	0	11	5	11	20	47	46	3.7
P035	0+0.000	ST REGIS	MINERAL	8	60	60	3.381	24	24	PMS	1280	211	338	3	15	7	3	21	49	47	1.7
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	8ST	750	112	283	0	9	7	5	24	45	47	2.0
P093	0+0.000	MONI-IDAHO LINE	MISSOULA	8	64	64	6.815	30	30	PMS	905	144	238	3	13	8	1	21	46	47	3.7
P019	48+0.325	MAXVILLE	GRANITE	8	31	52	9.137	20	24	RMS	495	71	732	0	9	3	2	29	43	48	5.2
P019	27+0.690	GRANITE CO LINE	GRANITE	8	34	40	3.134	20	24	RMS	491	71	287	0	12	6	0	26	44	49	1.8
P007	76+0.872	MISSOULA CO	MISSOULA	8	74	76	6.045	38	38	PMS	5103	663	344	10	28	10	12	1	61	50	2.4

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P036	13+0.871	13.9 N FAP 6	SANDERS	8	41	41	2.385	20	26	BST	487	73	267	0	9	6	4	26	45	50	1.3
P036	26+0.128	7.1 W FAP 77	SANDERS	8	40	40	4.999	20	25	BST	560	84	536	0	7	7	5	28	47	51	2.6
P007	20+0.475	7.7 W SULA	RAVALLI	8	37	39	3.081	24	24	BST	897	116	220	0	12	7	9	22	50	51	1.5
P007	74+0.820	FLORENCE	RAVALLI	8	74	76	2.051	38	38	PMS	4539	590	344	10	28	10	10	4	62	52	.8
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	8	59	59	11.071	24	24	PMS	548	96	221	2	14	6	3	23	48	52	5.8
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	8	52	52	7.694	22	26	PMS	530	93	175	3	17	7	1	22	50	54	3.8
P006	106+0.153	2.0 W DIXON	SANDERS	8	44	44	1.991	24	24	BST	846	126	608	0	10	8	8	27	53	54	.9
P008	11+0.267	AVON	POWELL	8	33	66	1.742	22	24	RMS	1177	153	620	0	9	8	12	26	55	54	.8
P024	35+0.684	POWELL CO	POWELL	8	61	61	7.494	24	26	PMS	1548	255	277	6	20	10	5	16	57	54	3.2
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	2222	366	425	6	18	10	10	17	61	55	1.0
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	8	59	59	5.856	24	24	PMS	556	97	429	2	14	7	5	27	55	59	2.6
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	8	64	64	9.654	30	30	PMS	1012	161	549	5	15	10	4	26	60	60	3.9
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	798	116	536	0	16	9	7	27	59	60	3.5
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	838	122	569	4	13	9	7	27	60	61	3.3
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	564	82	283	5	15	9	3	26	58	62	1.5
P006	47+0.218	2.6 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	943	137	302	7	20	10	2	23	62	62	.9
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1155	190	299	6	18	10	9	20	63	62	4.6
P007	7+0.530	7.4 W JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	842	109	289	0	12	6	20	24	62	63	2.3
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	76	.674	44	44	PMS	4415	573	344	9	28	10	20	5	72	63	.2
P007	83+0.388	JCT FAP 93	MISSOULA	8	68	68	6.756	68	68	PMS	7028	913	1920	9	27	10	6	23	75	64	1.7
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48	54	.787	24	28	PMS	1514	221	271	6	18	9	16	18	67	64	.3
P006	10+0.404	JCT FAP 56	SANDERS	8	52	52	.970	24	28	RMS	698	101	283	6	17	10	4	25	62	64	.4
P024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	2368	390	442	10	30	10	2	17	69	64	.3
P056	0+0.000	JCT FAP RTE 6	SANDERS	8	57	57	8.170	24	24	PMS	312	47	327	3	17	8	1	28	57	65	3.5
P041	0+0.000	JCT FAP 8	POWELL	8	61	61	6.348	28	28	PMS	195	32	276	0	12	10	4	28	54	66	2.9
P007	74+0.249	0.4 S FLORENCE	RAVALLI	8	74	76	.571	64	64	PMS	4481	582	2160	8	26	10	4	26	74	66	.1
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	826	120	616	3	17	10	8	27	65	66	2.1
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	516	75	371	6	18	8	3	27	62	66	.9
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	3857	501	722	8	24	10	12	20	74	66	1.8
P008	3+0.914	3.8 E GARRISON	POWELL	8	57	64	7.362	32	32	PMS	1147	149	456	7	20	10	6	25	68	67	2.4
P041	6+0.348	6.3 N FAP 8	POWELL	8	62	62	5.406	28	28	PMS	168	28	515	0	8	10	7	29	54	67	2.5
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	834	124	302	8	24	10	1	24	67	68	.1
P007	59+0.036	VICTOR	RAVALLI	8	56	61	7.721	32	32	PMS	3004	390	774	8	24	10	10	22	74	68	2.0
P056	8+0.170	8.1 W FAP RTE 6	SANDERS	8	63	63	8.370	28	28	PMS	316	47	318	6	17	8	2	28	61	69	3.3
P024	16+0.029	POTOMAC	MISSOULA	8	68	68	6.575	40	40	PMS	1989	328	385	7	19	10	20	17	73	69	1.8
P036	18+0.961	JCT FAP 77	SANDERS	8	63	63	7.161	28	28	PMS	825	123	629	5	17	10	10	27	69	70	2.2
P006	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	8.606	32	32	PMS	788	115	428	6	22	10	5	26	69	70	2.7
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.158	28	28	RMS	591	86	371	8	18	10	5	27	68	71	.7
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	RMS	750	109	501	8	20	10	5	27	70	72	.4
P036	16+0.265	0.1 SW FAS 382	SANDERS	8	63	63	2.732	28	28	PMS	776	116	599	5	18	10	11	27	71	72	.8
P041	16+0.875	14.6 N FAP 8	POWELL	8	70	70	2.966	30	30	PMS	170	28	235	4	16	10	2	28	60	72	1.2
P041	19+0.841	7.6 S FAS 271	POWELL	8	65	65	7.654	30	30	BST	195	32	259	5	15	10	5	28	63	74	2.8
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	730	106	264	7	19	10	12	24	72	74	.3
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	713	104	342	8	20	10	10	25	73	75	.3
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	8	65	69	3.803	30	30	PMS	684	112	463	9	26	10	3	26	74	76	1.0
P035	3+0.381	3.3 N ST REGIS	MINERAL	8	72	72	4.299	30	30	PMS	933	153	512	8	25	10	7	26	76	76	1.0
P070	0+0.200	1.0 W SUPERIOR	MINERAL	8	31	52	1.035	22	24	RMS	93	12	544	0	5	5	20	30	60	76	.4
P070	1+0.506	SUPERIOR	MINERAL	8	31	52	.062	22	24	RMS	225	29	716	0	14	5	20	29	68	77	
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	9.701	32	32	PMS	472	68	482	5	16	10	14	28	73	77	2.6
P006	46+0.236	1.6 E BELKNAP	SANDERS	8	58	58	.985	32	32	BST	869	126	510	5	17	10	20	26	78	78	.2
P008	27+0.319	0.3 W L & C CO	POWELL	8	77	77	.308	56	56	PMS	1347	175	1200	10	30	10	3	28	81	79	.1
P035	12+0.947	8.4 SW FAP 6	SANDERS	8	65	69	3.151	30	30	PMS	644	106	622	10	28	10	2	27	77	79	.7
P041	27+0.495	JCT FAS 271	POWELL	8	57	72	5.017	24	24	PMS	231	38	237	7	20	10	5	28	70	79	1.5
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	8	63	69	1.464	30	30	PMS	663	109	488	10	28	10	3	27	78	80	.3
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	536	78	312	5	18	9	20	26	78	81	.5

FINANCIAL DISTRICT NUMBER 8

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P008	25+0.581	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1198	155	2000	9	27	10	8	29	83	82	.3
P019	62+0.597	1.0 S ORUMMOND	GRANITE	8	66	66	.628	40	40	PMS	681	98	258	9	26	10	13	24	82	83	.1
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	8	57	76	7.703	32	32	PMS	689	99	568	8	26	10	11	27	82	83	1.4
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	298	44	498	10	28	10	0	29	77	83	
P035	16+0.098	5.3 SW FAP 6	SANDERS	8	68	69	5.348	30	30	PMS	612	100	414	10	28	10	8	26	82	84	1.0
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	823	122	781	7	23	10	15	28	83	84	.1
P008	23+0.218	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1166	151	2000	9	28	10	12	29	88	87	.3
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	806	120	529	8	22	10	20	27	87	87	.5
P041	11+0.754	11.7 N FAP 8	POWELL	8	77	77	5.121	28	28	PMS	164	27	312	10	30	10	2	29	81	89	1.0
P006	95+0.631	PERMA	SANDERS	8	57	76	3.633	30	30	PMS	794	118	488	9	28	8	20	26	91	91	.3
P019	63+0.222	0.6 S ORUMMOND	GRANITE	8	66	66	.449	32	32	PMS	689	99	774	9	25	10	20	28	92	92	
P008	0+0.000	JCT FAI 90	POWELL	8			3.899	UNDER CONSTRUCTION													
P093	21+0.095	11.4 W FAP RTE 7	MISSOULA	8			11.466	UNDER CONSTRUCTION													
P093	16+0.488	16.0 W FAP RTE 7	MISSOULA	8			4.609	UNDER CONSTRUCTION													
																				43	230.6
		DISTRICT TOTAL					530.965														

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 9
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9	46	62	3.798	24	26	RMS	4005	520	319	0	13	8	2	6	29	21	2.7
P064	7+0.180	MADISON CO LINE	MADISON	9	73	73	2.450	24	24	GRV	766	107	212	0	0	5	1	22	28	29	1.8
P029	49+0.920	6.6 N TWIN BRIDGES	MADISON	9	36	36	7.354	22	24	RMS	1168	175	225	0	14	6	1	18	39	38	4.5
P049	0+0.244	DILLON	BEAVERHEAD	9	46	62	2.421	24	26	RMS	3572	464	567	3	18	7	6	18	52	43	1.2
P029	19+0.904	5.3 N VIRGINIA CTY	MADISON	9	42	42	5.254	20	24	RMS	1124	236	390	0	12	8	4	21	45	44	2.9
P029	80+0.192	JCT FAS 375	SILVER BOW	9	28	71	3.277	24	30	RMS	1229	159	331	0	14	8	1	23	46	44	1.8
P029	14+0.827	VIRGINIA CITY	MADISON	9	45	45	5.116	20	24	RMS	1056	221	315	4	16	5	3	19	47	47	2.7
P013	47+0.144	9.3 N CAMERON	MADISON	9	36	58	1.492	22	25	RMS	1900	380	601	0	12	9	10	21	52	47	.7
P013	61+0.592	3.7 S NORRIS	MADISON	9	34	34	3.713	20	24	RMS	835	129	211	3	15	8	1	21	48	49	1.9
P013	65+0.316	JCT FAP 84	MADISON	9	34	34	9.543	20	24	RMS	615	95	255	0	14	7	1	24	46	49	5.2
P013	56+0.524	MCALLISTER	MADISON	9	36	57	5.182	22	24	RMS	908	140	311	2	15	7	1	23	48	49	2.7
P013	37+0.869	CAMERON	MADISON	9	34	34	9.243	20	24	RMS	1115	223	486	0	12	8	7	23	50	49	4.6
P029	57+0.250	JCT FAP 55	MADISON	9	36	63	1.155	22	24	RMS	337	50	390	0	10	4	0	28	42	49	.7
P049	0+0.000	DILLON	BEAVERHEAD	9	46	74	.102	40	40	RMS	1735	225	896	4	17	6	2	26	55	51	
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9	59	59	6.880	24	24	PMS	1105	143	249	0	17	10	4	21	52	51	3.3
P013	49+0.247	ENNIS	MADISON	9	34	34	7.247	20	24	RMS	1044	161	431	0	15	8	4	24	51	51	3.6
P019	10+0.110	ANACONDA	DEER LODGE	9	51	59	6.813	24	28	PMS	1950	282	508	3	15	8	9	22	57	52	2.9
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9	34	62	2.823	24	30	RMS	534	69	302	0	14	7	0	27	48	52	1.5
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9	28	60	2.337	24	30	RMS	712	92	627	0	14	7	1	28	50	52	1.2
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9	40	40	7.930	20	24	RMS	1485	311	702	0	9	8	16	23	56	53	3.5
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9	36	63	1.488	22	24	RMS	337	50	540	0	10	5	1	29	45	53	.8
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.634	20	24	RMS	1240	186	420	0	11	5	17	23	56	54	2.9
P013	24+0.369	13.3 S CAMERON	MADISON	9	34	34	2.648	20	24	RMS	490	98	871	0	9	7	5	28	49	54	1.4
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9	61	61	8.231	26	28	PMS	561	84	382	3	14	6	1	27	51	55	4.0
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9	34	54	3.379	22	24	RMS	520	75	222	3	14	7	2	25	51	56	1.7
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9	49	49	5.992	20	26	RMS	1239	173	535	2	15	8	9	25	59	57	2.5
P055	0+0.000	JCT FAP 29	MADISON	9	53	53	2.142	24	24	RMS	827	136	333	4	16	8	4	24	56	57	.9
P029	0+0.245	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	829	174	420	5	18	7	2	24	56	57	2.4
P029	5+0.697	5.5 W ENNIS	MADISON	9	51	51	5.030	28	32	RMS	666	139	243	5	19	8	5	21	58	61	2.1
P013	27+0.156	10.8 S CAMERON	MADISON	9	34	34	10.807	20	24	RMS	715	143	838	0	10	9	13	27	59	61	4.4
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	24	28	PMS	1048	151	561	2	14	10	11	26	63	63	1.9
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	PMS	749	108	514	0	16	8	11	27	62	64	.9
P029	34+0.188	SHERIDAN	MADISON	9	39	39	8.029	22	24	RMS	928	194	812	0	10	8	20	26	64	64	2.9
P046	76+0.492	0.6 W DIVIDE	SILVER BOW	9	34	76	.490	32	32	PMS	565	84	683	5	15	10	3	28	61	65	.2
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	315	47	371	4	15	8	3	28	58	66	2.5
P049	13+0.697	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	PMS	951	123	377	0	14	8	20	25	67	67	.8
P049	16+0.192	2.5 E MADISON CO	MADISON	9	53	53	10.659	24	28	RMS	999	129	629	0	13	8	19	27	67	67	3.5
P084	0+0.000	JCT FAP 13	MADISON	9	53	53	6.427	24	24	RMS	424	72	374	6	18	9	1	27	61	67	2.5
P084	6+0.425	6.4 E JCT FAP 13	MADISON	9	52	52	5.052	24	24	RMS	373	63	394	5	17	10	1	28	61	68	2.0
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9	61	61	5.577	26	28	PMS	191	28	413	2	13	10	3	29	57	69	2.4
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	218	32	354	5	15	9	2	29	60	70	3.7
P046	64+0.920	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	443	66	522	8	19	10	1	28	66	71	.1
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9	61	61	1.055	26	28	PMS	166	24	427	4	15	10	2	29	60	72	.4
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	9	53	53	.288	24	24	RMS	827	136	391	4	16	8	20	25	73	74	.1
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	4109	534	2280	8	24	10	13	26	81	74	.5
P046	26+0.350	WISDOM	BEAVERHEAD	9	65	65	5.256	28	28	PMS	295	44	569	7	17	10	4	29	67	75	1.7
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.832	30	33	PMS	182	27	535	6	16	10	4	29	65	76	.3
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	589	88	515	8	24	10	5	27	74	77	.3
P029	10+0.757	2.3 E VIRGINIA CTY	MADISON	9	56	56	2.337	28	28	PMS	723	151	324	5	17	10	20	23	75	77	.6
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9	61	61	1.543	76	76	PMS	5462	710	2256	9	25	10	15	25	84	77	.2
P087	1+0.460	1.3 E FAP 13	MADISON	9	72	72	1.586	30	30	PMS	355	76	510	7	25	10	1	28	71	77	.5
P076	6+0.848	BUTTE	SILVER BOW	9	50	50	.292	24	36	PMS	443	57	264	3	15	8	20	27	73	77	.1
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9	64	64	2.889	76	76	PMS	2445	317	2280	8	25	10	12	28	83	79	.5
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	581	87	529	9	26	10	3	28	76	79	.3
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	435	65	448	8	23	10	6	28	75	79	2.3

FINANCIAL DISTRICT NUMBER 9

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P087	3+0.037	6.7 E FAP 13	MADISON	9	63	63	3.728	30	30	PMS	393	84	562	7	26	10	4	28	75	80	.9
P013	74+0.873	0.5 S HARRISON	MADISON	9	76	76	5.908	32	32	PMS	554	85	696	8	27	10	5	28	78	81	1.3
P013	0+0.000	IDAHO LINE	MADISON	9	62	76	8.564	32	32	BST	284	56	630	7	24	10	7	29	77	83	2.0
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	304	45	501	7	16	10	20	29	82	87	.7
P046	36+0.881	4.9 W DEER LODGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	261	39	398	7	18	10	17	29	81	87	.9
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	365	54	600	6	19	10	20	29	84	88	1.5
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	277	41	595	8	18	10	18	29	83	88	.9
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	297	44	387	7	18	10	20	28	83	88	.5
P013	8+0.630	JCT FAP 87	MADISON	9	66	66	7.813	40	40	PMS	328	65	697	9	26	10	10	29	84	88	1.3
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	184	27	501	7	18	10	20	29	84	90	
P013	16+0.388	7.7 N FAP 87	MADISON	9	69	69	4.975	40	40	PMS	375	75	664	8	23	10	20	28	89	91	.5
P087	0+0.000	JCT FAP 13	MADISON	9	63	63	1.393	30	30	PMS	347	74	518	7	24	10	20	28	89	92	.2
P013	21+0.332	9.3 S FAS 357	MADISON	9	71	71	2.992	40	40	PMS	443	88	597	8	25	10	20	28	91	93	.3
P046	77+0.114	DIVIDE EAST	SILVER BOW	9	76	76	.784	34	34	PMS	560	84	381	10	30	10	16	27	93	94	.1
		DISTRICT TOTAL					300.999													38	114.3

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 10
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	10	73	73	4.180	24	24	GRV	766	107	250	0	0	5	1	24	30	31	2.9
P086	0+0.962	BOZEMAN	GALLATIN	10	58	58	2.860	25	25	PMS	2793	558	661	3	15	4	2	17	41	34	1.7
P086	16+0.328	15.3 N BOZEMAN	GALLATIN	10	48	48	2.465	20	20	GRV	459	91	345	0	0	3	3	26	32	37	1.7
P050	81+0.910	JCT FAP 84 85	GALLATIN	10	60	60	5.208	36	36	PMS	5082	762	283	8	26	10	6	0	50	38	2.6
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	30	.571	34	34	RMS	1791	413	896	0	8	3	11	23	45	41	.3
P011	55+0.874	LIVINGSTON	PARK	10	34	34	2.078	20	24	PMS	2369	307	610	0	14	7	4	22	47	41	1.1
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	10	35	56	6.788	22	24	RMS	751	97	197	0	12	5	1	23	41	43	4.0
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.758	24	24	PMS	1055	137	258	0	11	9	2	22	44	44	2.1
P045	8+0.031	7.4 N BIG TIMBER	SWEET GRASS	10	42	42	7.744	20	24	RMS	474	61	448	0	9	4	1	28	42	47	4.5
P013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10	38	38	1.106	24	28	RMS	823	106	399	0	13	8	1	26	48	49	.6
P063	13+0.568	13.3 N HARLOWTON	WHEATLAND	10	49	54	4.288	24	24	PMS	890	115	297	0	12	10	3	24	49	50	2.2
P086	18+0.793	12.7 S PARK CO	GALLATIN	10	45	45	12.699	20	20	GRV	127	19	262	0	0	2	5	29	36	50	8.1
P086	3+0.822	2.8 N BOZEMAN	GALLATIN	10	61	61	5.760	30	30	PMS	1813	362	738	5	17	10	1	23	56	52	2.5
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	10	53	53	6.708	24	24	RMS	1659	273	534	4	15	8	7	22	56	52	3.0
P059	15+0.395	CLYDE PARK	PARK	10	38	38	5.039	20	24	RMS	655	98	655	0	9	8	4	28	49	52	2.6
P059	4+0.559	4.1 N FAI 90	PARK	10	41	41	10.238	20	24	RMS	836	125	431	0	13	9	5	26	53	54	4.8
P050	47+0.941	JCT FAP RTE 64	GALLATIN	10	55	55	12.950	28	28	PMS	1283	201	348	5	19	9	2	21	56	54	5.7
P059	49+0.499	JCT FAS RTE 294	MEAGHER	10	36	63	8.034	22	24	RMS	369	55	642	0	9	8	3	29	49	56	4.1
P059	45+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	RMS	342	51	805	0	9	8	2	29	48	56	2.2
P013	82+0.240	1.4 N GALLITIN CO	GALLATIN	10	50	50	.830	22	24	RMS	481	74	296	0	15	8	2	26	51	56	.4
P012	0+0.000	IDAHO LINE	GALLATIN	10	61	61	2.272	34	34	PMS	1317	304	354	5	18	10	8	17	58	56	1.0
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	10	36	63	4.875	22	24	RMS	295	38	451	0	9	7	2	29	47	56	2.6
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	10	49	54	9.470	24	24	PMS	674	113	408	0	14	10	5	26	55	56	4.3
P063	18+0.463	JUDITH GAP	WHEATLAND	10	49	54	.733	24	24	PMS	818	106	258	5	15	10	1	24	55	56	.3
P084	20+0.309	ANCENEY	GALLATIN	10	55	55	8.744	24	24	RMS	861	146	365	5	18	8	1	24	56	57	3.8
P014	77+0.214	WHEATLAND CO	WHEATLAND	10	34	64	10.825	22	24	RMS	333	43	684	0	9	7	4	29	49	57	5.5
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10	35	39	4.535	20	24	RMS	340	44	431	0	12	7	3	28	50	58	2.3
P014	73+0.390	3.8 W WHEATLAND CO	MEAGHER	10	36	63	1.779	22	24	RMS	305	39	792	0	10	7	5	29	51	59	.9
P014	63+0.148	18.1 E FAP 60	MEAGHER	10	37	65	5.333	21	24	RMS	260	36	448	0	9	8	4	29	50	59	2.7
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	10	36	47	4.600	24	24	RMS	226	33	582	0	10	6	4	29	49	60	2.3
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	BST	322	72	253	4	17	6	0	26	53	61	4.1
P014	33+0.493	JCT FAP 59	MEAGHER	10	33	66	8.182	21	24	RMS	813	121	711	0	10	8	15	27	60	61	3.3
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	452	67	297	4	15	9	1	27	56	62	4.4
P050	76+0.436	5.4 S FAP 84 85	GALLATIN	10	64	64	5.455	32	32	PMS	2839	445	696	8	24	10	7	20	69	62	1.7
P084	11+0.483	MADISON-GALLATIN	GALLATIN	10	55	55	8.808	24	24	RMS	349	59	243	4	15	9	1	26	55	62	4.0
P045	28+0.272	WHEATLAND CO	WHEATLAND	10	46	55	5.074	24	26	RMS	278	36	398	0	11	10	4	29	54	63	2.3
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10	34	64	2.049	22	24	RMS	318	41	702	0	10	6	10	29	55	63	.9
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10	61	61	5.777	34	34	PMS	1524	352	680	6	16	10	13	22	67	64	1.9
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	10	62	72	1.955	32	32	PMS	988	155	220	9	25	10	1	19	64	64	.7
P050	8+0.373	JCT FAP RTE 87	GALLATIN	10	64	64	.151	52	52	PMS	1179	185	320	9	24	10	1	21	65	64	.1
P050	60+0.889	12.9 N FAP RTE 64	GALLATIN	10	67	67	9.312	28	28	PMS	1200	188	249	9	28	10	1	19	67	66	3.1
P050	40+0.132	8.9 N PARK BDY	GALLATIN	10	60	60	7.823	28	28	PMS	1164	182	495	7	22	10	5	24	68	67	2.5
P059	0+0.000	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1475	221	580	7	17	10	12	24	70	67	.5
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28	RMS	823	106	629	3	15	10	11	27	66	67	.4
P014	108+0.043	7.1 E FAP 63	WHEATLAND	10	53	53	8.427	24	28	RMS	957	124	486	4	15	10	12	26	67	67	2.8
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	RMS	1382	179	808	2	12	8	20	27	69	67	.2
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	1666	358	746	8	25	10	4	23	70	67	.6
P050	31+0.181	YELL PARK BDY	GALLATIN	10	60	60	8.921	28	28	PMS	890	139	495	6	21	10	4	26	67	68	2.9
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	10	73	73	6.746	31	31	PMS	537	107	469	4	21	10	3	27	65	69	2.4
P011	0+0.000	YELL PARK BORY	PARK	10	75	75	1.016	48	48	PMS	1220	262	664	9	28	10	0	24	71	70	.3
P011	40+0.712	9.1 S FAS 540	PARK	10	65	65	9.177	32	32	PMS	1214	261	817	8	23	10	6	25	72	71	2.6
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	10	59	63	3.335	26	26	PMS	388	58	622	6	19	10	1	29	65	71	1.2
P059	15+0.310	CLYDE PARK	PARK	10	38	38	.061	20	24	RMS	615	92	627	0	13	8	20	28	69	72	
P059	2+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	1212	181	453	3	17	9	20	24	73	72	.6
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	10	65	65	7.126	40	40	PMS	1106	143	247	7	23	10	12	21	73	72	1.9

FINANCIAL DISTRICT NUMBER 10

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TDT	AOJ	DEFIC MILES
P011	10+0.864	10.7 N GARDINER	PARK	10	69	69	5.766	32	32	BST	883	189	639	8	26	10	2	26	72	73	1.6
P059	37+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24	RMS	234	35	838	0	8	8	18	29	63	73	1.0
P060	9+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	477	71	471	7	21	10	4	28	70	74	2.2
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	10	68	68	7.129	40	40	PMS	1438	316	309	8	23	10	20	15	76	74	1.7
P014	55+0.917	10.8 E FAP 60	MEAGHER	10	56	58	7.271	28	28	PMS	261	33	371	3	16	10	7	29	65	74	2.5
P087	6+0.719	MADISON-GALLATIN	GALLATIN	10	67	67	3.316	30	30	PMS	431	93	323	7	25	10	1	26	69	74	1.0
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	10	67	67	2.194	30	30	PMS	539	116	764	7	23	10	2	28	70	74	.7
P087	10+0.026	3.3 E MADISON CO	GALLATIN	10	67	67	10.223	30	30	PMS	478	103	583	6	22	10	5	27	70	74	3.1
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1548	201	872	8	23	10	10	27	78	76	.1
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32	PMS	852	110	457	9	26	10	4	26	75	76	.1
P064	0+0.000	JCT FAP RTE 50	GALLATIN	10	72	77	3.000	30	30	PMS	836	117	384	10	30	10	2	25	77	78	.7
P014	88+0.034	11.2 W HARLOWTON	WHEATLAND	10	66	66	4.784	40	40	PMS	394	51	344	8	21	10	7	28	74	79	1.2
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	10	63	63	14.593	32	32	PMS	745	116	648	5	16	10	20	27	78	79	3.2
P050	70+0.197	11.7 S FAP 84 85	GALLATIN	10	58	60	6.250	32	32	PMS	1489	233	696	8	25	10	13	25	81	79	1.2
P045	7+0.339	6.7 N BIG TIMBER	SWEET GRASS	10	69	69	.695	30	30	RMS	532	69	549	8	25	10	5	28	76	79	.2
P059	20+0.487	5.1 N CLYDE PARK	PARK	10	73	73	4.228	32	32	PMS	635	95	696	8	26	10	5	28	77	79	1.0
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	424	63	471	6	21	10	11	28	76	80	2.0
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1467	322	774	8	22	10	20	24	84	82	.2
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	10	63	63	6.020	32	32	PMS	746	117	510	7	17	10	20	27	81	82	1.1
P011	30+0.977	JCT COUNTY ROAD	PARK	10	61	61	9.708	32	32	PMS	980	210	817	8	25	10	13	26	82	82	1.7
P060	0+0.000	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	465	69	554	9	26	10	7	28	80	83	1.9
P086	31+0.492	GALLATIN-PARK CO	PARK	10	63	63	6.738	28	28	PMS	155	23	534	4	16	10	13	29	72	83	1.9
P014	116+0.456	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	812	105	247	8	24	10	17	24	83	84	1.0
P014	42+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	657	98	326	8	22	10	20	25	85	86	.4
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	571	74	344	8	21	10	19	27	85	87	1.0
P011	19+0.339	0.4 S FAS 540	PARK	10	61	61	11.618	32	32	PMS	886	190	817	8	25	10	18	27	88	88	1.4
P014	45+0.138	JCT FAP RTE 60	MEAGHER	10	65	65	3.943	40	40	PMS	342	44	485	6	19	10	20	29	84	88	.6
P011	1+0.365	1.3 N GARDINER	PARK	10	71	71	4.308	34	34	PMS	944	202	597	8	26	10	20	25	89	89	.5
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	384	49	616	8	19	10	20	29	86	89	.8
P011	16+0.633	3.1 S FAS 540	PARK	10	61	61	2.712	32	32	PMS	894	192	817	9	26	10	20	26	91	91	.2
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	892	191	697	9	27	10	20	26	92	92	.4
P011	1+0.019	GARDINER NO	PARK	10	75	75	.346	34	34	PMS	980	210	752	9	28	10	20	26	93	93	
P059	24+0.884	JCT FAP RTE 86	PARK	10	73	73	4.765	32	32	PMS	311	46	720	8	23	10	20	29	90	93	.5
P059	29+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.379	32	32	PMS	251	37	696	9	28	10	15	29	91	94	.8
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	10	69	69	1.029	30	30	RMS	397	51	329	10	26	10	20	28	94	95	.1
P013	80+0.773	GALLATIN CO LINE	GALLATIN	10	76	76	1.444	32	32	PMS	481	74	529	9	28	10	20	28	95	96	.1
P014	48+0.995	3.9 E FAP 60	MEAGHER	10	76	76	6.934	36	36	PMS	271	35	226	10	30	10	20	28	98	98	.1
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10			4.429	UNDER CONSTRUCTION													
P045	15+0.771	15.2 N BIG TIMBER	SWEET GRASS	10			7.041	UNDER CONSTRUCTION													
																				34	165.7
		DISTRICT TOTAL					491.158														



Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT II
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST BT IM	SECTION LENGTH	WIDTH SRF	WIDTH RDY	SUF TYP	AOT	OHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- END	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P004	52+0.255	1.4 N YELLOWST CO	YELLOWSTONE	11 22 39	1.598	24	30	RMS	4426	575	652	2	13	7	2	17	41	31	.9
P016	46+0.202	KLEIN	MUSSELSHELL	11 37 37	1.838	20	24	RMS	2224	289	283	0	13	8	1	15	37	32	1.2
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11 33 56	.969	26	30	RMS	2621	340	780	0	10	6	1	23	40	33	.6
P078	29+0.991	JCT FAS RTE 419	STILLWATER	11 35 45	15.864	20	24	RMS	1515	249	450	0	8	5	1	22	36	33	10.2
P016	11+0.880	7.0 N BILLINGS	YELLOWSTONE	11 34 51	9.638	20	24	RMS	1259	163	220	0	11	5	1	19	36	34	6.2
P016	25+0.140	MUSSELSHELL CO	MUSSELSHELL	11 34 34	4.505	20	24	RMS	1513	196	239	0	13	6	1	18	38	35	2.8
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11 48 48	9.590	20	24	RMS	1496	194	201	0	13	8	1	16	38	35	5.9
P048	1+0.060	JCT FAI 90	BIG HORN	11 70 70	.284	40	40	RMS	2174	304	134	7	23	10	1	0	41	35	.2
P016	23+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11 34 58	1.815	22	24	RMS	1464	190	243	0	13	7	1	18	39	36	1.1
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11 37 37	3.978	20	24	RMS	1080	140	307	0	9	6	1	23	39	38	2.4
P028	64+0.237	4.5 S RED LODGE	CARBON	11 34 57	4.147	22	22	RMS	1088	244	591	0	6	8	1	24	39	38	2.5
P004	57+0.393	2.1 E LAUREL	YELLOWSTONE	11 23 68	.806	55	55	RMS	2763	359	627	3	13	8	1	21	46	39	.4
P004	26+0.285	BRIDGER	CARBON	11 23 51	6.413	22	24	RMS	1641	213	486	0	11	6	3	23	43	39	3.7
P004	42+0.765	JCT FAP 28	CARBON	11 68 68	.159	40	40	PMS	4670	607	399	7	24	10	3	7	51	40	.1
P053	32+0.044	BROADVIEW	YELLOWSTONE	11 48 48	2.172	20	24	RMS	1127	146	239	0	14	7	1	21	43	42	1.2
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11 48 57	6.295	22	28	RMS	1114	144	289	0	11	8	1	23	43	42	3.6
P061	13+0.075	12.0 N ROUNDUP	MUSSELSHELL	11 35 66	8.809	22	24	RMS	835	108	296	0	12	5	1	25	43	44	5.0
P004	55+0.309	LAUREL	YELLOWSTONE	11 23 68	2.084	55	55	RMS	3001	390	806	4	14	8	3	23	52	44	1.0
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11 54 54	7.865	24	24	PMS	1207	162	393	0	9	8	5	24	46	45	4.2
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11 54 54	9.343	24	24	PMS	1196	161	418	0	13	8	2	24	47	46	5.0
P028	82+0.066	ROBERTS	CARBON	11 36 36	8.931	21	24	RMS	1161	232	486	0	13	8	4	23	48	47	4.6
P028	70+0.311	RED LODGE	CARBON	11 21 54	11.712	22	24	RMS	1169	233	544	0	11	8	5	24	48	47	6.1
P053	23+0.140	COMANCHE	YELLOWSTONE	11 48 48	8.421	20	24	RMS	1153	149	634	0	10	7	5	26	48	47	4.4
P072	11+0.754	0.5 N BELFRY	CARBON	11 49 49	2.812	20	24	RMS	707	113	431	0	12	4	3	26	45	47	1.5
P037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11 54 54	7.296	24	24	PMS	1300	175	196	0	13	8	12	17	50	48	3.6
P014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11 37 37	9.104	20	24	RMS	1138	147	582	0	9	8	6	26	49	48	4.6
P048	0+2.507	HARDIN	BIG HORN	11 70 70	.192	40	40	PMS	4587	642	340	7	21	10	20	2	60	49	.1
P078	0+0.472	RED LODGE	CARBON	11 52 52	5.580	24	24	RMS	597	98	556	0	10	7	1	27	45	49	3.1
P072	14+0.502	6.9 S JCT FAP 4	CARBON	11 48 48	6.987	24	24	RMS	972	155	396	3	15	6	2	24	50	50	3.5
P078	27+0.412	2.3 N CARBON CO	STILLWATER	11 35 35	2.579	20	20	RMS	403	66	391	0	10	6	1	27	44	50	1.4
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11 37 37	3.424	20	24	RMS	422	54	201	0	13	4	1	26	44	50	1.9
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11 37 37	5.631	20	24	RMS	448	58	201	0	13	4	1	26	44	50	3.2
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11 39 39	5.582	20	24	RMS	588	76	210	0	12	8	1	25	46	50	3.0
P004	42+0.924	0.2 N FAP 28	CARBON	11 49 65	7.960	24	32	RMS	3956	514	536	4	17	10	13	16	60	50	3.2
P014	170+0.161	ROUNDUP	MUSSELSHELL	11 39 39	11.871	20	24	RMS	785	102	333	0	13	10	1	25	49	51	6.1
P014	160+0.456	7.1 W FAP RTE 16	MUSSELSHELL	11 36 50	7.063	20	24	RMS	490	63	377	0	11	6	2	27	46	51	3.8
P072	10+0.364	BELFRY	CARBON	11 49 49	1.126	24	24	BST	772	123	673	2	14	5	1	27	49	51	.6
P004	50+0.813	YELLOWSTONE CO	YELLOWSTONE	11 49 65	1.390	28	32	RMS	3627	471	616	4	15	9	14	19	61	52	.5
P061	1+0.020	ROUNDUP	MUSSELSHELL	11 50 54	5.953	24	30	PMS	1201	156	384	0	13	10	6	24	53	52	2.8
P037	24+0.493	BUSBY	BIG HORN	11 54 54	2.712	24	24	PMS	1439	194	593	0	10	10	11	25	56	53	1.2
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11 39 39	4.478	20	24	RMS	551	71	354	0	11	8	3	27	49	53	2.3
P028	68+0.573	RED LODGE	CARBON	11 34 57	.117	22	24	RMS	1733	389	595	0	10	8	20	20	58	54	
P078	6+0.052	5.5 W RED LODGE	CARBON	11 53 53	7.264	24	24	RMS	334	55	278	0	12	6	1	27	46	54	3.9
P053	15+0.901	ACTON	YELLOWSTONE	11 48 48	7.281	20	24	RMS	1193	155	421	0	11	9	13	24	57	56	3.1
P048	1+0.344	0.8 N HARDIN	BIG HORN	11 41 63	5.459	21	24	RMS	1569	219	421	3	17	8	10	22	60	57	2.2
P037	33+0.061	5.6 W ROSEBUD CO	BIG HORN	11 74 74	5.621	40	40	PMS	1557	210	135	10	28	10	7	7	62	59	2.1
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11 39 39	8.309	20	24	RMS	504	65	354	0	12	9	6	27	54	59	3.8
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11 39 39	3.283	20	24	RMS	533	69	357	0	9	8	11	27	55	59	1.5
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11 37 37	2.478	20	24	RMS	1054	137	377	0	11	6	17	25	59	59	1.0
P078	13+0.316	12.8 W RED LODGE	CARBON	11 57 57	6.370	24	24	PMS	283	46	591	0	13	6	2	29	50	59	3.2
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	11 57 57	.591	28	28	RMS	1601	264	425	8	24	10	0	21	63	60	.2
P028	96+0.673	JOLIET	CARBON	11 74 74	4.685	44	44	PMS	1814	362	344	9	28	10	3	14	64	60	1.7
P028	101+0.121	0.6 S FAP 4	CARBON	11 68 68	.587	40	40	PMS	2141	428	309	6	21	10	20	9	66	61	.2
P004	53+0.841	3.0 N YELLOWST CO	YELLOWSTONE	11 64 64	.432	68	68	PMS	4969	645	1392	7	22	10	9	23	71	61	.1
P072	5+0.604	4.8 S BELFRY	CARBON	11 61 61	4.864	30	30	PMS	713	114	384	4	17	7	6	26	60	62	1.9

FINANCIAL DISTRICT NUMBER 11

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P072	0+0.000	MONT-WYOMING LINE	CARBON	11	61	61	5.184	30	30	PMS	515	82	414	0	15	8	8	27	58	63	2.2
P004	13+0.436	13.4 N WYO LINE	CARBON	11	59	59	5.773	32	32	PMS	954	124	599	0	14	10	12	27	63	63	2.1
P028	47+0.309	2.3 N WYO BDRY	CARBON	11	65	65	6.415	28	28	PMS	450	101	394	5	17	10	0	26	58	63	2.7
P004	33+0.199	FROMBERG	CARBON	11	54	54	.599	24	32	RMS	1869	242	828	4	16	10	12	26	68	64	.2
P016	4+0.649	BILLINGS	YELLOWSTONE	11	77	77	7.049	40	40	PMS	1562	203	184	10	30	10	5	13	68	65	2.3
P053	4+0.315	BILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	PMS	2910	378	643	8	24	10	8	21	71	65	.6
P048	6+0.777	6.1 N HARDIN	BIG HORN	11	45	45	4.865	20	24	RMS	768	107	377	3	17	9	9	26	64	66	1.8
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11	56	56	4.843	30	30	BST	992	128	391	0	11	10	20	25	66	66	1.6
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	11	65	65	8.038	32	32	PMS	1470	191	680	5	19	10	9	26	69	66	2.5
P004	0+0.516	0.5 N WYO LINE	CARBON	11	56	63	12.924	32	32	PMS	954	124	569	3	17	10	9	27	66	66	4.4
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11	56	56	2.851	24	28	RMS	378	49	301	0	12	9	11	28	60	67	1.1
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11	56	56	2.482	24	28	RMS	340	44	586	2	15	10	5	29	61	68	1.0
P028	53+0.726	8.7 N WYO BDRY	CARBON	11	65	65	6.274	28	28	PMS	501	112	591	7	19	10	1	27	64	68	2.3
P016	29+0.662	4.5 N MUSSELSH CO	MUSSELSHELL	11	66	66	8.466	32	32	PMS	1455	189	487	7	22	10	8	24	71	69	2.5
P053	46+0.272	LAVINA	GOLDEN VALLEY	11	56	56	.417	30	30	BST	1153	149	612	2	13	10	20	26	71	70	.1
P028	45+0.000	MONT WYO BDRY	CARBON	11	65	65	2.331	28	28	PMS	416	93	890	7	18	10	4	28	67	72	.8
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	11	64	64	2.514	30	30	PMS	659	85	664	6	23	10	3	28	70	72	.8
P048	0+1.916	HARDIN	BIG HORN	11	76	76	.555	48	48	PMS	1801	252	806	10	30	10	1	25	76	73	.1
P048	11+0.644	11.0 N HARDIN	BIG HORN	11	54	54	6.665	24	24	RMS	563	78	494	4	18	10	10	28	70	73	2.0
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11	56	71	4.540	28	28	PMS	955	124	486	3	16	10	18	26	73	73	1.2
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	63	1.991	20	24	RMS	459	72	538	0	10	10	20	28	68	73	.6
P048	0+0.294	0.3 S FAI 90	BIG HORN	11	76	76	.897	44	44	PMS	3549	461	806	10	30	10	9	21	80	74	.2
P016	21+0.519	3.5 S MOSSEL CO	YELLOWSTONE	11	68	68	1.739	40	40	PMS	1327	172	358	7	25	10	12	23	77	75	.4
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11	64	64	.224	68	68	PMS	5085	661	1392	7	22	10	20	23	82	75	
P004	33+0.798	0.6 N FROMBERG	CARBON	11	68	68	6.920	40	40	PMS	2074	269	643	7	22	10	16	24	79	75	1.9
P048	0+0.000	JCT FAI 90	BIG HORN	11	71	71	.294	40	40	PMS	3549	461	464	9	28	10	20	15	82	76	.1
P072	5+0.118	5.1 N WYO-MONT	CARBON	11	70	70	.486	30	30	PMS	577	92	402	7	21	10	10	27	75	78	.1
P004	23+0.235	1.5 S FAP 72	CARBON	11	72	72	1.501	40	40	PMS	1294	168	266	8	26	10	15	21	80	79	.3
P061	7+0.094	8.0 N ROUNDUP	MUSSELSHELL	11	77	77	6.000	40	40	PMS	1092	141	252	10	30	10	9	22	81	80	1.1
P078	19+0.686	ROSCOE	CARBON	11	60	60	4.234	24	24	PMS	352	58	440	7	26	9	4	28	74	80	1.1
P078	25+0.103	CARBON-STILLWATER	STILLWATER	11	60	60	2.309	24	24	PMS	287	47	348	9	27	9	1	28	74	81	.6
P028	90+0.985	BDYD	CARBON	11	74	74	4.433	40	40	PMS	1332	266	309	10	30	10	15	17	82	81	.8
P037	27+0.205	2.7 E BUSBY	BIG HORN	11	76	76	5.843	24	24	PMS	1469	198	212	9	28	10	20	16	83	81	1.0
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	11	63	63	4.388	28	28	PMS	502	70	353	9	27	10	6	27	79	82	.9
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11	74	74	.302	34	34	PMS	492	68	399	10	30	10	3	27	80	83	.1
P078	24+0.317	STILLWATER-CARBON	CARBON	11	60	60	.786	24	24	PMS	329	54	522	9	27	10	5	28	79	84	.2
P004	19+0.206	6.5 S BRIDGER	CARBON	11	72	72	4.035	32	32	PMS	957	124	448	5	24	10	20	26	85	85	.6
P004	0+0.000	WYOMING LINE	CARBON	11	49	49	.516	24	30	RMS	954	124	648	8	21	10	20	27	86	86	.1
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11	67	67	2.375	40	40	PMS	806	104	260	8	24	10	20	24	86	86	.3
P004	24+0.736	JCT FAP 72	CARBON	11	72	72	.940	40	40	PMS	2705	351	896	9	28	10	19	24	90	87	.1
P028	60+0.000	8.7 S RED LODGE	CARBON	11	69	69	4.227	34	34	PMS	545	122	522	8	25	10	20	26	89	90	.5
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11	63	63	3.682	28	28	PMS	467	65	332	9	27	10	18	27	91	92	.3
P078	23+0.920	CARBON-STILLWATER	STILLWATER	11	60	60	.397	24	24	PMS	425	70	394	9	26	10	20	27	92	93	
P078	47+0.250	COLUMBUS	STILLWATER	11	72	72	.433	44	44	PMS	1209	157	795	9	28	10	20	27	94	93	
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11	63	63	3.103	28	28	PMS	472	66	579	10	27	10	20	28	95	96	.2
		DISTRICT TOTAL					435.181													43	188.0

Percent Sufficient

- 0 - 40
- 41 - 60
- 61 - 100
- Under Construction As Of December 31, 1977

SUFFICIENCY RATING
BY
FINANCIAL DISTRICT 12
RURAL PRIMARY SYSTEM

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SPF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P023	77+0.811	I-5 S FAP 37	POWDER RIVER	12	28	36	1.305	20	22	BST	1551	224	250	0	14	4	1	17	36	33	.8
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12	54	54	7.110	24	24	PMS	1075	145	120	4	17	8	1	12	42	41	4.1
P023	2+0.172	JCT FAI RTE 94	CUSTER	12	20	36	3.282	22	25	RMS	1413	183	324	0	13	8	2	22	45	42	1.8
P039	42+0.430	8.8 SO JCT I 94	ROSEBUD	12	51	67	8.725	24	24	RMS	839	125	431	0	11	5	1	26	43	44	5.0
P039	31+0.745	9.0 NO COLSTRIP	ROSEBUD	12	49	70	4.830	24	24	RMS	703	105	275	0	12	5	1	24	42	44	2.8
P023	5+0.439	3.3 S FAI RTE 94	CUSTER	12	36	36	9.137	22	25	RMS	868	125	470	0	10	7	2	26	45	46	5.0
P023	79+0.733	BROADUS	POWDER RIVER	12	40	40	3.380	24	24	RMS	1169	169	297	0	12	9	7	21	49	48	1.7
P039	36+0.575	13.8 NO COLSTRIP	ROSEBUD	12	53	67	5.855	24	24	RMS	733	109	468	0	10	8	1	27	46	48	3.2
P027	29+0.146	JCT FAS RTE 322	FALLON	12	48	48	5.510	25	25	BST	571	74	441	0	8	9	1	27	45	49	3.0
P023	44+0.152	6.4 N POWDER R CO	CUSTER	12	32	60	3.713	18	24	RMS	358	51	355	0	8	4	2	28	42	49	2.2
P023	83+0.090	JCT FAP RTE 54	POWDER RIVER	12	31	56	2.448	20	24	RMS	567	82	203	0	12	7	2	24	45	49	1.3
P002	70+0.897	PLEVNA	FALLON	12	39	39	11.725	24	30	RMS	941	122	286	0	14	10	2	24	50	50	5.9
P002	4+0.822	MILES CITY	CUSTER	12	50	50	1.527	20	24	RMS	1602	208	551	3	15	10	2	24	54	51	.7
P023	33+0.176	17.2 N POWDER R CO	CUSTER	12	31	60	10.961	18	24	RMS	382	55	499	0	7	4	5	28	44	51	6.1
P018	1+0.000	MILES CITY LIMITS	CUSTER	12	57	57	1.135	32	32	BST	2573	334	362	6	18	10	8	16	58	51	.5
P039	22+0.745	COLSTRIP	ROSEBUD	12	49	67	3.309	24	24	RMS	912	136	249	4	15	8	1	22	50	51	1.7
P002	6+0.886	0.7 E JCT FAI 94	CUSTER	12	50	50	6.326	20	24	RMS	631	82	228	0	14	9	1	25	49	52	3.2
P023	55+0.758	COALWOOD	POWDER RIVER	12	49	55	8.797	24	24	RMS	377	54	393	0	8	9	1	28	46	53	4.8
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	12	54	54	4.469	24	24	PMS	1174	158	237	2	16	9	7	20	54	53	2.1
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12	54	54	8.693	24	24	PMS	1070	144	258	4	17	9	3	22	55	54	3.9
P039	26+0.054	3.3 NO COLSTRIP	ROSEBUD	12	49	70	5.691	24	24	RMS	737	110	301	4	17	6	1	25	53	55	2.7
P027	22+0.502	JCT FAS RTE 494	FALLON	12	48	48	6.612	25	25	BST	352	45	266	0	11	9	2	27	49	56	3.4
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12	28	41	3.380	24	24	BST	512	74	221	2	13	8	3	25	51	56	1.7
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12	31	35	10.946	20	24	BST	210	27	357	0	8	7	1	29	45	56	6.0
P018	20+0.059	ROSEBUD CO	ROSEBUD	12	28	35	3.899	20	24	BST	233	30	515	0	7	8	3	29	47	57	2.1
P023	2+0.111	MILES CITY LIMITS	CUSTER	12	20	36	.061	25	25	RMS	1724	224	280	0	15	8	20	18	61	57	
P023	64+0.575	8.8 S COALWOOD	POWDER RIVER	12	29	41	8.397	24	24	BST	430	62	258	0	12	10	3	26	51	57	4.1
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12	52	52	2.704	22	28	PMS	385	55	220	0	11	10	3	26	50	57	1.4
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12	31	56	3.183	20	24	BST	185	24	336	0	8	7	2	29	46	58	1.7
P023	85+0.568	2.4 S JCT FAP 54	POWDER RIVER	12	53	53	10.017	24	28	RMS	511	74	266	0	14	10	4	26	54	59	4.6
P014	207+0.150	ROSEBUD CO	ROSEBUD	12	46	57	5.287	20	24	RMS	336	53	333	0	11	10	3	28	52	60	2.5
P039	0+0.000	JCT 37 LAME DEER	ROSEBUD	12	64	64	4.230	24	24	PMS	511	76	431	4	17	7	0	27	55	60	1.9
P039	21+0.410	1.3 SO COLSTRIP	ROSEBUD	12	49	67	1.335	24	24	RMS	497	74	218	5	17	8	1	25	56	61	.6
P027	7+0.242	6.9 N EKALAKA	CARTER	12	50	50	4.818	22	24	PMS	293	38	243	0	13	10	1	28	52	61	2.3
P037	62+0.327	ASHLAND	ROSEBUD	12	57	57	1.966	24	28	PMS	879	118	435	4	16	10	5	26	61	62	.8
P014	229+0.532	INGOMAR	ROSEBUD	12	55	63	12.892	20	20	RMS	253	40	290	0	12	9	3	28	52	62	6.2
P023	50+0.581	POWDER RIVER CO	POWDER RIVER	12	52	60	5.178	24	28	RMS	383	55	642	0	10	10	6	29	55	62	2.3
P023	108+0.475	HAMMOND	CARTER	12	55	73	11.000	28	28	PMS	588	85	486	0	11	10	10	27	58	62	4.6
P002	84+0.000	BAKER	FALLON	12	68	68	5.058	40	40	PMS	846	109	599	3	16	10	5	27	61	62	2.0
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12	54	54	6.028	24	28	RMS	509	73	732	0	10	10	9	29	58	63	2.5
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12	46	57	4.717	20	24	RMS	293	46	357	0	10	10	6	28	54	63	2.2
P027	12+0.063	FALLON CO	FALLON	12	50	50	10.442	22	24	PMS	274	35	428	0	10	10	5	29	54	63	4.6
P027	0+0.355	EKALAKA	CARTER	12	50	50	6.902	22	24	PMS	327	42	431	0	14	10	3	29	56	64	3.0
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12	57	57	5.314	24	28	PMS	622	83	289	0	15	10	10	26	61	64	2.1
P054	0+0.000	WYOMING LINE	POWDER RIVER	12	59	66	9.121	24	24	BST	199	25	327	0	14	10	2	29	55	66	4.1
P037	82+0.471	CUSTER FOR 8DRY	POWDER RIVER	12	67	67	2.271	28	28	PMS	526	71	289	4	18	10	6	26	64	68	.8
P027	35+0.755	BAKER	FALLON	12	57	60	8.648	28	28	RMS	704	91	492	0	9	10	20	27	66	68	2.9
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12	48	63	5.122	25	25	RMS	217	34	258	0	15	10	4	28	57	68	2.2
P014	252+0.337	VANADA	ROSEBUD	12	54	54	7.162	24	24	RMS	189	30	258	3	16	10	3	28	60	71	2.9
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	55	10.845	28	28	BST	612	88	510	0	12	10	20	27	69	72	3.4
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.878	24	28	RMS	479	69	462	2	11	10	17	28	68	72	2.2
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12	69	69	1.530	28	28	PMS	1304	189	276	9	28	10	8	20	75	73	.4
P014	259+0.489	7.2 E VANADA	ROSEBUD	12	54	54	5.579	24	24	RMS	181	28	450	2	17	10	4	29	62	73	2.1
P002	89+0.045	5.1 E BAKER	FALLON	12	68	68	6.442	40	40	PMS	532	69	629	4	18	10	9	28	69	73	2.0
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12	67	67	3.193	28	28	PMS	529	71	252	5	20	10	8	26	69	73	1.0

FINANCIAL DISTRICT NUMBER 12

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS PT	IM	SECTION LENGTH	WIDTH SRF	WIDTH ADV	SUF TYP	ADT	DHV	SERVICE VOLUME	----SUFFICIENCY RATINGS---- ENG	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12	67	67	9.699	28	28	PMS	533	71	435	4	14	10	13	29	69	73	3.0
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	12	28	35	2.023	20	24	BST	241	31	538	8	8	8	20	29	65	74	.7
P018	2+0.123	1.1 N MILES CITY	CUSTER	12	64	64	10.937	32	32	PMS	1107	143	471	5	16	10	20	25	76	75	2.6
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	75	75	.873	40	40	PMS	1741	221	190	10	30	10	20	9	79	75	.2
P039	4+0.230	NO CHEYENNE IND R	ROSEBUD	12	64	64	9.049	24	24	PMS	254	44	556	0	10	8	20	29	67	75	3.0
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	12	58	67	.664	24	24	PMS	314	47	280	8	25	10	1	27	71	78	.2
P014	242+0.413	AHLES	ROSEBUD	12	50	63	9.949	20	24	RMS	103	25	354	0	16	9	12	29	66	78	3.4
P002	34+0.095	2.6 E LOCATE	CUSTER	12	65	65	11.760	40	40	PMS	411	53	565	6	17	10	12	29	74	79	3.1
P037	95+0.715	EPSIE	POWDER RIVER	12	60	69	7.906	28	28	PMS	672	90	366	8	27	10	6	26	77	79	1.8
P002	0+0.000	I94 W MILES CITY	CUSTER	12	62	62	.908	32	32	PMS	1092	123	567	7	17	10	20	27	81	80	.2
P002	6+0.197	I 94 E MILES CITY	CUSTER	12	62	62	.689	32	32	PMS	627	81	302	7	22	10	14	26	79	81	.1
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	12	63	63	5.000	30	30	PMS	256	33	535	3	14	10	17	29	73	81	1.4
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	65	9.551	40	40	PMS	568	65	552	2	18	10	20	29	78	81	2.1
P014	270+0.888	FORSYTH SPUR	ROSEBUD	12	77	77	.332	28	28	PMS	1852	240	391	9	25	10	20	21	85	82	
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12	48	63	7.269	25	25	PMS	242	38	408	0	15	10	20	29	74	82	1.9
P037	41+0.208	0.8 W LAME DEER	ROSEBUD	12	75	75	.672	48	48	PMS	1967	265	272	10	30	10	20	15	85	82	.1
P002	51+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	404	52	431	6	16	10	20	28	80	84	1.2
P002	45+0.880	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	360	46	406	6	16	10	20	28	80	84	1.2
P002	57+0.771	JCT. FAS RTE. 320	FALLON	12	58	72	12.363	32	32	PMS	487	63	592	7	25	10	12	28	82	85	2.2
P023	27+0.819	22.7 N POWDER R CO	CUSTER	12	77	77	5.365	34	34	PMS	463	67	666	10	30	10	4	29	92	95	1.0
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	12	58	69	10.979	28	28	PMS	607	51	435	6	20	10	20	27	83	85	1.9
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	12	75	75	1.113	48	48	PMS	1770	238	272	10	30	10	20	17	87	85	.1
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	253	32	529	8	26	10	8	29	81	87	1.7
P014	265+0.114	12.6 E VANADA	ROSEBUD	12	57	75	5.387	32	32	PMS	256	40	546	10	30	10	2	29	81	87	1.0
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	574	74	448	8	26	10	15	28	87	88	1.0
P039	13+0.943	8.8 SO COLSTRIP	ROSEBUD	12	58	77	7.467	26	26	PMS	373	55	398	9	30	10	7	28	84	88	1.2
P039	51+0.155	0.1 SO JCT 1 94	ROSEBUD	12	67	67	.157	28	28	PMS	910	136	318	10	26	10	20	24	90	90	
P023	14+0.654	12.4 S FAI RTE 94	CUSTER	12	62	76	13.187	28	28	PMS	512	74	600	9	22	10	20	28	95	95	.7
P014	270+0.819	FORSYTH	ROSEBUD	12	77	77	.068	40	40	PMS	580	155	530	10	30	10	20	26	96	96	
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	12	75	75	.522	56	56	PMS	1877	253	1368	10	30	10	20	27	97	96	
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12	74	75	5.910	30	30	PMS	273	35	530	9	30	10	20	29	98	98	.1
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	76	76	5.516	30	30	PMS	311	40	512	10	28	10	20	29	97	98	.2
P002	27+0.464	4.1 W LOCATE	CUSTER	12	73	73	6.280	34	34	PMS	467	60	448	10	30	10	20	29	99	99	.1
P002	20+0.911	10.6 W LOCATE	CUSTER	12	75	75	6.533	34	34	PMS	455	59	425	10	30	10	20	29	98	98	.1
P027	44+0.455	8.6 N BAKER	FALLON	12			10.261	UNDER CONSTRUCTION													
																					35 186.3
		DISTRICT TOTAL					526.064														3P2024.5
		SYSTEM TOTAL					5266.265														

Urban Deficiency Ratings
by
Federal Aid Route And City

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	13 + 947	1	TROY	1.33	2	24	30	3	6	2875	24	44	3	12	0	0	0	133	200	32	36.5	0.48
1	31 + 889	1	LIBBY	0.29	4	68	68	3	12	7812	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32 + 180	1	LIBBY	0.13	4	68	68	3	12	9230	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	32 + 313	1	LIBBY	0.43	4	68	68	3	12	11098	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	119 + 622	1	KALISPELL	0.57	4	48	48	3	12	3312	48	68	3	12	0	0	0	0	0	29	2.9	0.01
1	120 + 185	1	KALISPELL	0.21	4	80	80	3	12	8029	80	80	3	12	0	0	0	0	0	0	0.0	0.00
1	120 + 397	1	KALISPELL	0.51	4	45	61	3	12	12745	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	120 + 903	1	KALISPELL	0.64	4	45	61	3	12	15351	48	68	3	12	0	0	0	19	0	10	2.9	0.01
1	121 + 631	1	KALISPELL	0.18	4	52	52	3	12	17316	52	68	3	12	0	0	0	0	0	24	2.4	0.00
1	121 + 813	1	KALISPELL	0.70	4	66	66	3	12	17237	66	68	3	12	0	0	0	0	0	3	0.3	0.00
1	122 + 354	1	KALISPELL	0.56	4	64	64	3	12	16627	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	122 + 916	1	KALISPELL	0.30	2	44	44	3	12	9000	48	68	3	12	0	0	0	25	0	35	6.0	0.01
1	221 + 881	2	BROWNING	0.48	4	64	64	3	12	9503	64	68	3	12	0	0	0	0	0	6	0.6	0.00
1	221 + 1362	2	BROWNING	0.24	4	68	68	3	12	9551	68	68	3	12	0	0	0	0	0	0	0.0	0.00
1	254 + 524	2	CUT BANK	0.05	3	42	42	3	10	2643	42	56	3	12	0	0	93	50	50	25	21.8	0.01
1	254 + 807	2	CUT BANK	0.28	2	60	60	3	10	3617	60	60	3	12	0	0	0	50	50	0	10.0	0.02
1	255 + 134	2	CUT BANK	0.61	2	50	50	3	10	5434	50	68	3	12	0	0	0	50	50	26	12.6	0.07
1	255 + 741	2	CUT BANK	0.29	2	48	48	3	12	5593	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	279 + 228	2	SHELBY	0.21	2	57	60	3	12	4787	57	68	3	12	0	0	0	50	0	12	6.2	0.01

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	279	437	2	SHELBY	0.27	2	52	52	3	12	6831	52	68	3	12	0	0	0	50	0	24	7.4	0.02
1	279	709	2	SHELBY	0.07	2	24	44	3	12	7457	48	68	3	12	0	0	0	175	0	35	21.0	0.01
1	279	778	2	SHELBY	0.18	2	24	31	3	12	4501	24	44	3	12	0	0	0	50	0	30	8.0	0.01
1	279	958	2	SHELBY	0.15	2	32	32	3	12	1439	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	321	778	2	CHESTER	0.87	2	46	46	3	12	2280	46	48	3	12	0	0	0	0	0	4	0.4	0.00
1	347	718	2	HINGHAM	0.50	2	32	32	3	12	1295	32	44	3	12	0	0	0	0	0	27	2.7	0.01
1	380	679	2	HAVRE	0.64	3	40	40	2	12	4804	40	56	3	12	0	0	0	167	100	29	29.6	0.18
1	381	318	2	HAVRE	0.18	4	70	70	3	12	4804	70	70	3	12	0	0	0	0	0	0	0.0	0.00
1	381	503	2	HAVRE	1.14	4	70	70	3	12	4804	70	70	3	12	0	0	0	0	0	0	0.0	0.00
1	382	640	2	HAVRE	0.43	4	67	67	3	12	11621	67	68	3	12	0	0	0	0	0	1	0.1	0.00
1	383	68	2	HAVRE	0.60	4	67	67	3	12	9101	67	68	3	12	0	0	0	0	0	1	0.1	0.00
1	383	665	2	HAVRE	0.15	2	24	30	3	12	6081	48	68	3	12	0	0	0	175	0	56	23.1	0.03
1	403	595	2	CHINOOK	0.50	2	48	48	3	12	2029	48	48	3	12	0	0	0	0	0	0	0.0	0.00
1	424	649	2	HARLEM	0.06	2	40	40	3	12	1532	40	44	3	12	0	0	0	0	0	9	0.9	0.00
1	453	653	3	DODSON	0.37	2	40	40	3	12	1264	40	48	3	12	0	0	0	0	0	17	1.7	0.00
1	454	146	3	DODSON	0.40	2	24	30	2	6	1264	24	44	3	12	0	0	0	167	200	32	39.9	0.16
1	471	689	3	MALTA	0.08	2	24	42	2	12	2460	24	44	3	12	0	0	0	167	100	5	27.2	0.02
1	471	769	3	MALTA	0.11	2	30	30	2	8	3450	30	44	3	12	0	0	0	167	167	32	36.6	0.04
1	471	884	3	MALTA	0.48	2	41	41	3	12	2687	41	44	3	12	0	0	0	0	0	7	0.7	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	.	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					AVERAGE DAILY TRAFFIC	DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH			WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
1	499	130	3	SACO	0.18	2	24	32	3	8	1209	24	44	3	12	0	0	0	133	167	27	32.7	0.05
1	499	313	3	SACO	0.74	2	24	28	2	12	1410	24	44	3	12	0	0	0	167	100	36	30.3	0.22
1	540	985	3	GLASGOW	0.11	2	24	26	3	12	4256	24	44	3	12	0	0	0	50	0	41	9.1	0.01
1	541	427	3	GLASGOW	0.21	2	24	32	3	12	6711	48	68	3	12	0	0	0	217	100	53	37.0	0.07
1	541	639	3	GLASGOW	0.08	4	48	68	3	12	7760	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	541	718	3	GLASGOW	0.80	4	48	68	3	12	8380	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	555	152	3	NASHUA	0.75	2	32	32	3	12	1410	32	44	3	12	0	0	0	0	0	27	2.7	0.02
1	555	994	3	NASHUA	0.14	2	32	32	3	12	1313	32	44	3	12	0	0	0	0	0	27	2.7	0.00
1	590	383	3	WLF POINT	0.22	4	68	84	3	12	2870	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590	602	3	WLF POINT	0.36	4	68	84	3	12	5032	68	84	3	12	0	0	0	0	0	0	0.0	0.00
1	590	960	3	WLF POINT	0.45	4	48	68	3	12	3798	48	68	3	12	0	0	0	0	0	0	0.0	0.00
1	611	551	3	POPLAR	0.08	2	34	60	3	12	2900	34	60	3	12	0	0	0	0	0	0	0.0	0.00
1	611	636	3	POPLAR	0.29	2	62	62	3	12	5830	62	62	3	12	0	0	0	0	0	0	0.0	0.00
1	625	605	3	BROCKTON	0.53	2	42	42	3	7	1348	42	44	3	12	0	0	0	0	125	5	13.0	0.06
1	644	245	3	CL8ERTSON	0.30	2	32	44	3	12	967	32	44	3	12	0	0	0	0	0	0	0.0	0.00
1	644	550	3	CL8ERTSON	0.46	2	32	44	3	12	2788	32	44	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 1	20.89																	7.4	1.54
2	0	908	12	MILES CTY	0.63	2	24	30	3	11	1177	24	44	3	12	0	0	0	50	25	32	10.7	0.06
2	1	543	12	MILES CTY	0.69	2	22	28	3	11	3072	24	44	3	12	0	0	0	147	117	36	30.0	0.20

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
2	2 + 230	12	MILES CTY	0.33	2	20	24	3	11	3072	24	44	3	12	0	0	0	161	117	45	32.3	0.10
2	2 + 562	12	MILES CTY	0.19	2	54	54	3	5	6403	54	68	3	12	0	0	0	100	217	21	33.8	0.06
2	2 + 757	12	MILES CTY	0.44	2	54	54	3	6	9820	54	68	3	12	0	0	0	133	200	21	35.4	0.15
2	3 + 194	12	MILES CTY	0.55	2	22	36	3	8	5660	48	68	3	12	0	0	0	224	167	47	43.8	0.24
2	3 + 745	12	MILES CTY	1.08	2	24	32	2	12	7256	24	44	3	12	0	0	0	167	100	27	29.4	0.31
2	70 + 140	12	PLEVNA	0.35	2	24	30	1	6	530	24	44	3	12	0	0	0	267	200	32	49.9	0.17
2	70 + 494	12	PLEVNA	0.40	2	22	30	1	6	902	24	44	3	12	0	0	0	269	200	32	50.1	0.20
2	82 + 616	12	BAKER	0.44	2	43	43	3	12	1490	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	83 + 54	12	BAKER	0.71	2	43	43	3	12	5478	43	44	3	12	0	0	0	0	0	2	0.2	0.00
2	83 + 763	12	BAKER	0.22	2	44	44	3	12	1285	44	44	3	12	0	0	0	100	100	0	20.0	0.04
			TOTAL FAP 2	6.03																	25.4	1.53
3	23 + 172	6	FAIRFIELD	0.11	2	20	22	3	6	2549	24	44	3	12	0	0	0	133	200	50	38.3	0.04
3	23 + 283	6	FAIRFIELD	0.19	2	32	40	3	6	2150	24	44	3	12	0	0	0	117	200	9	32.6	0.06
3	23 + 475	6	FAIRFIELD	0.23	2	72	72	3	6	3730	72	72	3	12	0	0	0	100	200	0	30.0	0.06
3	23 + 704	6	FAIRFIELD	0.15	2	32	32	3	6	1830	24	44	3	12	0	0	0	117	200	27	34.4	0.05
3	23 + 856	6	FAIRFIELD	0.18	2	20	22	3	6	1286	24	44	3	12	0	0	0	133	200	50	38.3	0.06
3	40 + 483	6	CHOTEAU	0.61	2	24	36	3	9	2050	24	44	3	12	0	0	0	133	150	18	30.1	0.18
3	41 + 94	6	CHOTEAU	0.12	2	48	48	3	9	2483	48	48	3	12	0	0	0	133	150	0	28.3	0.03
3	41 + 214	6	CHOTEAU	0.46	4	70	70	3	3	4493	70	70	3	12	0	0	0	100	250	0	35.0	0.16

URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
3	41 676	6	CHOTEAU	0.28	2	24	30	3	4	2083	24	44	3	12	0	0	0	100	233	32	36.5	0.10
			TOTAL FAP 3	2.33																	31.8	0.74
4	25 676	11	BRIDGER	0.07	2	40	40	3	12	2705	40	44	3	12	0	0	0	0	0	9	0.9	0.00
4	25 748	11	BRIDGER	0.47	4	80	80	3	12	2942	80	80	3	12	0	0	0	0	0	0	0.0	0.00
4	26 214	11	BRIDGER	0.07	2	24	30	3	4	2530	24	44	3	12	0	0	0	100	233	32	36.5	0.02
4	32 773	11	FROMBERG	0.20	2	24	32	2	12	1596	24	44	3	12	0	0	0	100	0	27	12.7	0.02
4	32 973	11	FROMBERG	0.23	2	24	44	2	12	1738	24	44	3	12	0	0	0	100	0	0	10.0	0.02
4	54 531	11	LAUREL	0.16	2	24	34	2	5	5085	24	44	3	12	0	0	0	200	217	23	44.0	0.06
4	54 689	11	LAUREL	0.09	2	28	28	3	5	5415	28	44	3	12	0	0	0	100	217	36	35.3	0.03
4	54 784	11	LAUREL	0.52	2	60	83	3	4	5744	60	83	3	12	0	0	0	100	233	0	33.3	0.17
			TOTAL FAP 4	1.81																	17.7	0.32
5	32 613	1	ST IGNATS	0.15	2	32	32	3	12	3363	32	44	3	12	0	0	0	0	0	27	2.7	0.00
5	46 572	1	RONAN	0.77	2	44	44	3	12	5448	44	44	3	12	0	0	39	0	0	0	3.9	0.02
5	59 335	1	POLSON	0.98	2	40	40	3	12	6640	48	68	3	12	0	0	0	50	0	41	9.1	0.08
5	60 330	1	POLSON	0.39	2	40	40	3	12	6652	48	68	3	12	0	0	0	50	0	41	9.1	0.03
5	60 719	1	POLSON	0.29	2	40	40	3	12	7401	40	44	3	12	0	0	0	0	0	9	0.9	0.00
5	109 612	1	KALISPELL	1.37	2	38	38	2	12	7014	48	68	3	12	0	0	0	142	0	44	18.6	0.25
5	110 965	1	KALISPELL	0.61	2	38	38	2	12	9335	48	68	3	12	0	0	0	142	0	44	18.6	0.11
5	111 584	1	KALISPELL	0.41	4	48	60	3	12	11183	48	68	3	12	0	0	0	0	0	12	1.2	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+ .					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
5	112 14	1	KALISPELL	0.67	4	48	70	3	12	12084	48	68	3	12	0	0	0	100	100	12	21.2	0.14
5	112 687	1	KALISPELL	0.39	4	64	70	3	12	18681	64	70	3	12	0	0	0	100	100	0	20.0	0.07
5	113 46	1	KALISPELL	0.78	4	48	64	3	12	14703	48	68	3	12	0	0	0	0	0	6	0.6	0.00
5	114 124	1	KALISPELL	0.74	2	80	80	3	12	9571	80	80	3	12	0	0	0	0	0	0	0.0	0.00
5	126 948	1	WHITEFISH	0.47	2	24	36	3	12	9085	48	68	3	12	0	0	0	150	0	47	19.7	0.09
5	127 433	1	WHITEFISH	0.28	2	40	40	3	12	10180	48	68	3	12	0	0	0	50	0	41	9.1	0.02
5	127 710	1	WHITEFISH	0.20	2	46	46	3	5	9280	48	68	3	12	0	0	0	108	217	32	35.7	0.07
5	127 909	1	WHITEFISH	0.16	2	22	30	3	5	6357	24	44	3	12	0	0	0	117	217	32	36.6	0.05
5	128 78	1	WHITEFISH	0.41	2	22	23	3	6	5186	24	44	3	12	0	0	0	208	250	48	50.6	0.20
5	178 89	1	EUREKA	0.48	2	22	24	2	5	1617	24	44	3	12	0	0	0	178	217	45	44.0	0.20
5	178 566	1	EUREKA	0.56	2	24	30	3	5	1498	24	44	3	12	0	0	27	133	217	32	40.9	0.23
5	179 175	1	EUREKA	0.19	2	24	50	3	6	3268	24	50	3	12	0	0	134	100	200	0	43.4	0.08
5	179 361	1	EUREKA	0.33	2	24	30	3	5	3290	24	44	3	12	0	0	15	100	217	32	36.4	0.12
		TOTAL FAP 5		10.63																	16.6	1.76
6	50 498	8	THMPSN FL	0.40	2	24	32	2	12	2282	24	44	3	12	0	0	0	167	100	27	29.4	0.11
6	50 901	8	THMPSN FL	0.65	2	40	40	3	5	3395	40	44	3	12	0	0	0	133	217	9	35.9	0.23
6	75 707	8	PLAINS	0.45	2	40	40	3	5	2750	40	44	3	12	0	0	0	0	175	9	18.4	0.08
6	76 158	8	PLAINS	0.10	2	20	30	3	3	2908	24	44	3	12	0	0	0	133	250	32	41.5	0.04
		TOTAL FAP 6		1.60																	28.8	0.46

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADE	EXCESS CURVE	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
7	30 484	8	DARBY	0.12	2	22	26	2	6	2381	24	44	3	12	0	0	0	208	200	41	44.9	0.05
7	30 603	8	DARBY	0.28	2	22	42	3	4	2404	24	44	3	12	0	0	0	117	233	5	35.5	0.10
7	30 887	8	DARBY	0.40	2	22	36	3	4	2986	24	44	3	12	0	0	0	224	267	18	50.9	0.20
7	46 619	8	HAMILTON	0.70	2	24	36	3	12	7860	48	68	3	12	0	0	0	200	100	47	34.7	0.24
7	47 307	8	HAMILTON	0.02	2	60	60	3	6	10080	60	68	3	12	0	0	0	100	200	12	31.2	0.00
7	47 325	8	HAMILTON	0.66	2	24	36	3	10	9766	48	68	3	12	0	0	0	200	133	47	38.0	0.25
7	90 152	8	MISSOULA	0.10	4	48	68	3	12	7028	48	68	3	12	0	0	0	0	0	0	0.0	0.00
7	90 250	8	MISSOULA	0.38	4	88	88	3	12	12378	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	90 627	8	MISSOULA	0.79	4	88	88	3	12	12982	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	91 411	8	MISSOULA	0.50	4	40	54	3	2	15122	48	68	3	12	0	0	0	133	267	21	42.1	0.20
7	91 909	8	MISSOULA	0.66	4	40	54	3	2	15122	48	68	3	12	0	0	0	133	267	21	42.1	0.27
7	92 832	8	MISSOULA	0.40	4	48	56	3	2	15726	48	68	3	12	0	0	0	100	267	18	38.5	0.15
7	93 218	8	MISSOULA	0.65	2	40	40	1	4	15844	48	68	3	12	0	0	0	272	233	41	54.6	0.35
7	93 868	8	MISSOULA	0.08	4	48	55	2	6	15089	48	68	3	12	0	0	0	100	150	19	26.9	0.02
7	94 41	8	MISSOULA	0.07	2	40	40	3	8	14213	40	44	3	12	0	0	0	50	100	9	15.9	0.01
7	94 110	8	MISSOULA	1.14	4	88	88	3	12	14161	88	88	3	12	0	0	0	0	0	0	0.0	0.00
7	95 250	8	MISSOULA	0.19	4	56	60	3	12	16367	56	60	3	12	0	0	0	0	0	0	0.0	0.00
7	95 438	8	MISSOULA	0.07	4	56	76	3	12	18572	56	76	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 7	7.21																	25.5	1.84

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
8	39.654	7	HELENA	0.93	2	20	30	2	2	1749	24	44	3	12	0	0	0	189	267	32	48.8	0.45
8	40.550	7	HELENA	0.14	4	72	72	3	12	3230	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	40.690	7	HELENA	1.29	4	72	72	3	12	6808	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	41.429	7	HELENA	1.11	4	72	72	3	12	11233	72	72	3	12	0	0	0	0	0	0	0.0	0.00
8	43.057	7	HELENA	0.45	4	74	74	3	12	19723	74	74	3	12	0	0	0	0	0	0	0.0	0.00
8	43.503	7	HELENA	0.53	4	60	60	3	12	18851	60	68	3	12	0	0	0	50	0	12	6.2	0.03
8	44.029	7	HELENA	0.57	4	64	64	3	12	19112	64	68	3	12	0	0	0	50	0	6	5.6	0.03
8	44.597	7	HELENA	1.07	4	48	72	3	12	17147	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	44.1669	7	HELENA	0.34	4	48	72	3	12	21317	48	72	3	12	0	0	0	0	0	0	0.0	0.00
8	45.277	7	HELENA	0.30	4	48	80	3	12	14836	48	80	3	12	0	0	0	0	0	0	0.0	0.00
8	45.580	7	HELENA	0.33	4	60	76	3	12	13357	60	76	3	12	0	0	0	0	0	0	0.0	0.00
8	45.911	7	HELENA	0.68	4	95	95	3	12	7467	95	95	3	12	0	0	0	0	0	0	0.0	0.00
8	48.536	7	E HELENA	1.03	4	88	88	3	12	8128	88	88	3	12	0	0	0	0	0	0	0.0	0.00
8	76.982	7	TOWNSENO	0.56	2	32	32	3	10	4785	32	44	3	12	0	0	0	0	50	27	7.7	0.04
8	77.530	7	TOWNSENO	0.55	2	24	32	3	11	3884	24	44	3	12	0	0	0	50	25	27	10.2	0.05
			TOTAL FAP 8	9.88																	6.1	0.60
9	64.041	6	CHOTEAU	0.43	2	22	24	2	4	853	24	44	3	12	0	0	11	208	233	45	49.7	0.21
9	64.476	6	CHOTEAU	0.12	2	24	36	2	4	1245	24	44	3	12	0	0	0	200	233	18	45.1	0.05
9	64.596	6	CHOTEAU	0.16	2	34	34	2	4	1637	34	44	3	12	0	0	0	200	233	23	45.6	0.07

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAG
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURV S	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
9	64 + 756	6	CHOTEAU	0.03	2	34	48	2	4	1637	34	48	3	12	0	0	0	200	233	0	43.3	0.01
			TOTAL FAP 9	0.74																	45.9	0.34
10	0 0	6	GT FALLS	2.74	4	70	70	3	8	16921	70	70	3	12	0	0	0	0	100	0	10.0	0.27
10	1 83	6	GT FALLS	0.45	4	88	88	3	12	12361	88	88	3	12	0	0	0	0	0	0	0.0	0.00
10	1 533	6	GT FALLS	0.24	4	68	68	3	12	12361	68	68	3	12	0	0	0	0	0	0	0.0	0.00
10	1 777	6	GT FALLS	1.09	4	62	62	3	12	13396	62	68	3	12	0	0	0	0	0	9	0.9	0.00
10	3 276	6	GT FALLS	0.26	4	48	64	3	12	2670	48	68	3	12	0	0	0	0	0	6	0.6	0.00
10	79 360	6	BIG SANDY	0.22	2	22	24	1	5	2108	24	44	3	12	0	0	0	269	217	45	53.1	0.11
10	79 580	6	BIG SANDY	0.42	2	24	26	2	9	1856	24	44	3	12	0	0	0	200	150	41	39.1	0.16
			TOTAL FAP 10	5.42																	10.0	0.54
11	51 812	10	LVNGSTN	1.10	2	32	32	3	12	1666	32	44	3	12	0	0	0	0	0	27	2.7	0.02
11	52 915	10	LVNGSTN	0.14	4	68	68	3	12	1666	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53 68	10	LVNGSTN	0.17	4	68	68	3	12	5457	68	68	3	12	0	0	0	0	0	0	0.0	0.00
11	53 242	10	LVNGSTN	0.51	2	24	42	3	12	5457	48	68	3	12	0	0	0	150	0	38	18.8	0.09
11	53 757	10	LVNGSTN	0.41	2	44	44	3	12	7689	48	68	3	12	0	0	0	25	0	35	6.0	0.02
11	54 122	10	LVNGSTN	0.26	2	46	46	3	12	6631	48	68	3	12	0	0	0	108	100	32	24.0	0.06
11	54 380	10	LVNGSTN	0.11	2	36	46	3	5	8222	48	68	3	12	0	0	0	150	217	32	39.9	0.04
11	54 495	10	LVNGSTN	0.51	2	36	42	3	6	8798	48	68	3	12	0	0	0	150	200	38	38.8	0.19
11	55 9	10	LVNGSTN	0.36	2	24	40	3	6	5254	24	44	3	12	0	0	0	100	200	9	30.9	0.11

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
11	55 + 366	10	LVNGSTN	0.51	2	20	24	3	3	4826	48	68	3	12	0	0	0	217	250	65	53.2	0.27
			TOTAL FAP 11	4.08																	19.6	0.80
12	8 618	10	W YLWSTN	0.67	2	18	50	3	2	1819	24	50	3	12	0	0	0	238	283	0	52.1	0.35
			TOTAL FAP 12	0.67																	52.2	0.35
13	48 642	9	ENNIS	0.55	2	70	70	2	4	1900	70	70	3	12	0	0	9	200	233	0	44.2	0.24
13	49 180	9	ENNIS	0.07	2	22	30	2	4	2874	24	44	3	12	0	0	0	208	233	32	47.3	0.03
13	95 730	10	TH FORKS	0.36	2	22	34	3	3	823	24	44	3	12	0	0	0	117	250	23	39.0	0.14
13	96 91	10	TH FORKS	0.46	2	72	72	3	5	4791	72	72	3	12	0	0	0	100	217	0	31.7	0.14
			TOTAL FAP 13	1.44																	38.2	0.55
14	0 0	7	TOWNSENO	0.34	2	56	56	3	12	4461	56	68	3	12	0	0	0	0	0	18	1.8	0.00
14	0 346	7	TOWNSENO	0.26	2	51	51	3	12	4538	51	68	3	12	0	0	0	0	0	25	2.5	0.00
14	0 605	7	TOWNSENO	0.28	2	32	32	3	12	4538	32	44	3	12	0	0	0	0	0	27	2.7	0.00
14	41 678	10	W SUL SPG	0.49	2	40	40	3	12	973	40	40	3	12	0	0	0	0	0	0	0.0	0.00
14	42 207	10	W SUL SPG	0.50	2	55	55	3	12	3065	55	55	3	12	0	0	0	0	0	0	0.0	0.00
14	99 338	10	HARLOWTON	0.11	2	45	45	3	12	1244	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	99 450	10	HARLOWTON	0.89	2	45	45	3	12	2382	45	45	3	12	0	0	0	0	0	0	0.0	0.00
14	129 506	11	RYEGATE	1.00	2	28	30	1	12	1054	28	44	3	12	0	0	0	230	0	32	26.2	0.26
14	168 500	11	ROUNOUP	0.39	2	45	45	2	6	2239	45	45	3	12	0	0	13	200	200	0	41.3	0.16
14	168 895	11	ROUNOUP	0.28	2	66	66	3	6	4234	66	68	3	12	0	0	0	100	200	3	30.3	0.08

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITION					DESIGN STD.				PERCENT DEFICIENCY							
						NO. LANES	SURFACE WIDTH	SURFACE TYPE	SHOULDER WIDTH	SHOULDER TYPE	AVERAGE DAILY TRAFFIC	WIDTH ROADWAY	WIDTH SURFACE	DESIGN LOAD	YEAR								
																		DISTANCE			CAPACITY		
14	169	175	11	ROUNDUP	0.28	2	77	77	3	6	4884	77	77	3	12	0	0	18	133	200	0	35.1	0.09
14	169	452	11	ROUNOUP	0.71	2	21	26	3	9	1229	24	44	3	12	0	0	0	154	150	41	34.5	0.24
14	203	707	11	MELSTONE	0.40	2	24	26	2	11	488	24	44	3	12	0	0	0	153	117	41	31.1	0.12
14	204	111	11	MELSTONE	0.50	2	24	40	1	12	675	24	44	3	12	0	0	0	267	100	9	37.6	0.18
14	204	611	11	MELSTONE	0.55	2	24	30	1	12	675	24	44	3	12	0	0	0	267	100	32	39.9	0.22
14	270	503	12	FORSYTH	0.32	2	84	84	1	12	980	84	84	3	12	0	0	0	230	0	0	23.0	0.07
14	271	217	12	FORSYTH	1.19	2	48	48	2	12	1852	48	48	3	12	0	0	0	100	0	0	10.0	0.11
14	272	407	12	FORSYTH	0.09	2	28	28	3	12	1966	28	28	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 14	8.58																	17.8	1.53
16	0	0	11	BILLINGS	0.24	4	64	80	3	12	12610	64	80	3	12	0	0	0	0	0	0	0.0	0.00
16	0	245	11	BILLINGS	0.19	2	36	36	3	12	12610	48	68	3	12	0	0	0	75	0	47	12.2	0.02
16	0	440	11	BILLINGS	0.83	2	28	40	2	6	12610	48	68	3	12	0	0	0	222	200	41	46.3	0.38
16	1	255	11	BILLINGS	0.28	4	44	46	3	12	14055	48	68	3	12	0	0	0	117	100	32	24.9	0.06
16	1	534	11	BILLINGS	0.06	4	61	61	3	12	18547	61	68	3	12	0	0	0	0	0	10	1.0	0.00
16	1	593	11	BILLINGS	2.06	4	56	56	3	12	22605	56	68	3	12	0	0	0	0	0	18	1.8	0.03
16	3	659	11	BILLINGS	1.08	2	32	32	2	11	7275	48	68	3	12	0	0	0	167	25	53	24.5	0.26
				TOTAL FAP 16	4.74																	15.8	0.75
17	12	23	3	NASHUA	1.00	2	24	28	2	12	453	24	44	3	12	0	0	0	167	100	36	30.3	0.30
				TOTAL FAP 17	1.00																	30.0	0.30

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
18	0	0	12	MILES CITY	0.33	2	54	54	3	5	8025	54	68	3	12	0	0	0	100	217	21	33.8	0.11
18	0	339	12	MILES CITY	0.27	2	48	48	2	30	5110	48	48	3	12	0	0	0	200	0	0	20.0	0.05
18	0	611	12	MILES CITY	0.37	2	46	46	1	12	3842	46	46	3	12	0	0	0	230	0	0	23.0	0.08
				TOTAL FAP 18	0.97																	24.7	0.24
19	7	0	9	ANACONOA	0.10	4	68	68	3	12	5462	76	76	3	12	0	0	0	32	0	11	4.3	0.00
19	7	103	9	ANACONOA	3.63	4	48	68	3	12	5462	48	68	3	12	0	0	0	0	0	0	0.0	0.00
19	9	0	9	ANACONOA	0.49	4	72	72	3	12	5199	72	72	3	12	0	0	0	0	0	0	0.0	0.00
19	9	495	9	ANACONOA	0.51	4	93	93	2	10	6508	93	93	3	12	0	0	0	100	50	0	15.0	0.07
19	10	0	9	ANACONOA	0.11	2	24	28	3	12	4108	48	68	3	12	0	0	0	150	0	59	20.9	0.02
19	63	671	8	DRUMMONO	0.29	2	32	32	3	12	692	32	44	3	12	0	0	0	0	0	27	2.7	0.00
19	63	962	8	DRUMMONO	0.04	2	32	32	3	12	692	32	44	3	12	0	0	0	0	0	27	2.7	0.00
19	64	0	8	DRUMMONO	0.24	2	28	28	3	12	1240	28	44	3	12	0	0	0	0	0	36	3.6	0.00
19	64	236	8	DRUMMONO	0.71	2	24	46	3	5	1509	24	46	3	12	0	0	0	100	217	0	31.7	0.22
19	64	943	8	DRUMMONO	0.04	2	32	32	3	12	1097	32	44	3	12	0	0	0	0	0	27	2.7	0.00
				TOTAL FAP 19	6.16																	5.0	0.31
20	0	0	4	GLENOIVE	0.60	2	24	40	3	12	3983	24	44	3	12	0	0	0	0	0	9	0.9	0.00
20	0	605	4	GLENOIVE	0.25	2	24	40	3	12	3131	24	44	3	12	0	0	0	0	0	9	0.9	0.00
20	0	857	4	GLENOIVE	0.90	2	40	44	3	12	3131	24	44	3	12	0	0	0	0	0	0	0.0	0.00
20	51	761	4	SIONEY	0.48	4	60	60	3	12	5331	60	68	3	12	0	0	0	0	0	12	1.2	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURF	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPT SURFACE	DESIGN STDS: DEPT BASE	PERCENT DEFICIENT: [illegible]	[illegible]	SIGHT DISTANCE	SURF	[illegible]	ROADWAY	TOTAL	EQUIVALENT DEFICIENT MILEAGE
20	52	226	4	SIDNEY	0.21	4	58	58	3	6	12318	58	68	3	12	0	0	0	0	150	15	16.5	0.03
20	52	436	4	SIDNEY	0.13	4	44	60	3	6	11687	48	68	3	12	0	0	0	117	200	12	32.9	0.04
20	62	525	4	FAIRVIEW	0.28	2	20	24	3	8	1760	24	44	3	12	0	0	0	161	167	45	37.3	0.10
20	62	807	4	FAIRVIEW	0.36	2	20	26	3	8	2528	24	44	3	12	0	0	0	161	167	41	36.9	0.13
20	63	204	4	FAIRVIEW	0.29	2	20	24	3	6	3726	24	44	3	12	0	0	0	161	200	45	40.6	0.11
20	63	494	4	FAIRVIEW	0.21	2	64	64	3	7	2640	64	64	3	12	0	0	0	50	125	0	17.5	0.03
20	63	709	4	FAIRVIEW	0.21	2	63	63	2	12	2073	63	63	3	12	0	0	0	100	0	0	10.0	0.02
				TOTAL FAP 20	3.92																	11.7	0.46
21	3	789	6	CONRAD	0.33	2	44	44	3	12	2138	48	68	3	12	0	0	0	25	0	35	6.0	0.01
21	4	119	6	CONRAD	0.38	2	56	56	3	12	7711	56	68	3	12	0	0	0	0	0	18	1.8	0.00
21	4	499	6	CONRAD	0.33	2	53	53	3	12	5487	53	53	3	12	0	0	0	0	0	0	0.0	0.00
21	4	833	6	CONRAD	0.16	2	40	40	3	12	4403	40	48	3	12	0	0	0	0	0	17	1.7	0.00
				TOTAL FAP 21	1.20																	0.8	0.01
22	0	0	3	SCOBEY	0.35	2	46	46	3	12	2335	46	46	3	12	0	0	0	0	0	0	0.0	0.00
22	0	348	3	SCOBEY	0.17	2	32	32	3	12	999	32	44	3	12	0	0	0	0	0	27	2.7	0.00
22	41	167	3	PLENTYWD	1.19	2	47	47	3	12	4157	48	68	3	12	0	0	0	6	0	31	3.7	0.04
22	63	746	3	MEDICNE LK	0.06	2	32	36	3	12	648	32	44	3	12	0	0	0	0	0	18	1.8	0.00
22	64	75	3	MEDICNE LK	0.13	2	32	36	3	12	648	32	44	3	12	0	0	0	0	0	18	1.8	0.00
22	64	205	3	MEDICNE LK	0.14	2	32	32	3	12	687	32	32	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
							SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
22	75	857	3	FROID	0.02	2	32	32	3	12	709	32	44	3	12	0	0	0	0	0	27	2.7	0.00
				TOTAL FAP 22	2.06																	1.9	0.04
23	0	0	12	MILES CTY	0.48	2	48	48	3	6	6168	48	68	3	12	0	0	0	100	200	29	32.9	0.15
23	0	489	12	MILES CTY	0.28	2	22	26	2	8	5446	24	44	3	12	0	0	0	208	167	41	41.6	0.11
23	1	135	12	MILES CTY	0.59	2	22	25	2	5	4723	24	44	3	12	0	0	51	208	217	43	51.9	0.30
23	1	722	12	MILES CTY	0.25	2	24	26	2	5	2996	24	44	3	12	0	0	0	200	217	41	45.8	0.11
23	1	972	12	MILES CTY	0.14	2	22	25	2	5	1732	24	44	3	12	0	0	0	208	217	43	46.8	0.06
23	79	165	12	BROAOUS	0.23	2	20	24	1	2	2167	24	44	3	12	0	0	22	272	267	45	60.6	0.13
23	79	394	12	BROAOUS	0.34	2	24	42	3	7	1846	24	44	3	12	0	0	29	100	183	5	31.7	0.10
				TOTAL FAP 23	2.31																	41.6	0.96
25	0	0	4	CIRCLE	0.05	2	30	30	3	12	693	30	44	3	12	0	0	96	0	0	32	12.8	0.00
25	52	380	3	WLF POINT	0.45	2	44	44	3	12	3111	44	44	3	12	0	0	0	50	0	0	5.0	0.02
25	52	833	3	WLF POINT	0.07	4	68	68	3	12	8665	68	68	3	12	0	0	0	50	0	0	5.0	0.00
25	52	908	3	WLF POINT	0.02	2	40	40	3	12	11393	40	48	3	12	0	0	0	0	0	17	1.7	0.00
25	52	925	3	WLF POINT	0.06	2	30	30	3	12	11393	30	44	3	12	0	0	0	0	0	32	3.2	0.00
25	52	988	3	WLF POINT	0.11	2	51	51	3	8	11393	51	51	3	12	0	0	0	0	100	0	10.0	0.01
				TOTAL FAP 25	0.76																	3.9	0.03
27	0	0	12	EKALAKA	0.35	2	22	24	2	12	619	24	44	3	12	0	0	0	178	100	45	32.3	0.11
27	34	643	12	BAKER	0.60	2	24	32	1	4	1530	24	44	3	12	0	0	8	253	233	27	52.1	0.31

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADE	EXCESS CURVE	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
27	35	236	12	BAKER	0.14	2	24	30	2	4	2258	24	44	3	12	0	0	69	167	233	32	50.1	0.07
27	35	380	12	BAKER	0.06	2	74	74	3	5	3886	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	445	12	BAKER	0.06	2	74	74	3	5	5515	74	74	3	12	0	0	0	133	217	0	35.0	0.02
27	35	510	12	BAKER	0.24	2	78	78	3	12	3204	78	78	3	12	0	0	0	100	100	0	20.0	0.04
27	79	102	12	WIBAUX	0.66	2	22	26	2	12	1034	24	44	3	12	0	0	8	178	100	41	32.7	0.21
27	79	767	12	WIBAUX	0.31	2	22	40	3	7	2655	24	44	3	12	0	0	16	147	183	9	35.5	0.11
27	80	77	4	WIBAUX	0.40	2	24	30	2	12	1746	24	44	3	12	0	0	0	167	100	32	29.9	0.11
27	80	473	4	WIBAUX	0.13	2	24	44	3	12	1390	24	44	3	12	0	0	0	0	0	0	0.0	0.00
27	80	601	4	WIBAUX	0.17	2	24	44	3	11	1360	24	44	3	12	0	0	0	133	117	0	25.0	0.04
27	80	774	4	WIBAUX	0.17	2	24	44	3	12	1360	24	44	3	12	0	0	0	50	0	0	5.0	0.00
				TOTAL FAP 27	3.29																	31.6	1.04
28	68	346	11	REO LOOGE	0.23	2	22	24	2	5	1614	24	44	3	12	0	0	0	208	217	45	47.0	0.10
28	68	690	11	REO LOOGE	0.63	2	22	26	3	4	2072	24	44	3	12	0	0	8	117	233	41	39.9	0.25
28	69	303	11	REO LOOGE	0.48	2	50	50	3	5	2991	50	50	3	12	0	0	0	0	175	0	17.5	0.08
28	69	782	11	REO LOOGE	0.47	2	22	26	2	8	2991	24	44	3	12	0	0	32	208	167	41	44.8	0.20
28	95	389	11	JOLIET	1.05	2	44	44	3	12	1955	44	44	3	12	0	0	0	50	0	0	5.0	0.05
				TOTAL FAP 28	2.86																	23.8	0.68
29	0	0	9	ENNIS	0.08	2	22	26	2	4	2230	24	44	3	12	0	0	0	208	233	41	46.2	0.04
29	0	104	9	ENNIS	0.14	2	24	26	2	3	1369	24	44	3	12	0	0	71	167	250	41	52.9	0.07

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
29	13	53	9	VRGNA CY	0.84	2	24	28	2	10	742	24	44	3	12	0	0	6	100	50	36	19.2	0.16
29	13	890	9	VRGNA CY	0.60	2	24	30	3	8	901	24	44	3	12	0	0	17	133	167	32	34.9	0.20
29	14	495	9	VRGNA CY	0.33	2	20	24	3	8	1060	24	44	3	12	0	0	0	161	167	45	37.3	0.12
29	33	97	9	SHERIDAN	0.38	2	78	78	3	11	1608	78	78	3	12	0	0	0	133	117	0	25.0	0.09
29	33	479	9	SHERIDAN	0.72	2	20	24	3	7	1932	24	44	3	12	0	0	0	133	183	45	36.1	0.26
29	42	237	9	TWN 8RDGES	0.21	2	24	44	3	12	784	24	44	3	12	0	0	0	0	0	0	0.0	0.00
29	42	452	9	TWN 8RDGES	0.39	4	52	72	3	12	1270	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	42	844	9	TWN 8RDGES	0.41	4	52	72	3	12	2376	52	72	3	12	0	0	0	0	0	0	0.0	0.00
29	83	474	9	8UTTE	0.28	2	28	54	3	6	1664	28	54	3	12	0	0	0	133	200	0	33.3	0.09
29	83	757	9	8UTTE	2.00	2	28	54	2	12	2212	28	54	3	12	0	0	0	167	100	0	26.7	0.53
29	85	757	9	8UTTE	0.40	2	28	54	3	12	10252	28	54	3	12	0	0	0	0	0	0	0.0	0.00
29	86	159	9	8UTTE	0.24	2	70	90	3	12	14979	70	90	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 29	7.02																	22.2	1.56
30	23	396	3	WEST8Y	0.47	2	20	26	2	7	391	24	40	3	12	0	0	0	217	183	35	43.5	0.20
30	23	870	3	WEST8Y	0.19	2	69	69	2	7	408	69	69	3	12	0	0	0	200	183	0	38.3	0.07
30	24	72	3	WEST8Y	0.15	2	22	26	2	6	425	24	44	3	12	0	0	0	208	200	41	44.9	0.06
				TOTAL FAP 30	0.81																	40.7	0.33
31	50	397	3	OPHEIM	0.44	2	28	28	2	12	468	28	44	3	12	0	0	0	60	0	36	9.6	0.04
				TOTAL FAP 31	0.44																	9.1	0.04

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADE	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
32	50	788	3	SCOBEY	0.05	2	44	44	3	8	730	44	44	3	12	0	0	0	0	100	0	10.0	0.00
32	50	838	3	SCOBEY	0.34	2	47	47	3	8	1373	47	47	3	12	0	0	0	0	100	0	10.0	0.03
32	51	179	3	SCOBEY	0.13	2	24	44	3	12	2490	24	44	3	12	0	0	0	0	0	0	0.0	0.00
32	51	317	3	SCOBEY	0.07	2	56	56	3	12	2210	56	56	3	12	0	0	0	0	0	0	0.0	0.00
32	51	393	3	SCOBEY	0.13	2	26	30	2	10	1712	26	44	3	12	0	0	0	167	133	32	33.2	0.04
32	51	521	3	SCOBEY	0.22	2	52	52	1	12	479	52	52	3	12	0	0	0	253	100	0	35.3	0.07
				TOTAL FAP 32	0.94																	14.9	0.14
33	0	0	1	LIBBY	0.44	2	44	44	3	12	4738	48	68	3	12	0	0	0	25	0	35	6.0	0.02
33	0	453	1	LIBBY	0.20	2	37	37	1	12	5530	48	68	3	12	0	0	0	269	100	46	41.5	0.08
				TOTAL FAP 33	0.64																	15.6	0.10
38	6	405	1	CLMBA FLS	0.72	2	24	34	3	7	6588	48	68	3	12	0	0	0	217	183	50	45.0	0.32
38	7	125	1	CLMBA FLS	0.26	2	24	28	3	5	7307	24	44	3	12	0	0	38	133	217	36	42.4	0.11
				TOTAL FAP 38	0.98																	43.9	0.43
40	0	116	4	TERRY	0.03	2	40	40	3	12	1315	40	44	3	12	0	0	0	0	0	9	0.9	0.00
				TOTAL FAP 40	0.03																	0.0	0.00
42	75	417	3	GLASGOW	0.23	2	36	40	3	6	1633	36	44	3	12	0	0	0	100	200	9	30.9	0.07
42	75	646	3	GLASGOW	0.35	4	50	50	3	12	2752	50	68	3	12	0	0	0	133	100	26	25.9	0.09
42	76	0	3	GLASGOW	0.14	2	30	30	3	12	8487	48	68	3	12	0	0	0	175	100	56	33.1	0.04
				TOTAL FAP 42	0.72																	27.8	0.20

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
43	0	0	5	LEWISTOWN	0.30	4	50	50	3	12	6842	50	68	3	12	0	0	0	0	0	26	2.6	0.00
43	0	312	5	LEWISTOWN	0.21	4	50	50	3	12	3721	50	50	3	12	0	0	0	0	0	0	0.0	0.00
43	0	529	5	LEWISTOWN	0.10	4	50	50	3	12	2791	50	50	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 43	0.61																	0.0	0.00
44	13	185	6	VALIER	0.55	2	20	20	2	11	991	24	44	3	12	0	0	0	217	117	55	38.9	0.21
44	13	738	6	VALIER	0.35	2	66	66	2	10	2495	66	66	3	12	0	0	0	100	50	0	15.0	0.05
44	14	90	6	VALIER	0.21	2	20	20	2	11	1457	24	44	3	12	0	0	0	217	117	55	38.9	0.08
				TOTAL FAP 44	1.11																	30.6	0.34
45	0	0	10	BIG TIMBER	0.52	2	20	24	3	4	1468	24	44	3	12	0	0	0	231	267	45	54.3	0.28
45	43	874	10	HARLOWTON	0.06	2	44	44	3	12	602	44	44	3	12	0	0	156	0	0	0	15.6	0.00
				TOTAL FAP 45	0.58																	48.3	0.28
48	0	1191	11	HARDIN	0.22	2	44	44	3	12	3549	44	44	3	12	0	0	0	0	0	0	0.0	0.00
48	0	1409	11	HARDIN	0.51	2	68	68	3	12	6739	68	68	3	12	0	0	0	0	0	0	0.0	0.00
48	0	2471	11	HARDIN	0.04	2	40	40	3	12	4594	40	44	3	12	0	0	0	0	0	9	0.9	0.00
				TOTAL FAP 48	0.77																	0.0	0.00
49	0	102	9	DILLON	0.14	2	40	40	3	12	1735	40	44	3	12	0	0	0	100	100	9	20.9	0.02
49	26	873	9	TWN BRDGS	0.29	2	20	24	3	10	1123	24	44	3	12	0	0	0	133	133	45	31.1	0.09
49	27	161	9	TWN BRDGS	0.31	2	32	32	3	10	1241	32	32	3	12	0	0	0	100	133	0	23.3	0.07
49	27	473	9	TWN BROGS	0.13	2	46	46	3	10	1241	46	46	3	12	0	0	0	100	133	0	23.3	0.03

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FUNC DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS					AVERAGE DAILY TRAFFIC	DESIGN STDS				PERCENT DEFICIENT						TOTAL	EQUIVALENT MILEAGE
	+	•				NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE		WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	[illegible]	EXCESSIVE CURVES	SIGHT DISTANCE	SURFACE	[illegible]	ROADWAY		
				TOTAL FAP 49	0.87																	24.1	0.21
50	0	0	10	W YLOWSTON	0.37	4	70	70	3	12	3410	48	68	3	12	0	0	0	0	0	0	0.0	0.00
50	0	366	10	W YLOWSTON	0.19	4	70	70	3	12	2780	48	68	3	12	0	0	0	0	0	0	0.0	0.00
50	87	95	10	BOZEMAN	0.12	4	52	52	3	12	6976	52	68	3	12	0	0	0	0	0	24	2.4	0.00
50	87	216	10	BOZEMAN	0.56	2	36	36	3	12	13669	48	68	3	12	0	0	0	75	0	47	12.2	0.06
50	87	781	10	BOZEMAN	0.54	4	90	90	3	12	13669	90	90	3	12	0	0	0	0	0	0	0.0	0.00
50	88	315	10	BOZEMAN	0.52	4	59	59	3	12	15005	59	59	3	12	0	0	0	0	0	0	0.0	0.00
50	88	833	10	BOZEMAN	0.70	4	52	72	3	12	20572	52	72	3	12	0	0	0	0	0	0	0.0	0.00
50	89	529	10	BOZEMAN	0.40	4	62	62	3	12	11899	62	68	3	12	0	0	0	0	0	9	0.9	0.00
50	90	101	10	BOZEMAN	0.53	4	68	82	3	12	8276	68	82	3	12	0	0	0	0	0	0	0.0	0.00
50	90	630	10	BOZEMAN	0.19	3	56	76	3	12	8276	56	76	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 50	4.12																	1.5	0.06
51	27	212	4	RICHEY	0.31	2	28	28	3	7	225	28	44	3	12	0	0	0	0	125	36	16.1	0.05
				TOTAL FAP 51	0.31																	16.1	0.05
53	0	0	11	BILLINGS	0.60	4	72	72	3	12	7268	72	72	3	12	0	0	0	0	0	0	0.0	0.00
53	0	600	11	BILLINGS	1.68	4	72	72	3	12	9757	72	73	3	12	0	0	0	0	0	1	0.1	0.00
53	0	2278	11	BILLINGS	0.46	4	50	50	3	5	12246	50	68	3	12	0	0	0	100	217	26	34.3	0.15
53	0	2736	11	BILLINGS	1.16	4	50	50	5	5	8440	50	68	3	12	0	0	0	0	217	26	24.3	0.28
53	1	1158	11	BILLINGS	1.14	4	50	50	2	8	15513	50	68	3	12	0	0	0	167	167	26	36.0	0.41

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST + .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE DAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
						SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
53	2 238	11	BILLINGS	0.84	4	48	64	3	12	13309	48	68	3	12	0	0	0	0	0	6	0.6	0.00
53	3 78	11	BILLINGS	1.31	2	32	32	3	12	8047	32	44	3	12	0	0	0	0	0	27	2.7	0.03
53	31 558	11	BROADVIEW	0.48	2	22	24	2	8	1178	24	44	3	12	0	0	21	208	167	45	44.1	0.21
53	45 389	11	LAVINA	0.87	2	26	30	1	12	1115	26	44	3	12	0	0	0	253	100	32	38.5	0.33
			TOTAL FAP 53	8.54																	16.5	1.41
55	12 176	7	WHITEHALL	0.35	4	62	62	3	12	2163	62	68	3	12	0	0	0	0	0	9	0.9	0.00
55	12 523	7	WHITEHALL	0.42	2	40	40	3	12	2771	40	44	3	12	0	0	0	0	0	9	0.9	0.00
55	12 939	7	WHITEHALL	0.05	2	32	32	3	12	1909	32	44	3	12	0	0	0	0	0	27	2.7	0.00
			TOTAL FAP 55	0.82																	0.0	0.00
57	80 823	5	LEWISTOWN	0.13	2	24	32	3	12	2021	24	44	3	12	0	0	0	50	0	27	7.7	0.01
57	80 956	5	LEWISTOWN	1.11	2	53	53	3	12	5440	53	53	3	12	0	0	0	0	0	0	0.0	0.00
57	82 55	5	LEWISTOWN	0.13	2	33	33	3	12	6768	48	68	3	12	0	0	0	94	0	51	14.5	0.01
57	82 187	5	LEWISTOWN	0.73	2	49	49	3	9	7219	49	68	3	12	0	0	27	0	75	28	13.0	0.09
57	135 594	5	WINNETT	0.18	2	21	24	3	3	293	24	44	3	12	0	0	0	125	250	45	42.0	0.07
57	135 776	5	WINNETT	0.71	2	22	24	3	3	419	24	44	3	12	0	0	0	117	250	45	41.2	0.29
57	212 448	5	JORDAN	0.48	2	52	52	3	5	1525	52	52	3	12	0	0	0	100	217	0	31.7	0.15
57	212 932	5	JORDAN	0.15	2	22	24	3	5	1009	24	44	3	12	0	0	34	117	217	45	41.3	0.06
57	278 394	4	CIRCLE	0.33	2	24	24	2	6	660	24	44	3	12	0	0	0	187	200	45	43.2	0.14
57	278 726	4	CIRCLE	0.27	2	24	46	3	12	1055	24	46	3	12	0	0	0	0	0	0	0.0	0.00

URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST •	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
57	278	998	4	CIRCLE	0.54	2	24	44	3	12	2007	24	44	3	12	0	0	0	0	0	0	0.0	0.00
57	279	534	4	CIRCLE	0.26	2	24	40	3	12	2349	24	44	3	12	0	0	39	0	0	9	4.8	0.01
57	324	644	4	GLENOIVE	1.33	2	32	36	3	12	4764	32	44	3	12	0	0	0	0	0	18	1.8	0.02
57	325	992	4	GLENOIVE	0.68	4	72	72	3	12	7551	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	326	665	4	GLENOIVE	0.05	4	72	72	3	12	9547	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	326	720	4	GLENOIVE	0.38	4	72	72	3	12	10606	72	72	3	12	0	0	0	0	0	0	0.0	0.00
57	327	100	4	GLENOIVE	0.67	2	56	56	3	12	9082	56	68	3	12	0	0	0	0	0	18	1.8	0.01
57	327	766	4	GLENOIVE	0.65	4	60	60	3	6	8237	60	68	3	12	0	0	0	0	150	12	16.2	0.10
57	328	439	4	GLENOIVE	0.90	4	56	56	3	12	10276	56	68	3	12	0	0	0	0	0	18	1.8	0.01
57	329	339	4	GLENOIVE	0.85	4	72	88	3	12	4621	72	88	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 57	10.53																	9.2	0.97
59	14	1905	10	CLYO PARK	0.17	2	20	30	2	5	774	24	44	3	12	0	0	0	217	217	32	46.6	0.07
59	15	24	10	CLYO PARK	0.27	2	20	40	2	5	1121	24	44	3	12	0	0	18	217	217	9	46.1	0.12
59	15	296	10	CLYO PARK	0.04	2	20	24	3	6	1041	24	44	3	12	0	0	0	161	200	45	40.6	0.01
				TOTAL FAP 59	0.48																	41.7	0.20
60	35	842	6	NEIHART	0.64	2	28	28	1	12	519	28	44	3	12	0	0	0	230	0	36	26.6	0.17
60	36	480	6	NEIHART	0.98	2	20	24	2	5	1167	24	44	3	12	0	0	0	217	217	45	47.9	0.46
60	37	460	6	NEIHART	1.53	2	22	26	2	4	521	24	44	3	12	0	0	13	117	200	41	37.1	0.56
60	90	366	6	GT FALLS	0.08	2	48	62	3	12	9586	48	68	3	12	0	0	66	50	0	9	12.5	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
60	90	442	6	GT FALLS	1.15	4	48	62	3	12	9586	48	68	3	12	0	0	0	0	0	9	0.9	0.01
60	91	597	6	GT FALLS	1.37	4	48	62	3	12	21586	48	68	3	12	0	0	0	0	0	9	0.9	0.01
60	92	966	6	GT FALLS	0.50	4	61	76	3	12	37796	61	76	3	12	0	0	0	50	0	0	5.0	0.02
60	93	464	6	GT FALLS	0.82	4	64	80	3	12	37796	64	80	3	12	0	0	0	50	0	0	5.0	0.04
60	94	280	6	GT FALLS	0.18	4	48	70	2	12	24726	48	70	3	12	0	0	113	100	0	0	21.3	0.03
60	94	457	6	GT FALLS	0.40	2	28	28	2	12	20527	48	68	3	12	0	0	0	183	0	59	24.2	0.09
60	94	853	6	GT FALLS	0.45	4	48	68	2	12	20080	48	68	3	12	0	0	0	100	0	0	10.0	0.04
60	95	301	6	GT FALLS	0.22	4	48	68	2	12	20080	48	68	3	12	0	0	0	100	0	0	10.0	0.02
60	95	525	6	GT FALLS	0.10	4	48	70	2	12	20080	48	70	3	12	0	0	0	100	0	0	10.0	0.00
60	95	625	6	GT FALLS	0.09	4	48	68	2	12	8338	48	68	3	12	0	0	0	100	0	0	10.0	0.00
				TOTAL FAP 60	8.51																	17.0	1.45
61	0	0	11	ROUNOUP	0.25	2	69	69	3	7	6248	69	69	3	12	0	0	40	133	183	0	35.6	0.08
61	0	250	11	ROUNOUP	0.26	2	22	36	3	7	3738	24	44	3	12	0	0	0	147	183	18	34.8	0.09
61	0	512	11	ROUNOUP	0.15	2	24	30	3	12	1228	24	44	3	12	0	0	0	133	100	32	26.5	0.04
61	156	919	3	MALTA	0.43	4	48	48	2	7	2811	48	48	3	12	0	0	0	167	183	0	35.0	0.15
61	157	360	3	MALTA	0.16	4	54	54	1	3	4560	54	54	3	12	0	0	0	267	250	0	51.7	0.08
61	157	522	3	MALTA	0.09	2	30	30	2	12	4779	30	44	3	12	0	0	0	100	0	32	13.2	0.01
				TOTAL FAP 61	1.34																	33.6	0.45
62	0	0	3	CLBERTSON	0.55	2	44	44	3	12	1909	44	44	3	12	0	0	0	0	0	0	0.0	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	AVERAGE DAILY TRAFFIC	WIDTH SURFACE	WIDTH ROADWAY	DEPTH SURFACE	DEPTH BASE	EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
62	1	200	3	CLBERTSON	0.32	2	32	32	3	12	1873	32	44	3	12	0	0	0	0	0	27	2.7	0.00
62	37	0	4	SIONEY	0.68	2	24	36	3	6	3690	24	44	3	12	0	0	0	120	200	18	33.8	0.23
62	37	685	4	SIONEY	0.35	2	48	48	3	11	6144	48	68	3	12	0	0	14	120	117	29	28.0	0.09
			T	TAL FAP 62	1.90																	16.8	0.32
63	17	860	10	UOTH GAP	0.62	2	24	36	3	12	1007	24	44	3	12	0	0	8	50	0	18	7.6	0.04
			T	TAL FAP 63	0.62																	6.5	0.04
67	0	0	2	SHEL8Y	0.46	2	24	30	3	7	3820	24	44	3	12	0	0	0	133	183	32	34.8	0.16
67	0	466	2	SHEL8Y	0.25	2	22	30	3	5	3460	24	44	3	12	0	0	0	147	217	32	39.6	0.09
			TO	TAL FAP 67	0.71																	35.2	0.25
68	0	174	6	ASCAOE	0.47	2	20	24	3	3	675	24	44	3	12	0	0	0	133	250	45	42.8	0.20
68	0	646	6	ASCAOE	0.19	2	34	34	3	3	1321	34	44	3	12	0	0	0	100	250	23	37.3	0.06
68	0	833	6	ASCAOE	0.10	2	50	50	3	3	1677	50	50	3	12	0	0	0	100	250	0	35.0	0.03
68	0	933	6	ASCAOE	0.25	2	34	34	3	3	1358	34	44	3	12	0	0	0	100	250	23	37.3	0.09
68	1	180	6	ASCAOE	0.08	2	24	24	3	12	1038	24	44	3	12	0	0	0	0	0	45	4.5	0.00
			TO	TAL FAP 68	1.09																	34.9	0.38
69	0	0	7	WHITEHALL	0.67	4	62	62	3	12	2889	62	68	3	12	0	0	0	0	0	9	0.9	0.00
69	37	30	7	OULOER	0.28	2	24	24	1	9	1326	24	44	3	12	0	0	0	253	150	45	44.8	0.12
69	37	351	7	OULOER	0.28	2	24	24	1	9	1326	24	44	3	12	0	0	0	253	150	45	44.8	0.12
69	37	636	7	OULOER	0.23	2	24	24	3	6	2351	24	44	3	12	0	0	0	100	200	45	34.5	0.08

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT OEFICIENT MILEAGE
					NO. LANES	WIDTH		DEPTH		AVERAGE OAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT OISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+ •					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
69	37 868	7	BOULDER	0.23	2	40	40	3	12	1253	40	44	3	12	0	0	0	0	0	9	0.9	0.00
			TOTAL FAP 69	1.69																	18.9	0.32
70	1 235	8	SUPERIOR	0.27	2	22	24	2	5	161	24	44	3	12	0	0	0	254	258	45	55.7	0.15
70	1 568	8	SUPERIOR	0.84	2	22	24	3	5	289	24	44	3	12	0	0	0	224	258	45	52.7	0.44
70	2 405	8	SUPERIOR	0.16	2	30	30	3	12	2884	30	44	3	12	0	0	0	0	0	32	3.2	0.00
70	2 564	8	SUPERIOR	0.20	2	48	48	3	12	2891	48	48	3	12	0	0	0	0	0	0	0.0	0.00
70	2 765	8	SUPERIOR	0.03	2	24	24	3	12	2585	24	44	3	12	0	0	0	0	0	45	4.5	0.00
			TOTAL FAP 70	1.50																	39.3	0.59
71	0 0	8	MISSOULA	0.95	2	42	42	3	12	3279	42	44	3	12	0	0	0	0	0	5	0.5	0.00
71	0 951	8	MISSOULA	0.07	2	30	30	3	12	3279	30	44	3	12	0	0	0	0	0	32	3.2	0.00
71	1 17	8	MISSOULA	1.19	4	72	88	3	12	10533	72	88	3	12	0	0	0	0	0	0	0.0	0.00
71	2 208	8	MISSOULA	0.76	4	68	72	3	12	13578	68	72	3	12	0	0	0	0	0	0	0.0	0.00
71	2 968	8	MISSOULA	0.86	4	62	62	3	8	16067	62	68	3	12	0	0	0	50	100	9	15.9	0.13
71	3 827	8	MISSOULA	0.59	4	62	62	3	8	11453	62	68	3	12	0	0	0	50	100	9	15.9	0.09
71	4 417	8	MISSOULA	0.21	4	72	72	3	12	15785	72	72	3	12	0	0	0	0	0	0	0.0	0.00
71	4 632	8	MISSOULA	0.14	4	48	68	3	12	13405	48	68	3	12	0	0	0	0	0	0	0.0	0.00
			TOTAL FAP 71	4.77																	4.6	0.22
75	1 680	5	LEWISTOWN	0.50	2	24	28	3	12	1186	24	44	3	12	0	0	0	0	0	36	3.6	0.01
75	2 184	5	LEWISTOWN	0.25	2	24	30	3	12	2873	24	44	3	12	0	0	0	0	0	32	3.2	0.00

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST +	MILEPOST .	FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS: NO. LANES	PRESENT CONDITIONS: WIDTH SURFACE	PRESENT CONDITIONS: WIDTH ROADWAY	PRESENT CONDITIONS: DEPTH SURFACE	PRESENT CONDITIONS: DEPTH BASE	AVERAGE DAILY TRAFFIC	DESIGN STDS: WIDTH SURFACE	DESIGN STDS: WIDTH ROADWAY	DESIGN STDS: DEPTH SURFACE	DESIGN STDS: DEPTH BASE	PERCENT DEFICIENT: EXCESS GRADES	PERCENT DEFICIENT: EXCESS CURVES	PERCENT DEFICIENT: SIGHT DISTANCE	PERCENT DEFICIENT: SURFACE	PERCENT DEFICIENT: BASE	PERCENT DEFICIENT: ROADWAY	PERCENT DEFICIENT: TOTAL	EQUIVALENT DEFICIENT MILEAGE
75	2	434	5	LEWISTOWN	0.26	2	24	28	3	12	3118	24	44	3	12	0	0	0	100	100	36	23.6	0.06
75	2	695	5	LEWISTOWN	0.25	2	24	36	3	12	2990	24	44	3	12	0	0	0	100	100	18	21.8	0.05
			T	TAL FAP 75	1.26																	9.5	0.12
76	0	0	9	BUTTE	0.20	4	66	72	3	12	3728	66	72	3	12	0	0	0	0	0	0	0.0	0.00
76	0	201	9	BUTTE	0.33	4	66	72	3	12	3728	66	72	3	12	0	0	0	0	0	0	0.0	0.00
76	0	533	9	BUTTE	0.61	4	70	70	3	12	13311	70	70	3	12	0	0	0	50	0	0	5.0	0.03
76	1	142	9	BUTTE	0.69	4	56	56	3	5	9648	56	68	3	12	0	0	0	100	217	18	33.5	0.23
76	1	832	9	BUTTE	0.41	4	56	56	3	5	4930	56	68	3	12	0	0	0	100	217	18	33.5	0.13
76	2	246	9	BUTTE	0.54	2	48	48	3	6	4930	48	68	3	12	0	0	0	0	150	29	17.9	0.09
76	2	785	9	BUTTE	0.61	2	24	24	2	9	7805	48	68	3	12	0	0	0	250	150	65	46.5	0.28
76	3	392	9	BUTTE	0.49	2	24	24	2	9	8473	48	68	3	12	0	0	0	250	150	65	46.5	0.22
76	3	878	9	BUTTE	0.54	2	24	30	2	6	2672	24	44	3	12	0	0	0	100	150	32	28.2	0.15
76	4	415	9	BUTTE	2.43	2	24	42	2	6	1558	24	44	3	12	0	0	0	100	150	5	25.5	0.62
			T	TAL FAP 76	6.85																	25.5	1.75
77	1	746	8	HOT SPRGS	0.25	2	24	46	1	9	944	24	44	3	12	0	0	0	250	75	0	32.5	0.08
			T	TAL FAP 77	0.25																	32.0	0.08
78	0	0	11	RED LODGE	0.47	2	24	24	2	10	762	24	44	3	12	0	0	0	167	133	45	34.5	0.16
78	46	446	11	COLUMBUS	0.30	2	28	28	2	6	1549	28	44	3	12	0	0	0	167	200	36	40.3	0.12
78	46	744	11	COLUMBUS	0.06	2	28	28	2	6	2385	28	44	3	12	0	0	0	233	250	36	51.9	0.03

DEFICIENCY RATINGS
URBAN PRIMARY SYSTEM

FEDERAL AID ROUTE	MILEPOST		FINANCIAL DISTRICT	CITY OR URBAN AREA	SECTION LENGTH	PRESENT CONDITIONS						DESIGN STDS.				PERCENT DEFICIENT							EQUIVALENT DEFICIENT MILEAGE
						NO. LANES	WIDTH		DEPTH		AVERAGE OAILY TRAFFIC	WIDTH		DEPTH		EXCESS GRADES	EXCESS CURVES	SIGHT DISTANCE	SURFACE	BASE	ROADWAY	TOTAL	
	+	•					SURFACE	ROADWAY	SURFACE	BASE		SURFACE	ROADWAY	SURFACE	BASE								
78	46	808	11	COLUMBUS	0.15	2	28	40	3	8	2300	28	44	3	12	0	0	0	100	167	9	27.6	0.04
78	46	959	11	COLUMBUS	0.29	2	44	44	3	12	1611	44	44	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 78	1.27																	27.6	0.35
80	1	594	6	FT BENTON	0.10	2	24	24	2	11	618	24	44	3	12	0	0	0	167	117	45	32.9	0.03
80	1	694	6	FT BENTON	0.30	2	20	20	2	4	2461	24	44	3	12	0	0	0	217	233	55	50.5	0.15
80	1	996	6	FT BENTON	0.37	2	48	48	2	7	1355	48	48	3	12	0	0	0	167	183	0	35.0	0.12
80	28	186	6	GERALDINE	0.95	2	30	30	3	12	294	30	44	3	12	0	0	0	0	0	32	3.2	0.03
80	66	59	6	STANFORD	0.55	2	24	24	3	12	391	24	44	3	12	0	0	0	100	100	45	24.5	0.13
80	66	614	6	STANFORD	0.44	2	24	26	1	7	849	24	44	3	12	0	0	0	277	242	41	56.0	0.24
				TOTAL FAP 80	2.71																	25.8	0.70
81	12	943	5	DENTON	0.90	2	76	76	3	12	659	76	76	3	12	0	0	0	0	0	0	0.0	0.00
				TOTAL FAP 81	0.90																	0.0	0.00
86	0	0	10	BOZEMAN	0.15	2	40	40	2	6	6315	40	44	3	12	0	0	0	167	200	9	37.6	0.05
86	0	150	10	BOZEMAN	0.78	2	28	28	2	12	5273	28	44	3	12	0	0	0	167	100	36	30.3	0.23
86	0	932	10	BOZEMAN	0.03	2	24	24	3	12	5273	24	44	3	12	0	0	0	0	0	45	4.5	0.00
				TOTAL FAP 86	0.96																	29.2	0.28
	GRAND TOTAL FAP				187.23																		31.3

Sufficiency Ratings by Section - Statewide

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P070	0+0.000	FUT W SUPERIOR INT	MINERAL	8	.200	NON EXISTENT													.2
P052	33+0.584	JCT FAP RTE 83	FLATHEAD	1 35 57	.344	22	22	RMS	3643	539	132	0	11	5	0	0	16	11	.3
P005	0+0.622	0.2 N FAI 90	MISSOULA	8 34 55	3.086	24	24	RMS	4242	619	280	0	12	7	1	0	20	13	2.5
P005	128+0.492	WHITEFISH	FLATHEAD	1 34 54	6.201	22	23	RMS	2386	310	132	0	13	4	1	0	18	14	5.1
P005	4+0.000	3.7 N JCT FAI 90	MISSOULA	8 48 54	1.536	24	32	RMS	4074	594	220	0	13	7	4	0	24	16	1.2
P001	124+0.638	0.7 E KALISPELL	FLATHEAD	1 40 64	3.634	30	30	RMS	4285	685	348	0	12	8	4	0	24	16	2.8
P038	8+0.079	0.6 E COL FALLS	FLATHEAD	1 37 55	.576	22	24	RMS	3539	495	249	0	11	6	6	0	23	16	.4
P024	12+0.237	11.3 E BONNER	MISSOULA	8 41 63	3.821	24	24	RMS	2003	330	145	0	13	6	2	0	21	17	3.0
P001	138+0.380	JCT FAP RTE 38	FLATHEAD	1 34 66	1.705	24	30	RMS	4228	807	365	0	13	8	6	0	27	19	1.2
P052	30+0.238	2.0 N FLATHEAD CO	FLATHEAD	1 56 56	1.975	24	28	RMS	3360	497	198	0	12	10	4	0	26	19	1.5
P049	3+0.037	3.0 E FAI RTE 15	BEAVERHEAD	9 46 62	3.798	24	26	RMS	4005	520	319	0	13	8	2	6	29	21	2.7
P001	221+1.600	BROWNING	GLACIER	2 32 70	2.814	22	24	RMS	3465	675	254	3	16	9	1	0	29	21	2.0
P024	22+0.634	6.6 E POTOMAC	MISSOULA	8 41 59	4.023	25	28	RMS	2002	330	204	0	9	7	3	6	25	21	3.0
P038	4+0.134	0.3 W FAS 206	FLATHEAD	1 75 75	2.275	44	44	PMS	6430	900	920	0	8	8	2	15	33	21	1.5
P024	0+1.845	BONNER	MISSOULA	8 36 37	4.039	30	30	RMS	2305	380	234	3	14	4	1	6	28	23	2.9
P001	140+0.073	1.7 E FAP 38	FLATHEAD	1 29 65	2.443	24	24	RMS	3883	741	469	0	14	10	1	6	31	23	1.7
P062	33+0.331	3.6 N SIONEY	RICHLAND	4 37 49	3.663	24	26	RMS	2863	429	277	0	11	9	3	7	30	23	2.6
P001	142+0.567	1.0 W HUNGRY HORSE	FLATHEAD	1 31 34	10.727	20	24	RMS	2586	493	415	0	12	5	1	12	30	24	7.5
P001	25+0.405	6.4 W LIBBY	LINCOLN	1 38 52	4.437	24	24	RMS	1961	254	220	0	11	3	1	13	28	24	3.2
P001	16+0.932	JCT FAP 56	LINCOLN	1 34 38	4.574	20	24	RMS	1858	241	182	0	12	3	3	10	28	24	3.3
P007	44+0.578	2.0 S HAMILTON	RAVALLI	8 34 59	2.036	22	24	RMS	4215	547	627	0	9	4	3	17	33	24	1.4
P005	24+0.366	9.3 N LAKE CO	LAKE	1 55 60	3.147	32	32	PMS	5068	739	302	5	17	10	4	0	36	25	2.0
P024	7+0.551	6.7 E BONNER	MISSOULA	8 40 42	4.668	20	24	RMS	2119	349	260	0	13	5	2	10	30	25	3.3
P052	0+0.000	JCT FAP RTE 5	LAKE	1 40 50	7.134	21	24	BST	1983	293	210	0	12	7	1	9	29	25	5.1
P052	28+0.294	FLATHEAD CO	FLATHEAD	1 36 64	2.004	24	24	RMS	1889	279	208	0	13	5	2	10	30	26	1.4
P060	87+0.349	FAS RTES 227 & 228	CASCADE	6 39 71	.996	32	32	RMS	3990	518	302	3	16	10	2	4	35	26	.6
P052	32+0.237	1.3 S FAP RTE 83	FLATHEAD	1 22 49	1.347	24	24	RMS	3121	461	374	0	14	6	2	12	34	27	.9
P003	0+0.000	I 15 VAUGHN	CASCADE	6 55 71	1.402	28	32	RMS	5935	771	264	5	19	10	5	0	39	27	.9
P007	48+0.000	HAMILTON	RAVALLI	8 40 40	1.731	24	30	RMS	4615	599	830	0	8	4	7	19	38	28	1.1
P006	76+0.641	JCT FAP 36	SANDERS	8 31 34	2.278	18	24	RMS	1492	222	270	0	11	3	0	18	32	29	1.5
P005	168+0.284	FORTINE	LINCOLN	1 31 52	9.654	22	22	RMS	1443	187	140	0	15	5	1	10	31	29	6.7
P038	7+0.387	COLUMBIA FALLS	FLATHEAD	1 37 55	.373	22	24	RMS	3539	495	216	0	11	7	20	0	38	29	.2
P064	7+0.180	MADISON CO LINE	MADISON	9 73 73	2.450	24	24	GRV	766	107	212	0	0	5	1	22	28	29	1.8
P052	26+0.286	2.0 S FLATHEAD CO	LAKE	1 36 59	1.995	24	24	RMS	1756	259	220	0	13	5	4	12	34	30	1.3
P005	179+0.692	EUREKA	LINCOLN	1 43 57	1.370	22	24	RMS	2337	303	319	0	11	8	1	16	36	30	.9
P007	31+0.292	DARBY	RAVALLI	8 34 35	11.755	18	24	RMS	2456	319	414	0	10	6	2	18	36	30	7.5
P003	20+0.191	TETON CO	TETON	6 21 32	2.966	20	22	BST	2441	317	397	0	12	4	2	18	36	30	1.9
P001	15+0.265	TROY	LINCOLN	1 37 38	1.655	20	24	RMS	2583	335	365	0	10	5	7	16	38	31	1.0
P006	76+0.261	PLAINS	SANDERS	8 31 34	.380	18	24	RMS	1737	258	294	0	11	3	4	17	35	31	.2
P004	52+0.255	1.4 N YELLOWST CO	YELLOWSTONE	11 22 39	1.598	24	30	RMS	4426	575	652	2	13	7	2	17	41	31	.9
P005	79+0.397	1.8 N JCT FAP 36	LAKE	1 32 52	6.932	22	24	RMS	1699	229	341	0	10	4	1	20	35	31	4.5
P064	3+0.000	3.0 W FAP RTE 50	GALLATIN	10 73 73	4.180	24	24	GRV	766	107	250	0	0	5	1	24	30	31	2.9
P005	57+0.826	1.1 S FAP 52	LAKE	1 58 58	1.188	32	32	PMS	5636	822	454	6	17	10	8	3	44	32	.7
P005	35+0.331	2.3 N ST IGNATIUS	LAKE	1 50 50	5.797	24	30	RMS	3921	572	491	2	15	8	4	13	42	32	3.4
P005	86+0.330	2.0 S ROLLINS	LAKE	1 33 65	6.417	24	24	RMS	1568	211	374	0	8	4	1	22	35	32	4.2
P006	68+0.701	WEEKSVILLE	SANDERS	8 38 52	3.890	20	24	RMS	1419	211	233	0	11	4	3	16	34	32	2.6
P001	220+0.489	1.3 W BROWNING	GLACIER	2 45 45	1.390	24	24	RMS	1526	297	278	0	13	7	1	14	35	32	.9
P016	46+0.202	KLEIN	MUSSELSHELL	11 37 37	1.838	20	24	RMS	2224	289	283	0	13	8	1	15	37	32	1.2
P014	167+0.532	JCT FAP RTE 16	MUSSELSHELL	11 33 56	.969	26	30	RMS	2621	340	780	0	10	6	1	23	40	33	.6
P023	77+0.811	1.5 S FAP 37	POWDER RIVER	12 28 36	1.305	20	22	BST	1551	224	250	0	14	4	1	17	36	33	.8
P001	128+0.337	JCT FAP RTE 52	FLATHEAD	1 34 51	10.056	22	24	RMS	2702	516	716	0	9	8	4	19	40	33	6.0
P006	51+0.570	THOMPSON FALLS	SANDERS	8 35 36	4.563	20	24	RMS	1750	260	255	0	13	6	3	15	37	33	2.9
P007	43+0.042	3.5 S HAMILTON	RAVALLI	8 49 49	1.525	28	28	RMS	2649	344	331	3	13	9	1	14	40	33	.9
P005	15+0.054	LAKE CO	LAKE	1 40 40	3.437	24	30	RMS	3468	506	507	0	15	8	4	15	42	33	2.0
P078	29+0.991	JCT FAS RTE 419	STILLWATER	11 35 45	15.864	20	24	RMS	1515	249	450	0	8	5	1	22	36	33	10.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P052	33+0.928	JCT FAP RTE 82	FLATHEAD	1	34	55	7.644	22	24	RMS	1902	281	390	0	13	4	1	19	37	33	4.8
P086	0+0.962	BOZEMAN	GALLATIN	10	58	58	2.860	25	25	PMS	2793	558	661	3	15	4	2	17	41	34	1.7
P005	104+0.255	JCT FAP 82	FLATHEAD	1	49	61	5.341	38	38	RMS	6298	755	383	6	18	10	13	0	47	34	2.8
P016	11+0.880	7.0 N BILLINGS	YELLOWSTONE	11	34	51	9.638	20	24	RMS	1259	163	220	0	11	5	1	19	36	34	6.2
P016	25+0.140	MUSSELSHELL CO	MUSSELSHELL	11	34	34	4.505	20	24	RMS	1513	196	239	0	13	6	1	18	38	35	2.8
P033	0+0.658	LIBBY	LINCOLN	1	59	59	.558	26	37	BST	3598	467	397	5	16	10	1	12	44	35	.3
P007	26+0.490	JCT FAS 473	RAVALLI	8	36	59	4.000	22	26	RMS	1940	252	453	0	10	6	2	22	40	35	2.4
P001	383+0.815	HAVRE	HILL	2	46	54	7.204	24	30	PMS	5797	753	565	6	18	10	4	10	48	35	3.7
P052	7+0.124	7.1 N FAP 5	LAKE	1	47	47	3.214	24	24	BST	1257	186	208	0	13	6	1	17	37	35	2.0
P048	1+0.060	JCT FAI 90	BIG HORN	11	70	70	.284	40	40	RMS	2174	304	134	7	23	10	1	0	41	35	.2
P053	6+0.308	2.0 N BILLINGS	YELLOWSTONE	11	48	48	9.590	20	24	RMS	1496	194	201	0	13	8	1	16	38	35	5.9
P058	17+0.315	5.2 N KIOWA JCT	GLACIER	2	28	40	8.213	20	24	RMS	880	171	302	0	9	4	0	22	35	36	5.3
P060	81+0.469	7.0 N FAS 331	CASCADE	6	42	52	5.894	26	31	RMS	3022	392	384	2	14	10	3	15	44	36	3.3
P003	59+0.625	4.6 N BYNUM	TETON	6	32	53	8.589	20	24	RMS	731	176	212	0	9	6	1	18	34	36	5.7
P001	224+0.000	JCT FAP RTE 3	GLACIER	2	35	61	4.927	22	24	RMS	1756	280	345	0	11	8	3	18	40	36	3.0
P001	180+0.514	16.2 W GLACIER CO	FLATHEAD	1	33	35	3.632	18	20	RMS	714	136	199	0	11	3	0	20	34	36	2.4
P016	23+0.243	1.8 S MUSSEL CO	YELLOWSTONE	11	34	58	1.815	22	24	RMS	1464	190	243	0	13	7	1	18	39	36	1.1
P001	49+0.289	13.5 E FAS 482	LINCOLN	1	35	39	6.869	20	24	RMS	1137	147	228	0	11	4	3	20	38	37	4.3
P001	106+0.450	12.9 W KALISPELL	FLATHEAD	1	49	63	6.886	24	27	RMS	1650	214	223	0	13	8	4	16	41	37	4.1
P003	68+0.264	PONDERA CO	PONDERA	6	32	32	6.905	20	24	BST	725	174	338	0	8	4	1	22	35	37	4.5
P008	34+0.187	5.4 W HELENA	LEWIS AND CLARK	7	33	33	5.427	20	24	RMS	1748	227	299	0	12	8	2	19	41	37	3.2
P006	108+0.148	DIXON	SANDERS	8	27	50	7.086	20	24	RMS	1189	177	470	0	9	4	1	24	38	37	4.4
P005	159+0.617	STRYKER	LINCOLN	1	31	64	8.683	24	24	RMS	1038	134	138	0	17	4	1	15	37	37	5.5
P086	16+0.328	15.3 N BOZEMAN	GALLATIN	10	48	48	2.465	20	20	GRV	459	91	345	0	0	3	3	26	32	37	1.7
P082	5+0.451	1.4 W FAP 52	FLATHEAD	1	55	55	1.472	24	24	RMS	2467	357	243	4	14	10	7	8	43	37	.8
P058	12+0.053	KIOWA JCT	GLACIER	2	28	40	5.269	20	24	RMS	822	160	302	0	10	4	0	22	36	37	3.4
P042	73+0.246	JCT FAP RTE 31	VALLEY	3	34	58	2.174	22	26	RMS	1633	261	340	0	12	9	1	18	40	37	1.3
P050	81+0.910	JCT FAP 84 85	GALLATIN	10	60	60	5.208	36	36	PMS	5082	762	283	8	26	10	6	0	50	38	2.6
P006	103+0.023	7.4 E PERMA	SANDERS	8	22	57	1.701	20	24	RMS	829	123	325	0	10	3	0	24	37	38	1.1
P001	229+0.880	1.1 E BLACKFOOT	GLACIER	2	25	63	2.119	24	24	RMS	1398	223	514	0	11	5	1	23	40	38	1.3
P020	58+0.614	6.1 N SIDNEY	RICHLAND	4	35	35	3.906	20	24	RMS	1893	246	599	0	10	5	4	24	43	38	2.2
P014	133+0.003	2.5 E RYEGATE	GOLDEN VALLEY	11	37	37	3.978	20	24	RMS	1080	140	307	0	9	6	1	23	39	38	2.4
P010	52+0.380	LOMA	CHOUTEAU	6	34	55	2.762	22	24	RMS	1501	195	340	0	10	8	2	21	41	38	1.6
P029	49+0.920	6.6 N TWIN BRIDGES	MADISON	9	36	36	7.354	22	24	RMS	1168	175	225	0	14	6	1	18	39	38	4.5
P028	64+0.237	4.5 S REO LODGE	CARBON	11	34	57	4.147	22	22	RMS	1088	244	591	0	6	8	1	24	39	38	2.5
P020	52+0.570	SIDNEY	RICHLAND	4	35	35	6.066	20	24	RMS	2652	344	711	0	10	5	8	23	46	39	3.3
P006	115+0.193	LAKE CO	LAKE	1	34	52	.936	20	24	RMS	1395	207	448	0	9	8	1	23	41	39	.6
P006	78+0.947	2.3 E JCT FAP 36	SANDERS	8	31	51	6.095	20	24	RMS	1298	193	470	0	11	5	1	24	41	39	3.6
P006	72+0.578	3.1 W PLAINS	SANDERS	8	31	34	3.141	18	24	RMS	1698	253	646	0	9	6	4	24	43	39	1.8
P004	26+0.285	BRIDGER	CARBON	11	23	51	6.413	22	24	RMS	1641	213	486	0	11	6	3	23	43	39	3.7
P004	57+0.393	2.1 E LAUREL	YELLOWSTONE	11	23	68	.806	55	55	RMS	2763	359	627	3	13	8	1	21	46	39	.4
P052	41+0.541	CRESTON	FLATHEAD	1	34	55	3.975	22	24	RMS	1971	291	435	0	17	4	3	20	44	39	2.2
P005	27+0.503	JCT FAP 6	LAKE	1	56	60	2.550	44	44	PMS	4185	611	578	5	18	10	3	14	50	40	1.3
P005	33+0.097	0.3 N ST IGNATIUS	LAKE	1	56	60	1.843	32	32	PMS	3863	563	544	4	13	10	9	14	50	40	.9
P004	42+0.765	JCT FAP 28	CARBON	11	68	68	.159	40	40	PMS	4670	607	399	7	24	10	3	7	51	40	.1
P006	105+0.123	1.4 W DIXON	SANDERS	8	22	34	1.062	22	24	RMS	838	124	423	0	9	3	1	26	39	40	.6
P007	82+0.745	LOLO	MISSOULA	8	68	68	.634	44	44	PMS	5724	744	232	10	27	10	6	0	53	40	.3
P001	64+0.847	15.5 W FLATHEAD CO	LINCOLN	1	41	43	6.753	20	24	RMS	1222	158	234	0	13	7	2	20	42	40	3.9
P001	21+0.505	4.6 E FAP 56	LINCOLN	1	37	70	3.927	24	26	RMS	1910	248	470	0	10	4	9	22	45	40	2.2
P003	41+0.952	CHOTEAU	TETON	6	21	61	12.944	20	22	RMS	936	225	367	0	13	5	1	21	40	40	7.8
P010	51+0.544	0.6 S LOMA	CHOUTEAU	6	36	36	.677	24	24	RMS	1478	192	296	0	14	8	1	20	43	40	.4
P011	55+0.874	LIVINGSTON	PARK	10	34	34	2.078	20	24	PMS	2369	307	610	0	14	7	4	22	47	41	1.1
P012	8+0.047	0.6 W WEST YELL	GALLATIN	10	30	30	.571	34	34	RMS	1791	413	896	0	8	3	11	23	45	41	.3
P024	26+0.710	5.2 W FAP 83	MISSOULA	8	49	49	5.164	25	25	BST	1705	281	438	0	8	8	9	20	45	41	2.8
P024	86+0.129	3.1 E FAS 279	LEWIS AND CLARK	7	57	64	5.094	28	30	PMS	1344	201	133	7	18	10	1	7	43	41	2.9

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P037	46+0.552	4.2 E LAME DEER	ROSEBUD	12	54	54	7.110	24	24	PMS	1075	145	120	4	17	8	1	12	42	41	4.1
P003	23+1.038	FAIRFIELD	TETON	6	21	32	1.492	20	22	BST	965	125	420	0	12	3	0	26	41	41	.9
P001	71+0.596	8.7 W FLATHEAD CO	LINCOLN	1	37	53	6.645	22	24	RMS	1151	149	243	0	14	5	2	21	42	41	3.9
P001	211+0.317	2.1 E EAST GLAC	GLACIER	2	39	63	1.867	26	30	RMS	1291	246	400	0	12	8	2	21	43	41	1.1
P006	88+0.718	3.6 E JCT FAP 35	SANDERS	8	24	38	1.869	20	24	RMS	853	127	356	0	11	4	0	25	40	41	1.1
P057	212+0.180	JCT FAP RTE 18	GARFIELD	5	37	47	.268	22	24	RMS	1223	187	235	0	12	8	5	18	43	41	.2
P053	34+0.273	GOLDEN VALLEY CO	GOLDEN VALLEY	11	48	57	6.295	22	28	RMS	1114	144	289	0	11	8	1	23	43	42	3.6
P053	32+0.044	BROADVIEW	YELLOWSTONE	11	48	48	2.172	20	24	RMS	1127	146	239	0	14	7	1	21	43	42	1.2
P052	18+0.000	YELLOW BAY	LAKE	1	37	65	5.585	24	24	RMS	1297	191	336	0	15	7	1	21	44	42	3.1
P061	155+0.524	JCT FAS RTE 363	PHILLIPS	3	38	42	1.399	24	26	RMS	1837	308	374	0	13	8	7	18	46	42	.8
P007	23+0.549	2.9 S FAS 473	RAVALLI	8	36	36	2.932	22	25	RMS	960	124	273	0	11	6	2	23	42	42	1.7
P006	64+0.701	8.6 E FAS 556	SANDERS	8	39	39	3.997	26	26	BST	1184	176	330	0	13	6	2	22	43	42	2.3
P007	49+0.732	1.7 N HAMILTON	RAVALLI	8	53	53	2.249	24	32	RMS	4221	548	1092	0	9	10	11	22	52	42	1.1
P006	56+0.095	JCT FAS 556	SANDERS	8	35	49	1.717	20	24	RMS	1159	172	184	0	13	5	9	16	43	42	1.0
P001	37+0.882	5.1 E LIBBY	LINCOLN	1	36	51	6.395	24	24	RMS	1575	204	515	0	10	7	4	24	45	42	3.5
P001	379+0.167	JCT FAP RTE 10	HILL	2	52	52	1.516	40	40	RMS	4261	455	654	0	12	10	10	20	52	42	.7
P024	91+0.218	8.2 E FAS 279	LEWIS AND CLARK	7	48	70	5.819	24	25	RMS	1188	178	164	2	17	8	2	14	43	42	3.3
P024	55+0.670	JCT FAP 41	POWELL	8	61	61	9.806	24	26	PMS	1099	181	132	5	17	10	2	9	43	42	5.6
P026	0+0.771	0.8 E JCT FAP 20	RICHLAND	4	33	55	6.762	20	24	RMS	688	89	205	0	11	5	1	23	40	42	4.1
P023	2+0.172	JCT FAI RTE 94	CUSTER	12	20	36	3.282	22	25	RMS	1413	183	324	0	13	8	2	22	45	42	1.8
P019	57+0.499	HALL FAS 512 & 513	GRANITE	8	25	52	5.079	20	22	RMS	638	92	507	0	9	3	1	27	40	43	3.0
P024	0+0.000	JCT FAI 90	MISSOULA	8	74	74	.975	44	44	PMS	3382	558	344	8	27	10	1	6	52	43	.5
P036	7+0.436	7.5 N FAP 6	SANDERS	8	34	47	6.403	20	24	BST	526	78	115	0	12	6	1	20	39	43	3.9
P003	54+0.948	BYNUM	TETON	6	32	53	4.648	20	24	RMS	732	176	338	0	11	6	2	22	41	43	2.7
P001	210+0.124	0.9 E EAST GLAC	GLACIER	2	43	62	1.211	26	30	RMS	1295	247	400	0	14	9	1	21	45	43	.7
P001	240+0.263	4.8 E FAS 444	GLACIER	2	27	60	6.784	24	24	RMS	1192	178	575	0	12	4	3	25	44	43	3.8
P001	103+0.175	3.8 E MARION	FLATHEAD	1	40	63	3.262	24	24	RMS	1388	180	278	0	13	8	4	20	45	43	1.8
P001	153+0.269	JCT FAP 65	FLATHEAD	1	48	49	3.364	24	28	PMS	900	171	129	6	17	7	2	10	42	43	2.0
P005	0+0.000	JCT FAI 90	MISSOULA	8	76	76	.622	64	64	PMS	4376	638	308	10	30	10	4	0	54	43	.3
P010	55+0.129	2.8 N LOMA	CHOUTEAU	6	34	55	8.768	22	24	RMS	1367	177	406	0	12	8	2	23	45	43	4.8
P006	99+0.246	3.6 E PERMA	SANDERS	8	24	38	2.956	20	25	RMS	814	121	470	0	10	4	2	26	42	43	1.7
P006	85+0.033	JCT FAP 35	SANDERS	8	31	51	3.637	20	24	RMS	877	130	453	0	11	4	1	26	42	43	2.1
P007	13+0.545	0.8 N SULA	RAVALLI	8	36	39	3.392	24	24	BST	895	116	235	0	11	7	1	23	42	43	2.0
P068	0+0.000	JCT I 15	CASCADE	6	33	53	.174	24	28	RMS	675	205	368	0	10	8	0	22	40	43	.1
P049	0+0.244	OILLON	BEAVERHEAD	9	46	62	2.421	24	26	RMS	3572	464	567	3	18	7	6	18	52	43	1.2
P045	0+0.535	BIG TIMBER LIMITS	SWEET GRASS	10	35	56	6.788	22	24	RMS	751	97	197	0	12	5	1	23	41	43	4.0
P057	26+0.568	4.7 E GEYSER	JUDITH BASIN	6	36	50	6.610	24	25	RMS	1460	173	418	0	10	6	7	24	47	44	3.5
P058	3+0.397	3.5 W BROWNING	GLACIER	2	35	51	6.368	22	24	RMS	813	158	386	0	9	8	2	24	43	44	3.6
P061	13+0.075	12.0 N ROUNDUP	MUSSELSHELL	11	35	66	8.809	22	24	RMS	835	108	296	0	12	5	1	25	43	44	5.0
P063	0+0.000	JCT. FAP RTE 14	WHEATLAND	10	49	54	3.758	24	24	PMS	1055	137	258	0	11	9	2	22	44	44	2.1
P083	65+0.165	17.7 N LAKE CO.	LAKE	1	58	63	12.634	24	24	RMS	720	126	299	0	10	6	2	24	42	44	7.3
P007	0+0.000	IDAHO LINE	RAVALLI	8	40	40	.105	22	22	BST	800	104	329	0	13	5	0	25	43	44	.1
P008	13+0.007	JCT FAP RTE 41	POWELL	8	33	58	10.200	22	24	RMS	1151	149	573	0	9	6	4	26	45	44	5.6
P007	51+0.984	JCT FAS 373	RAVALLI	8	53	53	7.046	24	32	RMS	3201	416	696	2	12	10	7	21	52	44	3.4
P006	94+0.088	1.1 W PERMA	SANDERS	8	24	38	1.276	20	24	RMS	764	113	233	0	15	3	1	23	42	44	.7
P004	55+0.309	LAUREL	YELLOWSTONE	11	23	68	2.084	55	55	RMS	3001	390	806	4	14	8	3	23	52	44	1.0
P005	120+0.676	5.8 N KALISPELL	FLATHEAD	1	60	60	4.785	36	36	PMS	5055	606	662	4	16	10	10	16	56	44	2.1
P005	61+0.600	0.6 N POLSON	LAKE	1	54	54	2.852	24	32	PMS	2847	384	584	0	18	10	4	20	52	44	1.4
P005	5+0.530	5.2 N JCT FAI 90	MISSOULA	8	64	76	9.496	36	36	PMS	3654	533	239	9	26	10	8	0	53	44	4.5
P005	56+0.943	2.0 S FAP 52	LAKE	1	73	73	.882	40	40	PMS	5517	805	308	6	22	10	18	0	56	44	.4
P001	56+0.167	20.4 E FAS 482	LINCOLN	1	38	50	8.685	20	26	RMS	1180	153	278	0	11	6	6	22	45	44	4.8
P001	80+0.387	FLATHEAD CO LINE	FLATHEAD	1	52	52	9.172	28	28	RMS	963	125	187	0	12	7	5	20	44	44	5.1
P001	537+0.631	3.7 W GLASGOW	VALLEY	3	48	48	3.338	24	26	RMS	3067	414	793	0	10	10	10	22	52	44	1.6
P039	31+0.745	9.0 NO COLSTRIP	ROSEBUD	12	49	70	4.830	24	24	RMS	703	105	275	0	12	5	1	24	42	44	2.8
P039	42+0.430	8.8 SO JCT I 94	ROSEBUD	12	51	67	8.725	24	24	RMS	839	125	431	0	11	5	1	26	43	44	5.0

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BY	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FND	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P025	44+0.762	1.8 S ROOSEVELT	MCCONE	4	30	36	1.745	20	24	BST	656	85	136	0	13	6	1	21	41	44	1.0
P029	19+0.904	5.3 N VIRGINIA CTY	MADISON	9	42	42	5.254	20	24	RMS	1124	236	390	0	12	8	4	21	45	44	2.9
P029	80+0.192	JCT FAS 375	SILVER BOW	9	28	71	3.277	24	30	RMS	1229	159	331	0	14	8	1	23	46	44	1.8
P025	46+0.499	ROOSEVELT CO	ROOSEVELT	3	30	56	.518	24	24	RMS	1242	161	381	0	10	10	2	24	46	44	.3
P024	116+0.833	CASCADE CO	CASCADE	6	52	52	10.632	24	26	RMS	1145	171	308	0	14	7	2	22	45	44	5.8
P024	138+0.485	SUN RIVER	CASCADE	6	36	71	1.322	25	31	RMS	2146	300	491	3	16	9	2	21	51	45	.6
P024	31+0.845	JCT FAP 93	MISSOULA	8	54	54	3.823	24	30	RMS	1538	253	499	0	10	10	6	22	48	45	2.0
P038	0+0.000	JCT FAP RTE 5	FLATHEAD	1	75	75	4.148	44	44	PMS	3627	504	170	10	30	10	4	0	54	45	1.9
P037	0+0.000	JCT FAI RTE 90	BIG HORN	11	54	54	7.865	24	24	PMS	1207	162	393	0	9	8	5	24	46	45	4.2
P001	541+0.099	0.3 W GLASGOW	VALLEY	3	48	48	.328	24	26	RMS	5483	740	728	0	14	8	20	15	57	45	.1
P001	233+0.191	4.4 E BLACKFOOT	GLACIER	2	25	61	7.073	24	24	RMS	1132	181	546	0	12	7	2	25	46	45	3.8
P005	98+0.643	5.2 NLFLATHEADUCO	FLATHEAD	1	63	63	5.548	32	32	PMS	2976	401	589	4	15	10	4	20	53	45	2.6
P007	0+0.105	JCT FAP 45	RAVALLI	8	40	40	7.430	22	22	BST	811	105	329	0	13	5	1	25	44	45	4.2
P077	0+0.000	JCT FAP RTE 36	SANDERS	8	41	41	1.746	20	26	BST	944	141	800	0	8	6	4	27	45	45	1.0
P083	14+0.735	SEELEY LAKE	MISSOULA	8	52	52	8.364	22	26	PMS	770	135	192	0	15	7	2	19	43	45	4.8
P057	33+0.205	11.3 E GEYSER	JUDITH BASIN	6	37	37	3.438	24	30	RMS	1495	177	737	0	9	9	4	26	48	45	1.8
P044	21+0.954	7.6 E VALIER	PONDERA	6	48	48	5.911	20	20	RMS	658	93	422	0	6	6	3	27	42	45	3.4
P044	14+0.299	VALIER	PONDERA	6	48	48	7.655	20	20	RMS	817	116	620	0	7	6	5	27	45	46	4.2
P058	0+0.000	JCT FAP RTE 1	GLACIER	2	35	51	3.371	22	24	RMS	1480	288	748	0	10	8	7	24	49	46	1.7
P058	9+0.786	9.9 W BROWNING	GLACIER	2	29	35	2.247	20	24	PMS	687	133	480	0	8	8	1	26	43	46	1.3
P057	41+0.824	5.2 E FAP 80	JUDITH BASIN	6	36	56	12.442	22	24	RMS	1358	161	343	0	14	6	5	23	48	46	6.5
P083	0+0.000	JCT FAP 24	MISSOULA	8	52	52	14.761	24	24	RMS	1123	197	438	0	13	7	4	23	47	46	7.8
P007	16+0.756	4.2 N SULA	RAVALLI	8	37	39	3.539	24	24	BST	895	116	235	0	13	7	2	23	45	46	1.9
P005	34+0.947	2.1 N ST IGNATIUS	LAKE	1	72	72	.388	32	32	PMS	3882	566	432	7	21	10	8	10	56	46	.2
P006	57+0.808	1.7 E FAS 556	SANDERS	8	34	49	6.899	20	24	RMS	1062	158	233	0	11	5	11	20	47	46	3.7
P001	89+0.548	9.2 E FLATHEAD CO	FLATHEAD	1	36	57	9.847	24	25	RMS	925	120	522	0	10	6	3	27	46	46	5.3
P001	218+0.818	2.9 W BROWNING	GLACIER	2	39	63	1.575	26	30	RMS	1369	261	572	0	10	7	8	23	48	46	.8
P003	18+0.076	2.1 S TETON CO	CASCADE	6	21	32	2.110	22	22	BST	1440	187	420	0	11	4	11	23	49	46	1.1
P003	1+0.866	1.4 W VAUGHN	CASCADE	6	36	48	6.230	24	31	RMS	4618	600	631	3	20	8	10	16	57	46	2.7
P036	3+0.657	3.7 N FAP 6	SANDERS	8	41	47	3.802	20	25	BST	615	92	206	0	12	6	2	23	43	46	2.2
P037	7+0.879	7.9 E JCT FAI 90	BIG HORN	11	54	54	9.343	24	24	PMS	1196	161	418	0	13	8	2	24	47	46	5.0
P033	1+0.219	0.6 N LIBBY	LINCOLN	1	42	50	8.320	28	28	BST	1402	182	349	2	14	8	3	22	49	46	4.2
P025	0+0.055	CIRCLE	MCCONE	4	36	56	7.600	20	24	RMS	562	73	136	0	11	8	1	22	42	46	4.4
P024	97+0.041	14.0 E FAS 279	LEWIS AND CLARK	7	48	63	3.399	24	25	RMS	1265	189	266	0	17	8	4	19	48	46	1.8
P024	109+0.052	JCT FAP RTE 9	LEWIS AND CLARK	7	52	52	7.789	24	26	RMS	1004	150	308	0	13	8	2	23	46	46	4.2
P023	5+0.439	3.3 S FAI RTE 94	CUSTER	12	36	36	9.137	22	25	RMS	868	125	470	0	10	7	2	26	45	46	5.0
P022	42+0.348	PLENTYWOOD	SHERIDAN	3	33	40	1.033	20	24	RMS	2265	339	526	0	13	10	10	20	53	47	.5
P013	47+0.144	9.3 N CAMERON	MADISON	9	36	58	1.492	22	25	RMS	1900	380	601	0	12	9	10	21	52	47	.7
P028	70+0.311	RED LODGE	CARBON	11	21	54	11.712	22	24	RMS	1169	233	544	0	11	8	5	24	48	47	6.1
P028	82+0.066	ROBERTS	CARBON	11	36	36	8.931	21	24	RMS	1161	232	486	0	13	8	4	23	48	47	4.6
P029	14+0.827	VIRGINIA CITY	MADISON	9	45	45	5.116	20	24	RMS	1056	221	315	4	16	5	3	19	47	47	2.7
P035	0+0.000	ST REGIS	MINERAL	8	60	60	3.381	24	24	PMS	1280	211	338	3	15	7	3	21	49	47	1.7
P036	0+0.000	JCT FAP RTE 6	SANDERS	8	44	47	3.661	20	28	BST	750	112	283	0	9	7	5	24	45	47	2.0
P003	75+0.208	DUPUYER	PONDERA	6	28	52	8.382	22	24	RMS	463	111	627	0	10	4	1	27	42	47	4.9
P001	435+0.143	5.8 E FAP 66	BLAINE	2	25	71	4.686	22	24	RMS	982	127	348	2	15	4	1	25	47	47	2.5
P001	526+0.523	14.1 W GLASGOW	VALLEY	3	50	55	11.122	24	27	PMS	1307	176	308	2	14	10	2	21	49	47	5.7
P001	113+0.334	6.0 W KALISPELL	FLATHEAD	1	49	51	6.278	24	31	RMS	2768	359	481	3	14	8	10	19	54	47	2.9
P001	44+0.296	8.5 E FAS 482	LINCOLN	1	36	65	5.006	20	24	RMS	1168	151	364	0	9	7	8	24	48	47	2.6
P001	6+0.982	3.2 E FAS 508	LINCOLN	1	49	51	6.959	22	28	PMS	1767	229	508	0	14	8	6	23	51	47	3.4
P005	114+0.862	KALISPELL	FLATHEAD	1	57	60	5.799	36	36	PMS	4778	573	662	5	18	10	8	17	58	47	2.4
P010	72+0.462	6.9 S BIG SANDY	CHOUTEAU	6	34	55	6.870	22	24	RMS	1217	158	364	0	13	8	5	23	49	47	3.5
P072	11+0.754	0.5 N BELFRY	CARBON	11	49	49	2.812	20	24	RMS	707	113	431	0	12	4	3	26	45	47	1.5
P093	0+0.000	MONT-IDAHO LINE	MISSOULA	8	64	64	6.815	30	30	PMS	905	144	238	3	13	8	1	21	46	47	3.7
P080	4+0.000	1.6 S FT BENTON	CHOUTEAU	6	56	56	1.116	25	25	BST	543	81	257	0	13	4	1	25	43	47	.6
P057	54+0.311	MOCCASIN	JUDITH BASIN	6	33	71	2.337	22	24	RMS	1417	168	308	3	17	7	1	22	50	47	1.2

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	SECTION LENGTH	WIDTH SRF	SUF ROY	TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	CRA	SAF	CAP	TOT	ADJ	DEFIC MILES
R057	330+0.553	0.3 W GLENDIVE	DAWSON	4 48 50	.222	24	34	PMS	4615	553	336	6	19	8	20	5	58	47	.1
R052	23+0.600	4.7 S FLATHEAD CO	LAKE	1 36 60	2.661	24	25	RMS	1447	214	481	0	13	6	8	23	50	47	1.3
R053	23+0.140	COMANCHE	YELLOWSTONE	11 48 48	8.421	20	24	RMS	1153	149	634	0	10	7	5	26	48	47	4.4
P045	8+0.031	7.4 N BIG TIMBER	SWEET GRASS	10 42 42	7.744	20	24	RMS	474	61	448	0	9	4	1	28	42	47	4.5
R063	36+0.345	FERGUS CO	FERGUS	5 46 60	3.235	24	24	RMS	1155	150	278	3	13	9	2	22	49	48	1.6
P060	71+0.018	JCT FAP RTE 57	CASCADE	6 55 55	3.606	40	40	RMS	2084	270	396	2	14	10	7	20	53	48	1.7
R010	86+0.041	3.4 S HILL CO	CHOUTEAU	6 33 41	3.371	20	24	BST	1285	167	476	0	11	7	7	25	50	48	1.7
P009	43+0.145	TETON CO	TETON	6 35 35	2.846	20	24	RMS	522	83	205	0	11	8	1	24	44	48	1.6
R005	59+0.004	JCT FAP 52	LAKE	1 58 58	.331	40	40	RMS	6612	965	326	8	23	10	20	0	61	48	.1
R005	41+0.154	5.4 S RONAN	LAKE	1 66 66	5.018	40	40	RMS	4737	691	648	5	16	10	14	14	59	48	2.1
P005	47+0.372	RONAN	LAKE	1 70 70	6.021	40	40	RMS	5094	743	309	10	27	10	12	0	59	48	2.5
R001	2+0.637	2.6 E IDAHO LINE	LINCOLN	1 49 51	4.352	22	28	PMS	1259	163	338	4	13	8	2	23	50	48	2.2
P039	36+0.575	13.8 NW COLSTRIP	ROSEBUD	12 53 67	5.855	24	24	RMS	733	109	468	0	10	8	1	27	46	48	3.2
R037	17+0.211	17.2 E JCT FAI 90	BIG HORN	11 54 54	7.296	24	24	RMS	1300	175	196	0	13	8	12	17	50	48	3.6
R026	0+0.000	JCT FAR RTE 20	RICHLAND	4 36 36	.771	22	25	BST	1281	166	392	0	15	10	1	24	50	48	.4
R014	137+0.000	6.5 E RYEGATE	GOLDEN VALLEY	11 37 37	9.104	20	24	RMS	1138	147	582	0	9	8	6	26	49	48	4.6
R023	79+0.733	BROADUS	POWDER RIVER	12 40 40	3.380	24	24	RMS	1169	169	297	0	12	9	7	21	49	48	1.7
R022	43+0.383	JCT FAP 30	SHERIDAN	3 33 40	9.226	20	24	RMS	1048	157	352	0	14	9	2	23	48	48	4.8
R019	48+0.325	MAXVILLE	GRANITE	8 31 52	9.137	20	24	RMS	495	71	732	0	9	3	2	29	43	48	5.2
R022	7+0.586	7.1 E SCOBEY	DANIELS	3 35 36	10.261	20	24	BST	500	75	159	0	11	8	1	23	43	48	5.8
P020	32+0.967	1.0 N SAVAGE	RICHLAND	4 34 57	9.055	20	24	RMS	1211	157	608	0	10	8	5	26	49	48	4.6
R021	0+0.825	3.0 S CONRAD	PONDERA	6 64 64	2.835	24	24	RMS	840	109	561	0	10	8	3	27	48	49	1.5
R023	44+0.152	6.4 N POWDER R CO	CUSTER	12 32 60	3.713	18	24	RMS	358	51	355	0	8	4	2	28	42	49	2.2
R019	27+0.690	GRANITE CO LINE	GRANITE	8 34 40	3.134	20	24	RMS	491	71	287	0	12	6	0	26	44	49	1.8
P023	83+0.090	JCT FAR RTE 54	POWDER RIVER	12 31 56	2.448	20	24	RMS	567	82	203	0	12	7	2	24	45	49	1.3
P013	61+0.592	3.7 S NORRIS	MADISON	9 34 34	3.713	20	24	RMS	835	129	211	3	15	8	1	21	48	49	1.9
R013	37+0.869	CAMERON	MADISON	9 34 34	9.243	20	24	RMS	1115	223	486	0	12	8	7	23	50	49	4.6
R013	94+0.645	1.1 E GALLATIN CO	GALLATIN	10 38 38	1.106	24	28	RMS	823	106	399	0	13	8	1	26	48	49	.6
R013	56+0.524	MCALLISTER	MADISON	9 36 57	5.182	22	24	RMS	908	140	311	2	15	7	1	23	48	49	2.7
P013	65+0.316	JCT FAR 84	MADISON	9 34 34	9.543	20	24	RMS	615	95	255	0	14	7	1	24	46	49	5.2
P027	29+0.146	JCT FAS RTE 322	FALLON	12 48 48	5.510	25	25	BST	571	74	441	0	8	9	1	27	45	49	3.0
R029	57+0.250	JCT FAP 55	MADISON	9 36 63	1.155	22	24	RMS	337	50	390	0	10	4	0	28	42	49	.7
P024	100+0.420	JCT FAS RTE 434	LEWIS AND CLARK	7 51 51	8.628	25	25	BST	1038	155	243	0	14	8	7	20	49	49	4.4
R003	8+0.105	JCT FAP 24	CASCADE	6 36 61	7.139	24	31	RMS	1365	177	469	0	13	8	6	24	51	49	3.5
R005	61+0.013	POLSON	LAKE	1 66 66	.587	40	40	RMS	3032	409	326	9	26	10	1	11	57	49	.3
R060	88+0.360	2.0 E GREAT FALLS	CASCADE	6 39 71	2.019	32	32	RMS	4197	545	365	4	17	10	20	8	59	49	.8
R078	0+0.472	RED LODGE	CARBON	11 52 52	5.580	24	24	RMS	597	98	556	0	10	7	1	27	45	49	3.1
R048	0+2.507	HARDIN	BIG HORN	11 70 70	.192	40	40	PMS	4587	642	340	7	21	10	20	2	60	49	.1
P057	94+0.353	11.1 E LEWISTOWN	FERGUS	5 37 57	8.960	24	30	RMS	818	106	367	0	13	9	1	26	49	50	4.6
R086	18+0.793	12.7 S PARK CO	GALLATIN	10 45 45	12.699	20	20	GRV	127	19	262	0	0	2	5	29	36	50	8.1
P078	27+0.412	2.3 N CARBON CO	STILLWATER	11 35 35	2.579	20	20	RMS	403	66	391	0	10	6	1	27	44	50	1.4
P072	14+0.502	6.9 S JCT FAR 4	CARBON	11 48 48	6.987	24	24	RMS	972	155	396	3	15	6	2	24	50	50	3.5
P063	13+0.568	13.3 N HARLOWTON	WHEATLAND	10 49 54	4.288	24	24	PMS	890	115	297	0	12	10	3	24	49	50	2.2
P063	24+0.837	JUDITH BASIN CO	JUDITH BASIN	6 47 62	.581	24	24	RMS	1049	136	360	3	12	10	1	24	50	50	.3
R005	125+0.445	JCT FAR 38	FLATHEAD	1 60 60	1.488	36	36	PMS	8095	971	937	6	19	10	15	14	64	50	.5
R005	32+0.761	ST IGNATIUS	LAKE	1 69 69	.340	44	44	RMS	3501	511	336	5	17	10	20	7	59	50	.1
R007	76+0.872	MISSOULA CO	MISSOULA	8 74 76	6.045	38	38	RMS	5103	663	344	10	28	10	12	1	61	50	2.4
R002	70+0.897	PLEVNA	FALLON	12 39 39	11.725	24	30	RMS	941	122	286	0	14	10	2	24	50	50	5.9
R004	42+0.924	0.2 N FAR 28	CARBON	11 49 65	7.960	24	32	RMS	3956	514	536	4	17	10	13	16	60	50	3.2
R001	391+0.007	BLAINE CO	BLAINE	2 46 54	2.849	24	31	PMS	2884	374	565	5	18	10	5	20	58	50	1.2
P001	629+0.422	3.2 E BROCKTON	ROOSEVELT	3 46 50	5.368	24	32	RMS	1081	140	302	0	17	9	2	23	51	50	2.6
P001	99+0.410	MARION	FLATHEAD	1 47 61	3.779	24	30	RMS	1313	170	331	0	15	7	8	22	52	50	1.8
P025	7+0.759	7.6 W CIRCLE	MCCONE	4 36 55	13.141	20	25	RMS	447	58	342	0	9	6	2	27	44	50	7.4
P025	28+0.107	4.2 N FAS 254	MCCONE	4 40 40	7.404	20	24	RMS	614	79	387	0	10	7	3	27	47	50	3.9
R043	3+0.018	2.4 N LEWISTOWN	FERGUS	5 50 50	6.473	24	28	RMS	1224	159	415	0	14	10	4	24	52	50	3.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P038	7+0.760	0.3 E COL FALLS	FLATHEAD	1	77	77	.303	36	36	PMS	3539	495	333	10	28	10	3	8	59	50	.1
P036	13+0.871	13.9 N FAP 6	SANDERS	8	41	41	2.385	20	26	BST	487	73	267	0	9	6	4	26	45	50	1.3
P013	88+0.703	BROADWATER CO LINE	BROADWATER	7	32	61	4.247	20	24	RMS	526	68	396	0	10	7	2	27	46	50	2.3
P014	151+0.679	MUSSELSHELL CO	MUSSELSHELL	11	37	37	3.424	20	24	RMS	422	54	201	0	13	4	1	26	44	50	1.9
P014	182+0.021	11.9 E ROUNDUP	MUSSELSHELL	11	39	39	5.582	20	24	RMS	588	76	210	0	12	8	1	25	46	50	3.0
P014	146+0.071	JCT FAP RTE 53	GOLDEN VALLEY	11	37	37	5.631	20	24	RMS	448	58	201	0	13	4	1	26	44	50	3.2
P014	170+0.161	ROUNDUP	MUSSELSHELL	11	39	39	11.871	20	24	RMS	785	102	333	0	13	10	1	25	49	51	6.1
P014	160+0.456	7.1 N FAP RTE 16	MUSSELSHELL	11	36	50	7.063	20	24	RMS	490	63	377	0	11	6	2	27	46	51	3.8
P013	49+0.247	ENNIS	MADISON	9	34	34	7.247	20	24	RMS	1044	161	431	0	15	8	4	24	51	51	3.6
P023	33+0.176	17.2 N POWDER R CO	CUSTER	12	31	60	10.961	18	24	RMS	382	55	499	0	7	4	5	28	44	51	6.1
P018	1+0.000	MILES CITY LIMITS	CUSTER	12	57	57	1.135	32	32	BST	2573	334	362	6	18	10	8	16	58	51	.5
P036	26+0.128	7.1 N FAP 77	SANDERS	8	40	40	4.999	20	25	BST	560	84	536	0	7	7	5	28	47	51	2.6
P039	22+0.745	COLSTRIP	ROSEBUD	12	49	67	3.309	24	24	RMS	912	136	249	4	15	8	1	22	50	51	1.7
P042	70+0.530	2.7 S FAP RTE 31	VALLEY	3	34	34	2.725	22	26	RMS	873	139	737	0	10	9	4	27	50	51	1.4
P001	254+0.122	0.6 N OF CUT BANK	GLACIER	2	55	55	.402	42	42	PMS	2534	304	817	4	16	10	4	24	58	51	.2
P001	123+0.228	KALISPELL U L	FLATHEAD	1	67	67	1.404	44	44	PMS	5108	715	731	8	24	10	5	15	62	51	.5
P001	413+0.431	0.4 E ZURICH	BLAINE	2	49	56	.591	32	32	PMS	2019	262	680	5	16	10	1	24	56	51	.3
P002	4+0.822	MILES CITY	CUSTER	12	50	50	1.527	20	24	RMS	1602	208	551	3	15	10	2	24	54	51	.7
P001	429+0.077	0.6 E FAP 66	BLAINE	2	36	62	5.241	28	30	RMS	1216	158	491	3	13	10	2	25	53	51	2.5
P010	97+0.042	7.6 N HILL CO	HILL	2	28	41	7.369	22	24	RMS	1808	235	510	0	15	7	10	23	55	51	3.3
P009	53+0.840	7.8 N FAS 408	TETON	6	36	36	6.133	22	25	RMS	499	79	226	0	12	8	1	25	46	51	3.3
P007	20+0.475	7.7 N SULA	RAVALLI	8	37	39	3.081	24	24	BST	897	116	220	0	12	7	9	22	50	51	1.5
P005	30+0.048	2.5 N JCT FAP 6	LAKE	1	56	60	2.564	32	32	PMS	3564	520	544	4	17	10	13	16	60	51	1.0
P072	10+0.384	BELFRY	CARBON	11	49	49	1.126	24	24	BST	772	123	673	2	14	5	1	27	49	51	.6
P067	0+0.715	SHELBY LIMITS	TOOLE	2	28	52	1.040	20	24	RMS	935	121	334	3	15	7	1	25	51	51	.5
P062	12+0.176	8.3 S RICHLAND CO	RICHLAND	4	40	49	8.089	24	26	RMS	636	95	255	0	14	8	2	24	48	51	4.2
P062	20+0.286	4.6 N FAS 201	RICHLAND	4	40	49	4.651	24	26	RMS	828	124	255	0	15	8	4	23	50	51	2.3
P049	0+0.000	DILLON	BEAVERHEAD	9	46	74	.102	40	40	RMS	1735	225	896	4	17	6	2	26	55	51	
P049	6+0.804	6.8 E FAI RTE 15	BEAVERHEAD	9	59	59	6.880	24	24	PMS	1105	143	249	0	17	10	4	21	52	51	3.3
P055	2+0.411	SIL BOW-JEFFERSON	JEFFERSON	7	53	53	9.717	24	24	RMS	1379	227	289	4	15	8	8	18	53	51	4.6
P052	10+0.345	10.3 N FAP 5	LAKE	1	48	65	7.657	24	25	RMS	1297	191	522	0	14	8	6	25	53	51	3.6
P059	15+0.395	CLYDE PARK	PARK	10	38	38	5.039	20	24	RMS	655	98	655	0	9	8	4	28	49	52	2.6
P057	131+0.060	7.8 E PETROLEUM CO	PETROLEUM	5	31	58	4.553	20	24	RMS	288	44	406	0	7	7	1	28	43	52	2.6
P057	206+0.821	5.3 W FA RTE 18	GARFIELD	5	36	57	5.344	22	26	RMS	400	61	450	0	10	7	1	28	46	52	2.9
P062	24+0.961	JCT FAS 201	RICHLAND	4	40	49	4.749	24	26	RMS	1049	157	277	2	17	8	4	21	52	52	2.3
P061	1+0.020	ROUNDUP	MUSSELSHELL	11	50	54	5.953	24	30	PMS	1201	156	384	0	13	10	6	24	53	52	2.8
P083	30+0.815	15.9 N SEELEY LAKE	MISSOULA	8	59	59	11.071	24	24	PMS	548	96	221	2	14	6	3	23	48	52	5.8
P086	3+0.822	2.8 N BOZEMAN	GALLATIN	10	61	61	5.760	30	30	PMS	1813	362	738	5	17	10	1	23	56	52	2.5
P085	0+0.000	JCT FAP 50 FAP 84	GALLATIN	10	53	53	6.708	24	24	RMS	1659	273	534	4	15	8	7	22	56	52	3.0
P005	93+0.536	FLATHEAD CO	FLATHEAD	1	64	64	5.181	32	32	PMS	1777	239	307	4	14	10	10	18	56	52	2.3
P009	29+0.380	9.3 N FAP 24	LEWIS AND CLARK	7	32	36	9.091	20	24	BST	355	56	211	0	11	7	1	26	45	52	5.0
P009	46+0.003	JCT FAS 408	TETON	6	35	35	7.848	20	24	RMS	466	74	247	0	12	8	1	26	47	52	4.2
P010	90+0.926	1.5 N HILL CO	HILL	2	30	73	6.098	22	26	PMS	1809	235	535	0	14	7	12	23	56	52	2.7
P007	74+0.820	FLORENCE	RAVALLI	8	74	76	2.051	38	38	PMS	4539	590	344	10	28	10	10	4	62	52	.8
P004	50+0.813	YELLOWSTONE CO	YELLOWSTONE	11	49	65	1.390	28	32	RMS	3627	471	616	4	15	9	14	19	61	52	.5
P002	6+0.886	0.7 E JCT FAI 94	CUSTER	12	50	50	6.326	20	24	RMS	631	82	228	0	14	9	1	25	49	52	3.2
P001	278+0.459	JCT FAI 15	TOOLE	2	60	60	.350	68	68	PMS	3558	498	3520	3	13	10	7	28	61	52	.1
P001	209+0.252	EAST GLACIER	GLACIER	2	63	63	.874	32	32	PMS	1294	247	428	5	17	10	1	21	54	52	.4
P042	59+0.181	2.9 N VALLEY CO	VALLEY	3	34	34	11.343	22	26	RMS	604	96	290	0	15	7	1	25	48	52	5.9
P024	76+0.133	3.9 E LINCOLN	LEWIS AND CLARK	7	60	60	5.887	24	24	PMS	1469	220	258	6	20	10	2	17	55	52	2.6
P029	75+0.032	SILVER BOW CO LINE	SILVER BOW	9	34	62	2.823	24	30	RMS	534	69	302	0	14	7	0	27	48	52	1.5
P025	20+0.909	20.7 N CIRCLE	MCCONE	4	35	40	7.203	20	24	RMS	550	71	258	0	13	7	2	26	48	52	3.7
P029	77+0.863	2.3 E FAS 375	SILVER BOW	9	28	60	2.337	24	30	RMS	712	92	627	0	14	7	1	28	50	52	1.2
P022	29+0.335	ARCHER	SHERIDAN	3	37	62	11.850	20	24	RMS	684	102	377	0	11	9	3	26	49	52	6.0
P019	10+0.110	ANACONDA	DEER LODGE	9	51	59	6.813	24	28	PMS	1950	282	508	3	15	8	9	22	57	52	2.9

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	DHV	SERVICE VOLUME	---SUFFICIENCY RATINGS--- FNO	SRF	CRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P014	6+0.412	4.0 E FAS 284	BROADWATER	7	37	66	7.187	24	25	RMS	556	83	530	0	11	7	2	28	48	52	3.7
P014	187+0.619	17.5 E ROUNDUP	MUSSELSHELL	11	39	39	4.478	20	24	RMS	551	71	354	0	11	8	3	27	49	53	2.3
P018	48+0.498	10.4 N GARFIELD CO	GARFIELD	5	31	35	4.902	20	24	BST	230	29	374	0	8	5	1	29	43	53	2.8
P023	55+0.758	COAL#000	POWDER RIVER	12	49	55	8.797	24	24	RMS	377	54	393	0	8	9	1	28	46	53	4.8
P029	58+0.396	SILVER BOW CO LINE	SILVER BOW	9	36	63	1.488	22	24	RMS	337	50	540	0	10	5	1	29	45	53	.8
P025	35+0.506	11.0S ROOSEVELT CO	MCCONE	4	37	37	9.233	20	25	RMS	569	73	201	0	15	6	3	25	49	53	4.7
P029	59+0.892	JEFFERSON CO LINE	JEFFERSON	7	36	36	5.791	22	24	RMS	340	51	567	0	10	5	1	29	45	53	3.2
P029	25+0.175	1.9 N FAS RTE 357	MADISON	9	40	40	7.930	20	24	RMS	1485	311	702	0	9	8	16	23	56	53	3.5
P032	39+0.888	4.7 N DANIELS CO	DANIELS	3	33	45	4.599	20	24	RMS	331	46	220	0	12	5	1	27	45	53	2.5
P037	42+0.082	LAME DEER FAP 39	ROSEBUD	12	54	54	4.469	24	24	PMS	1174	158	237	2	16	9	7	20	54	53	2.1
P037	24+0.493	BUSBY	BIG HORN	11	54	54	2.712	24	24	PMS	1439	194	593	0	10	10	11	25	56	53	1.2
P001	626+0.151	BROCKTON	ROOSEVELT	3	43	57	3.243	24	30	RMS	1145	148	414	0	16	10	3	25	54	53	1.5
P010	109+0.571	1.8 S FAP 1	HILL	2	52	52	1.796	32	32	RMS	1640	213	580	3	14	10	6	24	57	53	.8
P010	63+0.940	11.6 N LOMA	CHOUTEAU	6	34	55	8.465	22	24	RMS	1194	155	380	2	18	8	2	24	54	53	3.9
P005	53+0.399	6.0 N RONAN	LAKE	1	58	58	3.432	32	32	PMS	5270	769	688	8	22	10	11	13	64	53	1.2
P061	38+0.688	6.5 S FAP RTE 57	FERGUS	5	41	67	4.893	24	30	RMS	693	90	367	0	13	9	2	26	50	53	2.4
P057	103+0.269	9.6 W FAP 61	FERGUS	5	40	55	9.667	24	32	RMS	809	123	599	0	13	9	3	27	52	53	4.6
P057	123+0.198	PETROLEUM CO	PETROLEUM	5	31	58	7.790	20	24	RMS	286	43	634	0	7	4	4	29	44	53	4.4
P057	88+0.245	5.1 E LEWISTOWN	FERGUS	5	37	56	6.022	24	30	RMS	784	101	333	2	15	8	2	25	52	54	2.9
P057	199+0.094	10.5 E EDWARDS	GARFIELD	5	36	53	7.662	24	24	RMS	358	54	499	0	9	9	1	28	47	54	4.1
P057	171+0.261	8.1 W SAND SPRINGS	GARFIELD	5	48	52	8.146	22	24	RMS	328	50	406	0	10	7	1	28	46	54	4.4
P059	4+0.559	4.1 N FAI 90	PARK	10	41	41	10.238	20	24	RMS	836	125	431	0	13	9	5	26	53	54	4.8
P050	47+0.941	JCT FAP RTE 64	GALLATIN	10	55	55	12.950	28	28	PMS	1283	201	348	5	19	9	2	21	56	54	5.7
P078	6+0.052	5.5 W RED LODGE	CARBON	11	53	53	7.264	24	24	RMS	334	55	278	0	12	6	1	27	46	54	3.9
P062	29+0.721	4.7 S JCT FAS 201	RICHLAND	4	38	49	3.628	24	26	RMS	1157	173	387	2	17	8	5	23	55	54	1.6
P060	74+0.514	JCT FAS RTE 331	CASCADE	6	52	55	6.955	24	32	PMS	2849	370	428	4	15	10	15	17	61	54	2.7
P083	23+0.113	8.3 N SEELEY LAKE	MISSOULA	8	52	52	7.694	22	26	PMS	530	93	175	3	17	7	1	22	50	54	3.8
P006	106+0.153	2.0 W DIXON	SANDERS	8	44	44	1.991	24	24	BST	846	126	608	0	10	8	8	27	53	54	.9
P005	18+0.483	3.4 N LAKE CO	LAKE	1	55	60	5.861	32	32	PMS	4297	627	580	6	19	10	15	14	64	54	2.1
P009	38+0.547	AUGUSTA FAS 434	LEWIS AND CLARK	7	35	35	4.584	20	24	RMS	472	75	364	0	13	7	2	27	49	54	2.3
P008	11+0.267	AVON	POWELL	8	33	66	1.742	22	24	RMS	1177	153	620	0	9	8	12	26	55	54	.8
P001	543+0.809	JCT FAP 31	VALLEY	3	62	62	2.430	36	36	PMS	1966	265	616	5	17	10	3	24	59	54	1.0
P001	197+0.816	GLACIER CO LINE	GLACIER	2	52	70	6.390	26	26	PMS	1031	196	264	5	17	10	3	19	54	54	2.9
P036	31+0.649	FLATHEAD CO	FLATHEAD	1	40	51	4.443	20	26	RMS	482	72	312	0	11	6	5	27	49	54	2.3
P036	31+0.138	LAKE CO	LAKE	1	40	40	.511	20	25	BST	453	67	308	0	13	7	1	27	48	54	.3
P044	2+0.760	2.8 E JCT FAP 3	PONDERA	6	54	54	10.425	24	24	RMS	533	75	591	0	14	7	1	28	50	54	5.2
P037	53+0.681	11.3 E LAME DEER	ROSEBUD	12	54	54	8.693	24	24	PMS	1070	144	258	4	17	9	3	22	55	54	3.9
P032	7+0.507	3.8 N FAP 1	ROOSEVELT	3	33	45	6.626	20	24	RMS	427	59	387	0	10	9	1	28	48	54	3.4
P028	68+0.573	RED LODGE	CARBON	11	34	57	.117	22	24	RMS	1733	389	595	0	10	8	20	20	58	54	
P030	0+0.000	JCT FAP RTE 22	SHERIDAN	3	38	40	10.149	20	24	RMS	404	56	290	0	11	7	3	27	48	54	5.3
P029	43+0.258	TWIN BRIDGES	MADISON	9	39	39	6.634	20	24	RMS	1240	186	420	0	11	5	17	23	56	54	2.9
P024	35+0.684	POWELL CO	POWELL	8	61	61	7.494	24	26	PMS	1548	255	277	6	20	10	5	16	57	54	3.2
P013	93+0.363	JCT FAP 8	BROADWATER	7	68	68	.330	40	40	RMS	823	106	75	8	25	10	1	9	53	54	.2
P013	83+0.044	JEFFERSON CO LINE	JEFFERSON	7	34	52	.908	22	24	RMS	504	78	343	0	13	8	1	27	49	54	.5
P013	24+0.369	13.3 S CAMERON	MADISON	9	34	34	2.648	20	24	RMS	490	98	871	0	9	7	5	28	49	54	1.4
P014	13+0.545	11.2 E FAS 284	BROADWATER	7	51	51	9.901	20	26	RMS	449	67	297	0	14	5	3	27	49	55	5.0
P013	83+0.952	SAPPINGTON JCT	JEFFERSON	7	32	48	5.273	24	30	RMS	525	68	323	0	14	8	1	27	50	55	2.6
P024	4+0.910	4.1 E BONNER	MISSOULA	8	68	68	2.624	40	40	PMS	2222	366	425	6	18	10	10	17	61	55	1.0
P018	38+0.093	GARFIELD CO	GARFIELD	5	31	35	10.392	20	24	BST	203	26	357	0	7	7	1	29	44	55	5.8
P029	68+0.871	6.1 E JEFF CO LINE	JEFFERSON	7	31	62	6.155	22	26	RMS	417	54	296	0	13	7	2	27	49	55	3.1
P032	48+0.193	2.6 S SCOBEY	DANIELS	3	33	45	2.587	20	24	RMS	366	51	220	0	12	8	1	27	48	55	1.3
P039	26+0.054	3.3 NO COLSTRIP	ROSEBUD	12	49	70	5.691	24	24	RMS	737	110	301	4	17	6	1	25	53	55	2.7
P009	20+0.875	0.8 N FAP 24	LEWIS AND CLARK	7	32	36	8.470	20	24	BST	321	51	470	0	10	7	2	28	47	55	4.5
P005	46+0.161	0.4 S RONAN	LAKE	1	70	70	.411	40	40	PMS	5403	788	848	8	24	10	8	16	66	55	.1
P069	31+0.026	6.0 S BOULDER	JEFFERSON	7	59	59	6.004	24	24	BST	988	148	353	4	17	7	3	24	55	55	2.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	OEFIC MILES
P046	65+0.263	0.4 E WISE RIVER	BEAVERHEAD	9	61	61	8.231	26	28	PMS	561	84	382	3	14	6	1	27	51	55	4.0
P057	192+0.200	3.6 E EDWARDS	GARFIELD	5	36	53	6.889	24	24	RMS	301	46	499	0	8	9	1	29	47	55	3.7
P057	148+0.698	9.6 W GARFIELD CO	PETROLEUM	5	51	51	7.983	24	24	BST	363	55	266	0	12	8	1	27	48	55	4.2
P057	73+0.550	8.5 E FAP 63	FERGUS	5	47	54	3.349	24	31	PMS	1664	198	384	6	19	9	3	22	59	55	1.4
P057	226+0.736	8.7 E FAS 341	GARFIELD	5	37	54	12.201	24	24	RMS	340	52	243	D	11	8	1	27	47	55	6.5
P057	218+0.065	JCT FAS RTE 341	GARFIELD	5	36	49	8.693	24	25	BST	342	52	469	0	10	8	1	28	47	55	4.6
P057	36+0.650	JCT FAP RTE 80	JUDITH BASIN	6	37	37	5.169	24	30	RMS	1601	190	470	0	8	9	17	24	58	55	2.2
P057	213+0.087	JORDAN	GARFIELD	5	37	52	4.996	24	26	RMS	426	65	500	0	12	8	2	28	50	56	2.5
P059	49+0.499	JCT FAS RTE 294	MEAGHER	10	36	63	8.034	22	24	RMS	369	55	642	0	9	8	3	29	49	56	4.1
P059	45+0.327	0.3 N RINGLING	MEAGHER	10	36	47	4.192	24	24	RMS	342	51	805	0	9	8	2	29	48	56	2.2
P058	39+0.819	BABB	GLACIER	2	56	56	3.787	24	28	RMS	1034	201	523	3	17	9	3	24	56	56	1.7
P053	15+0.901	ACTON	YELLOWSTONE	11	48	48	7.281	20	24	RMS	1193	155	421	D	11	9	13	24	57	56	3.1
P075	0+0.000	JCT FAP RTE 57	FERGUS	5	49	61	1.680	24	28	RMS	1020	121	249	3	19	8	3	23	56	56	.7
P063	18+0.463	JUDITH GAP	WHEATLAND	10	49	54	.733	24	24	PMS	818	106	258	5	15	10	1	24	55	56	.3
P063	4+0.083	3.8 N HARLOWTON	WHEATLAND	10	49	54	9.470	24	24	PMS	874	113	408	0	14	10	5	26	55	56	4.3
P061	147+0.379	9.5 S MALTA	PHILLIPS	3	38	42	8.114	24	26	RMS	559	93	319	D	11	8	7	26	52	56	3.9
P008	65+0.436	0.7 S WINSTON	BROADWATER	7	56	65	11.541	32	32	PMS	2338	303	648	5	18	10	6	23	62	56	4.4
P012	0+0.000	IDAHO LINE	GALLATIN	10	61	61	2.272	34	34	PMS	1317	304	354	5	18	10	8	17	58	56	1.0
P001	204+0.366	6.4 E GLACIER CO	GLACIER	2	63	63	4.884	32	32	PMS	1079	206	441	4	15	10	5	23	57	56	2.1
P001	251+0.988	2.7 W OF CUT BANK	GLACIER	2	72	72	2.128	50	50	PMS	1946	291	272	8	26	10	3	14	61	56	.8
P027	22+0.502	JCT FAS RTE 494	FALLON	12	48	48	6.612	25	25	BST	352	45	266	0	11	9	2	27	49	56	3.4
P032	3+0.751	JCT FAP RTE 1	ROOSEVELT	3	33	45	3.750	20	24	RMS	506	70	421	0	11	9	3	28	51	56	1.8
P019	24+0.300	3.4 E GRANITE CO	DEER LODGE	9	34	54	3.379	22	24	RMS	520	75	222	3	14	7	2	25	51	56	1.7
P022	17+0.900	SHERIDAN CO	SHERIDAN	3	36	36	3.028	22	25	BST	341	51	222	D	11	8	2	27	48	56	1.6
P024	82+0.008	1.0 W JCT FAS 279	LEWIS AND CLARK	7	57	64	4.104	28	30	PMS	1411	211	333	6	16	10	7	20	59	56	1.7
P018	23+0.937	3.9 N ROSEBUD CO	ROSEBUD	12	31	35	10.946	20	24	BST	210	27	357	D	8	7	1	29	45	56	6.0
P023	72+0.957	3.4 N FAP 37	POWDER RIVER	12	28	41	3.380	24	24	BST	512	74	221	2	13	8	3	25	51	56	1.7
P013	82+0.240	1.4 N GALLATIN CO	GALLATIN	10	50	50	.830	22	24	RMS	481	74	296	D	15	8	2	26	51	56	.4
P014	68+0.503	8.7 W WHEATLAND CO	MEAGHER	10	36	63	4.875	22	24	RMS	295	38	451	0	9	7	2	29	47	56	2.6
P017	3+0.200	3.5 N FAP RTE 42	VALLEY	3	38	63	5.422	20	24	RMS	466	70	364	0	14	7	4	27	52	57	2.6
P014	77+0.214	WHEATLAND CO	WHEATLAND	10	34	64	10.825	22	24	RMS	333	43	684	0	9	7	4	29	49	57	5.5
P023	2+0.111	MILES CITY LIMITS	CUSTER	12	20	36	.061	25	25	RMS	1724	224	280	D	15	8	20	18	61	57	
P023	47+0.867	2.7 N POWDER R CO	CUSTER	12	52	52	2.704	22	28	PMS	385	55	220	D	11	10	3	26	50	57	1.4
P018	20+0.059	ROSEBUD CO	ROSEBUD	12	28	35	3.899	20	24	BST	233	30	515	D	7	8	3	29	47	57	2.1
P023	64+0.575	8.8 S CDALWOOD	POWDER RIVER	12	29	41	8.397	24	24	BST	430	62	258	0	12	10	3	26	51	57	4.1
P032	28+0.175	7.0 S DANIELS CO	ROOSEVELT	3	33	45	7.041	20	24	RMS	259	36	387	D	10	7	1	29	47	57	3.7
P029	0+0.245	ENNIS LIMITS	MADISON	9	50	50	5.436	24	24	RMS	829	174	420	5	18	7	2	24	56	57	2.4
P030	20+0.630	JCT FAS RTE 516	SHERIDAN	3	40	40	2.757	20	24	RMS	330	46	315	0	12	8	1	28	49	57	1.4
P001	521+0.454	20.0 E VALLEY CO	VALLEY	3	50	55	5.116	24	27	PMS	1270	171	471	3	18	10	3	25	59	57	2.1
P063	19+0.218	FERGUS CO	FERGUS	5	47	73	3.002	24	24	PMS	893	116	384	3	14	10	4	25	56	57	1.3
P069	0+0.673	WHITEHALL	JEFFERSON	7	33	55	2.318	32	32	RMS	1100	165	680	2	11	10	9	26	58	57	1.0
P082	0+0.000	JCT FAP 5	FLATHEAD	1	52	71	5.474	24	24	PMS	2346	340	514	8	23	8	4	20	63	57	2.0
P084	20+0.309	ANCENEY	GALLATIN	10	55	55	8.744	24	24	RMS	861	146	365	5	18	8	1	24	56	57	3.8
P048	1+0.344	0.8 N HARDIN	BIG HORN	11	41	63	5.459	21	24	RMS	1569	219	421	3	17	8	10	22	60	57	2.2
P055	0+0.000	JCT FAP 29	MADISON	9	53	53	2.142	24	24	RMS	827	136	333	4	16	8	4	24	56	57	.9
P047	0+0.000	JCT FAP RTE 19	DEER LODGE	9	49	49	5.992	20	26	RMS	1239	173	535	2	15	8	9	25	59	57	2.5
P057	21+0.888	GEYSER	JUDITH BASIN	6	36	50	4.693	24	25	RMS	1440	171	408	D	13	7	16	24	60	57	1.9
P057	262+0.331	13.9 E FAP 42	MCCONE	4	47	47	5.189	24	24	BST	383	58	492	0	10	8	4	28	50	57	2.6
P057	256+0.590	8.0 E FAP 42	MCCONE	4	40	54	5.800	24	24	RMS	353	54	266	0	13	9	1	27	50	57	2.9
P057	242+0.464	3.5 E FAS 462	GARFIELD	5	38	54	6.092	24	24	RMS	338	51	243	0	13	9	1	27	50	58	3.0
P057	248+0.631	JCT FAP 42	MCCONE	4	40	54	8.010	24	24	RMS	317	48	243	0	13	9	1	27	50	58	4.0
P057	79+0.285	JCT FAP RTE 75	FERGUS	5	47	54	1.761	24	31	RMS	1780	206	780	7	17	9	3	26	62	58	.7
P081	32+0.645	9.8 NW JCT FAP 43	FERGUS	5	51	51	9.827	24	24	BST	362	56	243	2	13	8	1	27	51	58	4.8
P061	142+0.098	14.7 S MALTA	PHILLIPS	3	42	42	5.278	20	24	RMS	371	62	203	0	15	9	2	25	51	58	2.6
P001	354+0.598	1.0 E GILDFORD	HILL	2	36	59	8.956	26	31	RMS	1164	151	564	5	17	10	1	26	59	58	3.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 1ST	8T	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SUFFICIENCY RATINGS SRF	DRN	SAF	CAP	TOT	ADJ	OEFIC MILES
P001	156+0.627	3.2 E WEST GLACIER	FLATHEAD	1	65	65	.521	24	28	RMS	875	167	301	6	19	10	0	22	57	58	.2
P001	166+0.253	12.7 E WEST GLAC	FLATHEAD	1	57	59	2.834	26	26	PMS	744	142	384	5	16	10	1	24	56	58	1.2
P005	64+0.489	3.5 N POLSON	LAKE	1	54	54	2.938	24	32	PMS	2266	305	411	4	16	10	15	19	64	58	1.1
P029	66+0.000	JCT FORMER FAP 2	JEFFERSON	7	31	40	2.000	24	31	RMS	391	50	248	0	13	10	1	27	51	58	1.0
P031	0+0.000	JCT FAP 42	VALLEY	3	62	62	1.443	28	28	PMS	667	100	396	4	14	9	2	26	55	58	.6
P036	40+0.186	LAKE CO	LAKE	1	37	65	6.526	24	26	RMS	621	93	357	0	11	7	11	26	55	58	2.9
P045	33+0.365	5.1 N WHEATLAND CO	WHEATLAND	10	35	39	4.535	20	24	RMS	340	44	431	0	12	7	3	28	50	58	2.3
P024	72+0.242	LINCOLN	LEWIS AND CLARK	7	60	60	3.867	24	24	PMS	1621	243	450	5	18	10	6	22	61	58	1.5
P024	65+0.472	LEWIS & CLARK CO	LEWIS AND CLARK	7	60	60	6.788	24	24	PMS	1322	218	328	5	21	10	4	20	60	58	2.7
P018	34+0.903	JCT FAS RTE 462	ROSEBUD	12	31	56	3.183	20	24	BST	185	24	336	0	8	7	2	29	46	58	1.7
P023	85+0.568	2.4 S JCT FAP 54	POWDER RIVER	12	53	53	10.017	24	28	RMS	511	74	266	0	14	10	4	26	54	59	4.6
P014	73+0.390	3.6 W WHEATLAND CO	MEAGHER	10	36	63	1.779	22	24	RMS	305	39	792	0	10	7	5	29	51	59	.9
P014	195+0.388	3.3 E FAS 310	MUSSELSHELL	11	39	39	8.309	20	24	RMS	504	65	354	0	12	9	6	27	54	59	3.8
P014	130+0.503	RYEGATE	GOLDEN VALLEY	11	37	37	2.478	20	24	RMS	1054	137	377	0	11	6	17	25	59	59	1.0
P014	63+0.148	18.1 E FAP 60	MEAGHER	10	37	65	5.333	21	24	RMS	280	36	448	0	9	8	4	29	50	59	2.7
P014	192+0.108	JCT FAS 310	MUSSELSHELL	11	39	39	3.283	20	24	RMS	533	69	357	0	9	8	11	27	55	59	1.5
P043	9+0.492	JCT FAP RTE 81	FERGUS	5	50	50	5.335	24	28	RMS	728	94	356	2	14	10	5	26	57	59	2.3
P037	33+0.061	5.6 W ROSEBUD CO	BIG HORN	11	74	74	5.621	40	40	PMS	1557	210	135	10	28	10	7	7	62	59	2.1
P032	14+0.125	10.0 N JCT FAP 1	ROOSEVELT	3	33	45	9.277	20	24	RMS	307	42	220	0	16	7	1	27	51	59	4.5
P032	35+0.227	DANIELS CO	DANIELS	3	33	45	4.667	20	24	RMS	294	41	201	0	13	8	2	27	50	59	2.3
P029	67+0.995	7.0 E JEFF CO LINE	JEFFERSON	7	51	51	.888	34	34	RMS	398	51	243	0	12	10	4	27	53	59	.4
P005	145+0.620	OLNEY	FLATHEAD	1	55	60	11.263	26	26	PMS	861	111	284	0	14	9	11	24	58	59	4.7
P008	108+0.855	1.0 S FAI 90	BROADWATER	7	68	68	.321	44	44	RMS	1196	155	128	10	27	10	1	12	60	59	.1
P001	78+0.265	2.1 W FLATHEAD CO	LINCOLN	1	37	53	2.143	22	24	RMS	1105	143	187	0	15	6	20	19	60	59	.9
P001	404+0.087	CHINOOK	BLAINE	2	44	56	4.248	28	30	PMS	2377	309	663	6	17	10	9	23	65	59	1.5
P001	408+0.325	4.2 E CHINOOK	BLAINE	2	40	56	5.091	28	30	PMS	2051	266	663	6	16	10	8	24	64	59	1.8
P001	546+0.252	2.4 E FAP 31	VALLEY	3	53	53	8.404	24	30	RMS	1466	197	631	0	14	10	13	25	62	59	3.2
P003	28+0.226	4.2 N FAIRFIELD	TETON	6	40	40	12.297	24	30	RMS	881	114	600	0	15	7	9	27	58	59	5.2
P078	13+0.316	12.8 W RED LODGE	CARBON	11	57	57	6.370	24	24	PMS	283	46	591	0	13	6	2	29	50	59	3.2
P083	41+0.890	5.8 S LAKE CO LINE	MISSOULA	8	59	59	5.856	24	24	PMS	556	97	429	2	14	7	5	27	55	59	2.6
P057	112+0.981	JCT FAP RTE 61	FERGUS	5	51	51	8.723	24	24	BST	342	52	713	0	10	9	3	29	51	59	4.3
P060	38+0.998	NEIHART	CASCADE	6	52	52	10.527	22	26	PMS	603	90	441	5	14	8	2	27	56	59	4.6
P057	76+0.912	2.3 W FAP 75	FERGUS	5	47	54	2.366	24	31	PMS	1904	226	565	7	20	9	3	24	63	59	.9
P057	238+0.925	JCT FAS 462	GARFIELD	5	38	54	2.537	24	24	RMS	341	52	312	0	12	9	2	28	51	59	1.2
P059	40+0.703	2.8 MEAGHER CO	MEAGHER	10	36	47	4.600	24	24	RMS	226	33	582	0	10	6	4	29	49	60	2.3
P093	6+0.837	6.8 E IDAHO LINE	MISSOULA	8	64	64	9.654	30	30	PMS	1012	161	549	5	15	10	4	26	60	60	3.9
P081	29+0.558	12.9 NW JCT FAP 43	FERGUS	5	73	73	3.087	24	24	RMS	381	59	243	4	14	8	1	26	53	60	1.5
P063	26+0.629	1.2 N FERGUS CO	FERGUS	5	41	70	6.838	24	24	RMS	952	123	278	7	18	10	2	23	60	60	2.7
P063	22+0.221	JUDITH BASIN CO	JUDITH BASIN	6	47	73	.678	24	24	PMS	1009	131	450	3	14	10	7	26	60	60	.3
P078	45+0.855	0.5 S COLUMBUS	STILLWATER	11	57	57	.591	28	28	RMS	1601	264	425	8	24	10	0	21	63	60	.2
P063	22+0.899	FERGUS CO	FERGUS	5	47	62	1.926	24	24	RMS	1050	136	429	2	13	10	10	25	60	60	.8
P001	634+0.794	8.6 E BROCKTON	ROOSEVELT	3	52	52	4.409	24	30	RMS	1008	131	442	0	14	10	10	26	60	60	1.8
P001	639+0.172	5.0 W CULBERTSON	ROOSEVELT	3	52	52	3.338	24	30	RMS	975	126	414	0	12	10	13	25	60	60	1.3
P001	164+0.714	11.2 E WEST GLAC	FLATHEAD	1	57	59	1.514	26	26	PMS	771	147	357	6	16	10	2	24	58	60	.6
P001	278+0.091	0.4 W FAI 15	TOOLE	2	60	60	.368	68	68	PMS	1572	235	3520	3	14	10	7	29	63	60	.1
P001	271+0.001	7.6 E TOOLE CO	TOOLE	2	53	66	7.061	32	32	RMS	1566	234	544	3	17	10	9	24	63	60	2.6
P001	197+0.193	0.6 W GLACIER CO	FLATHEAD	1	52	70	.623	26	26	PMS	993	189	324	7	22	10	0	21	60	60	.2
P001	231+0.966	3.2 E BLACKFOOT	GLACIER	2	50	63	1.203	24	30	RMS	1315	210	564	5	17	10	6	24	62	60	.5
P001	0+0.000	IDAHO LINE	LINCOLN	1	54	55	2.622	24	30	PMS	1032	134	323	4	16	9	7	24	60	60	1.0
P010	3+0.534	GREAT FALLS	CASCADE	6	40	71	6.102	28	28	PMS	2142	278	592	5	25	9	3	23	65	60	2.1
P005	156+0.922	LINCOLN CO	LINCOLN	1	55	60	2.697	26	26	PMS	999	129	284	0	15	9	13	23	60	60	1.1
P006	37+0.680	WHITE PINE	SANDERS	8	48	54	8.533	24	28	PMS	798	116	536	0	16	9	7	27	59	60	3.5
P005	134+0.691	6.8 N WHITEFISH	FLATHEAD	1	55	59	10.962	24	28	PMS	1301	169	569	3	15	10	8	26	62	60	4.2
P032	0+0.000	JCT FAP RTE 25	ROOSEVELT	3	33	45	3.765	20	24	RMS	317	44	584	0	9	10	4	29	52	60	1.8
P028	96+0.673	JOLIET	CARBON	11	74	74	4.685	44	44	PMS	1814	362	344	9	28	10	3	14	64	60	1.7

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P039	0+0.000	JCT 37 LAKE DEER	ROSEBUD	12	64	64	4.230	24	24	PMS	511	76	431	4	17	7	0	27	55	60	1.9
P014	207+0.150	ROSEBUD CO	ROSEBUD	12	46	57	5.287	20	24	RMS	336	53	333	0	11	10	3	28	52	60	2.5
P020	23+0.110	RICHLAND CO	RICHLAND	4	54	54	5.787	28	28	RMS	1203	156	301	2	16	10	11	22	61	60	2.3
P022	20+0.923	3.0 E SHERIDAN CO	SHERIDAN	3	36	36	8.441	22	25	BST	327	49	406	0	12	9	4	28	53	61	4.0
P017	8+0.774	3.1 S NASHUA	VALLEY	3	38	63	1.783	20	24	RMS	457	69	233	4	17	8	1	26	56	61	.8
P014	33+0.493	JCT FAP 59	MEAGHER	10	33	66	8.182	21	24	RMS	813	121	711	0	10	8	15	27	60	61	3.3
P039	21+0.410	1.3 SO CULSTRIP	ROSEBUD	12	49	67	1.335	24	24	RMS	497	74	218	5	17	8	1	25	56	61	.6
P029	5+0.697	5.5 W ENNIS	MADISON	9	51	51	5.030	28	32	RMS	666	139	243	5	19	8	5	21	58	61	2.1
P027	7+0.242	6.9 N EKALAKA	CARTER	12	50	50	4.818	22	24	PMS	293	38	243	0	13	10	1	28	52	61	2.3
P028	101+0.121	0.6 S FAP 4	CARBON	11	68	68	.587	40	40	PMS	2141	428	309	6	21	10	20	9	66	61	.2
P028	0+0.000	SILVERGATE	PARK	10	36	72	8.703	22	22	BST	322	72	253	4	17	6	0	26	53	61	4.1
P032	23+0.431	11.8 S DANIELS CO	ROOSEVELT	3	33	45	4.759	20	24	RMS	242	33	239	0	14	8	1	28	51	61	2.3
P030	10+0.100	10.1 N JCT RTE 22	SHERIDAN	3	40	40	10.490	20	24	RMS	251	35	290	0	13	8	2	28	51	61	5.1
P006	29+0.459	TROUT CREEK	SANDERS	8	48	54	8.234	24	28	PMS	838	122	569	4	13	9	7	27	60	61	3.3
P013	27+0.156	10.8 S CAMERON	MADISON	9	34	34	10.807	20	24	RMS	715	143	838	0	10	9	13	27	59	61	4.4
P008	52+0.831	3.0 E EAST HELENA	LEWIS AND CLARK	7	69	69	1.670	40	40	PMS	3614	552	344	8	25	10	20	6	69	61	.5
P010	80+0.000	BIG SANDY	CHOUTEAU	6	33	63	4.793	24	26	RMS	1355	176	567	0	11	7	20	25	63	61	1.8
P001	372+0.142	8.6 E KREMLIN	HILL	2	60	60	7.002	32	32	PMS	2192	284	696	4	17	10	11	24	66	61	2.4
P001	308+0.048	1.0 E LIBERTY CO	LIBERTY	2	47	60	7.260	26	26	RMS	786	102	476	4	16	10	2	27	59	61	3.0
P001	439+1.027	6.4 W PHILLIPS CO	BLAINE	2	35	71	6.447	24	24	BST	879	114	508	2	16	6	9	27	60	61	2.6
P001	542+0.429	GLASGOW	VALLEY	3	62	62	1.386	68	68	PMS	2898	391	3600	6	19	10	5	28	68	61	.4
P004	53+0.841	3.0 N YELLOWST CO	YELLOWSTONE	11	64	64	.432	68	68	PMS	4969	645	1392	7	22	10	9	23	71	61	.1
P069	28+0.186	8.8 S BOULDER	JEFFERSON	7	57	57	2.640	24	24	BST	564	84	301	4	17	7	3	26	57	61	1.2
P080	45+0.606	0.5 N FERGUS CO	CHOUTEAU	6	62	62	.497	24	24	PMS	172	25	518	0	12	5	2	29	48	61	.3
P057	267+0.491	JCT FAS RTE 253	MCCONE	4	41	56	10.951	24	25	RMS	454	69	515	0	8	10	9	28	55	61	4.9
P060	53+0.694	4.2 N MONARCH	CASCADE	6	40	40	6.667	26	26	BST	472	70	571	0	14	9	5	28	56	61	2.9
P057	136+0.507	WINNETT	PETROLEUM	5	31	69	1.123	22	24	PMS	402	61	416	0	11	10	6	28	55	61	.5
P061	33+0.803	7.2 N FERGUS CO	FERGUS	5	52	52	4.896	24	28	RMS	671	87	377	3	14	10	5	27	59	62	2.0
P050	76+0.436	5.4 S FAP 84 85	GALLATIN	10	64	64	5.455	32	32	PMS	2839	445	696	8	24	10	7	20	69	62	1.7
P083	47+0.765	LAKE CO. LINE	LAKE	1	58	58	6.789	24	24	PMS	518	91	384	2	15	6	8	26	57	62	2.9
P084	11+0.483	MADISON-GALLATIN	GALLATIN	10	55	55	8.808	24	24	RMS	349	59	243	4	15	9	1	26	55	62	4.0
P083	54+0.540	6.8 N LAKE CO LINE	LAKE	1	55	55	10.638	24	24	PMS	532	93	258	2	15	7	9	25	58	62	4.5
P072	5+0.604	4.8 S BELFRY	CARBON	11	61	61	4.864	30	30	PMS	713	114	384	4	17	7	6	26	60	62	1.9
P061	124+0.473	22.0 N FAP RTE 66	PHILLIPS	3	47	47	5.924	25	25	BST	200	33	278	0	12	8	3	28	51	62	2.9
P003	25+0.541	1.5 N FAIRFIELD	TETON	6	21	32	2.698	20	22	BST	865	112	429	0	12	3	20	26	61	62	1.1
P002	84+0.000	BAKER	FALLON	12	68	68	5.058	40	40	PMS	846	109	599	3	16	10	5	27	61	62	2.0
P008	98+0.993	0.8 E JCT FAS 437	BROADWATER	7	52	52	8.944	24	28	RMS	2058	267	401	2	15	10	20	20	67	62	3.0
P006	47+0.218	2.6 E BELKNAP	SANDERS	8	61	64	2.474	32	32	PMS	943	137	302	7	20	10	2	23	62	62	.9
P006	4+0.625	4.6 E IDAHO LINE	SANDERS	8	52	64	3.629	24	28	RMS	564	82	283	5	15	9	3	26	58	62	1.5
P005	92+0.740	4.9 N ROLLINS	LAKE	1	64	64	.749	32	32	PMS	1230	166	278	4	14	10	15	21	64	62	.3
P032	44+0.481	9.3 N DANIELS CO	DANIELS	3	33	45	3.711	20	24	RMS	357	49	421	0	12	8	7	28	55	62	1.7
P037	62+0.327	ASHLAND	ROSEBUD	12	57	57	1.966	24	28	PMS	879	118	435	4	16	10	5	26	61	62	.8
P014	23+0.519	MEAGHER CO	MEAGHER	10	55	55	9.978	24	27	PMS	452	67	297	4	15	9	1	27	56	62	4.4
P014	229+0.532	INGOMAR	ROSEBUD	12	55	63	12.892	20	20	RMS	253	40	290	0	12	9	3	28	52	62	6.2
P023	50+0.581	POWDER RIVER CO	POWDER RIVER	12	52	60	5.178	24	28	RMS	383	55	642	0	10	10	6	29	55	62	2.3
P023	108+0.475	HAMMOND	CARTER	12	55	73	11.000	28	28	PMS	588	85	486	0	11	10	10	27	58	62	4.6
P024	43+0.145	7.5 E POWELL CO	POWELL	8	61	61	12.512	24	26	PMS	1155	190	299	6	18	10	9	20	63	62	4.6
P023	95+0.564	6.0 N CARTER CO	POWDER RIVER	12	54	54	6.028	24	28	RMS	509	73	732	0	10	10	9	29	58	63	2.5
P019	16+0.911	4.4 W ANACONDA	DEER LODGE	9	51	59	5.072	24	28	PMS	1048	151	561	2	14	10	11	26	63	63	1.9
P014	75+0.152	2.0 W WHEATLAND CO	MEAGHER	10	34	64	2.049	22	24	RMS	318	41	702	0	10	6	10	29	55	63	.9
P014	212+0.433	5.3 E ROSEBUD CO	ROSEBUD	12	46	57	4.717	20	24	RMS	293	46	357	0	10	10	6	28	54	63	2.2
P045	28+0.272	WHEATLAND CO	WHEATLAND	10	46	55	5.074	24	26	RMS	278	36	398	0	11	10	4	29	54	63	2.3
P027	12+0.063	FALLON CO	FALLON	12	50	50	10.442	22	24	PMS	274	35	428	0	10	10	5	29	54	63	4.8
P028	47+0.309	2.3 N WYO BORY	CARBON	11	65	65	6.415	28	28	PMS	450	101	394	5	17	10	0	26	58	63	2.7
P005	180+0.908	JCT FAP 33	LINCOLN	1	50	50	6.546	24	24	RMS	615	79	353	0	14	9	10	27	60	63	2.6

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	ADT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P005	77+0.587	JCT FAP 36	LAKE	1	62	62	1.837	32	32	PMS	1698	229	662	6	19	10	7	25	67	63	.6
P007	7+0.530	7.4 N JCT FAP 46	RAVALLI	8	40	40	6.016	24	24	BST	842	109	289	0	12	6	20	24	62	63	2.3
P007	73+0.547	1.0 S FLORENCE	RAVALLI	8	74	76	.674	44	44	PMS	4415	573	344	9	28	10	20	5	72	63	.2
P009	60+0.000	4.0 S CHOTEAU	TETON	6	36	36	4.014	22	25	RMS	630	100	453	0	12	8	13	27	60	63	1.6
P004	13+0.436	13.4 N WYO LINE	CARBON	11	59	59	5.773	32	32	PMS	954	124	599	0	14	10	12	27	63	63	2.1
P003	101+0.021	9.2 S FAP RTE I	GLACIER	2	51	51	2.132	26	28	RMS	667	160	592	4	16	10	4	26	60	63	.9
P001	601+0.789	4.6 E FAP 32	ROOSEVELT	3	60	60	9.761	32	32	PMS	2226	267	680	5	18	10	11	24	68	63	3.1
P001	159+0.503	6.0 E WEST GLACIER	FLATHEAD	1	57	59	5.217	26	26	PMS	812	155	357	5	16	8	10	23	62	63	2.0
P001	228+0.797	BLACKFOOT	GLACIER	2	57	57	1.050	24	32	RMS	1517	242	731	4	16	10	11	25	66	63	.4
P001	315+0.301	6.5 W CHESTER	LIBERTY	2	47	60	5.785	26	26	RMS	960	124	539	6	17	10	3	27	63	63	2.1
P069	13+0.688	7.5 N FAS RTE 359	JEFFERSON	7	61	61	8.498	26	26	PMS	511	76	291	4	18	9	1	26	58	63	3.6
P061	118+0.176	15.8 N FAP RTE 66	PHILLIPS	3	49	49	6.252	22	22	BST	153	25	220	0	13	7	2	28	50	63	3.1
P072	0+0.000	MONT-WYOMING LINE	CARBON	11	61	61	5.184	30	30	PMS	515	82	414	0	15	8	8	27	58	63	2.2
P056	22+0.022	5.4 N LINCOLN CO	LINCOLN	1	60	60	5.854	24	24	PMS	378	57	327	3	17	7	2	27	56	63	2.6
P061	83+0.411	4.6 S PHILLIPS CO	FERGUS	5	60	60	4.583	28	28	PMS	334	56	584	0	9	10	7	29	55	63	2.1
P058	31+0.544	ST MARYS	GLACIER	2	64	64	4.280	32	32	PMS	1465	285	597	7	21	10	5	23	66	63	1.5
P061	88+0.067	PHILLIPS CO	PHILLIPS	3	60	60	5.580	28	28	PMS	356	59	584	0	10	10	9	28	57	64	2.4
P056	27+0.876	6.7 S FAP 1	LINCOLN	1	56	56	6.764	24	24	PMS	524	79	278	5	17	9	3	26	60	64	2.7
P057	7+0.062	JUDITH BASIN CO	JUDITH BASIN	6	61	61	3.343	32	32	PMS	1759	209	406	5	20	10	11	22	68	64	1.1
P050	8+0.524	0.2 N FAP RTE 87	GALLATIN	10	62	72	1.955	32	32	PMS	988	155	220	9	25	10	1	19	64	64	.7
P050	8+0.373	JCT FAP RTE 87	GALLATIN	10	64	64	.151	52	52	PMS	1179	185	320	9	24	10	1	21	65	64	.1
P069	5+0.046	4.3 E WHITEHALL	JEFFERSON	7	68	68	1.060	30	30	PMS	880	132	655	3	21	8	4	27	63	64	.4
P001	37+0.373	4.5 E LIBBY	LINCOLN	1	76	76	.509	44	44	PMS	2384	309	222	10	30	10	10	9	69	64	.2
P001	278+0.809	0.3 E FAI 15	TOOLE	2	56	56	.440	60	60	PMS	3558	498	1760	3	14	9	20	26	72	64	.1
P004	33+0.199	FROMBERG	CARBON	11	54	54	.599	24	32	RMS	1869	242	828	4	16	10	12	26	68	64	.2
P001	591+0.423	WOLF POINT	ROOSEVELT	3	58	58	5.798	32	32	PMS	2079	249	648	6	17	10	12	24	69	64	1.8
P012	2+0.270	2.3 E IDAHO LINE	GALLATIN	10	61	61	5.777	34	34	PMS	1524	352	680	6	16	10	13	22	67	64	1.9
P010	16+0.224	CHOUTEAU CO	CHOUTEAU	6	51	57	3.833	30	30	PMS	1719	223	565	3	16	10	15	24	68	64	1.2
P007	83+0.388	JCT FAP 93	MISSOULA	8	68	68	6.756	68	68	PMS	7028	913	1920	9	27	10	6	23	75	64	1.7
P006	10+0.404	JCT FAP 56	SANDERS	8	52	52	.970	24	28	RMS	698	101	283	6	17	10	4	25	62	64	.4
P006	49+0.684	0.8 THOMPSON FALLS	SANDERS	8	48	54	.787	24	28	PMS	1514	221	271	6	18	9	16	18	67	64	.3
P029	34+0.188	SHERIDAN	MADISON	9	39	39	8.029	22	24	RMS	928	194	812	0	10	8	20	26	64	64	2.9
P037	64+0.304	POWDER RIVER CO	POWDER RIVER	12	57	57	5.314	24	28	PMS	622	83	289	0	15	10	10	26	61	64	2.1
P019	22+0.028	9.6 W ANACONDA	DEER LODGE	9	51	59	2.255	32	32	PMS	749	108	514	0	16	8	11	27	62	64	.9
P024	0+0.975	MILLTOWN	MISSOULA	8	74	74	.870	44	44	PMS	2368	390	442	10	30	10	2	17	69	64	.3
P027	0+0.355	EKALAKA	CARTER	12	50	50	6.902	22	24	PMS	327	42	431	0	14	10	3	29	56	64	3.0
P020	1+0.761	GLENDIVE	DAWSON	4	64	64	4.375	40	40	PMS	1741	226	222	8	23	10	13	15	69	65	1.4
P020	50+0.012	JCT FAP RTES 26 51	RICHLAND	4	73	73	1.750	83	83	PMS	4195	545	1720	8	26	10	4	25	73	65	.5
P016	4+0.649	BILLINGS	YELLOWSTONE	11	77	77	7.049	40	40	PMS	1562	203	184	10	30	10	5	13	68	65	2.3
P033	64+0.921	2.0 E FA 5	LINCOLN	1	40	40	1.975	20	24	RMS	749	97	357	0	9	8	20	26	63	65	.7
P005	67+0.425	6.4 N POLSON	LAKE	1	54	70	3.855	30	30	PMS	1622	218	469	5	24	9	7	23	68	65	1.2
P001	424+0.712	HARLEM	BLAINE	2	68	68	3.805	40	40	PMS	2014	261	304	8	26	10	8	17	69	65	1.2
P001	363+0.532	APPR TO KREMLIN	HILL	2	36	70	8.591	28	32	RMS	1241	161	696	7	18	10	5	27	67	65	2.8
P001	184+0.217	12.6 W GLACIER CO	FLATHEAD	1	67	77	12.259	32	32	PMS	851	162	575	6	17	10	5	26	64	65	4.4
P063	25+0.433	FERGUS CO	FERGUS	5	47	57	1.200	24	24	RMS	1020	132	237	2	12	9	20	22	65	65	.4
P069	10+0.026	3.9 N FAS RTE 359	JEFFERSON	7	64	64	3.662	28	28	PMS	561	84	312	4	18	10	3	26	61	65	1.4
P056	0+0.000	JCT FAP RTE 6	SANDERS	8	57	57	8.170	24	24	PMS	312	47	327	3	17	8	1	28	57	65	3.5
P053	4+0.315	BILLINGS	YELLOWSTONE	11	63	63	2.024	32	32	PMS	2910	378	643	8	24	10	8	21	71	65	.6
P046	76+0.492	0.6 W DIVIDE	SILVER BOW	9	34	76	.490	32	32	PMS	565	84	683	5	15	10	3	28	61	65	.2
P061	43+0.570	1.6 S FAP RTE 57	FERGUS	5	62	62	1.564	32	32	PMS	760	127	569	4	16	10	6	27	63	65	.6
P061	45+0.150	JCT FAP RTE 57	FERGUS	5	62	62	9.657	30	30	PMS	327	54	554	0	11	10	7	29	57	65	4.2
P058	25+0.515	6.0 S ST MARYS	GLACIER	2	58	64	6.011	44	44	PMS	884	172	500	7	21	10	2	25	65	66	2.1
P058	35+0.813	4.3 N ST MARYS	GLACIER	2	56	64	4.001	32	32	PMS	1322	257	630	8	22	10	4	24	68	66	1.3
P053	40+0.546	6.3 N GOLD VAL CO	GOLDEN VALLEY	11	56	56	4.843	30	30	BST	992	128	391	0	11	10	20	25	66	66	1.6
P050	60+0.889	12.9 N FAP RTE 64	GALLATIN	10	67	67	9.312	28	28	PMS	1200	188	249	9	28	10	1	19	67	66	3.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS 01ST	8T	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	AOJ	DEFIC MILES
P046	58+0.864	.8 E BEAVERHEAD CO	BEAVERHEAD	9	61	61	6.050	26	28	PMS	315	47	371	4	15	8	3	28	58	66	2.5
P054	0+0.000	WYOMING LINE	POWDER RIVER	12	59	66	9.121	24	24	BST	199	25	327	0	14	10	2	29	55	66	4.1
P048	6+0.777	6.1 N HARDIN	BIG HORN	11	45	45	4.865	20	24	RMS	768	107	377	3	17	9	9	26	64	66	1.8
P080	67+0.052	STANFORD	JUDITH BASIN	6	27	27	.122	24	26	BST	903	136	481	2	14	3	20	26	65	66	
P061	136+0.795	18.9 S FAS 363	PHILLIPS	3	42	42	5.281	20	24	RMS	329	55	584	0	10	8	11	29	58	66	2.2
P004	0+0.516	0.5 N WYO LINE	CARBON	11	56	63	12.924	32	32	PMS	954	124	569	3	17	10	9	27	66	66	4.4
P007	74+0.249	0.4 S FLORENCE	RAVALLI	8	74	76	.571	64	64	PMS	4481	582	2160	8	26	10	4	26	74	66	.1
P006	0+0.000	IDAHO LINE	SANDERS	8	52	65	2.260	24	28	RMS	516	75	371	6	18	8	3	27	62	66	.9
P007	66+0.762	JCT FAS 269	RAVALLI	8	56	61	6.777	32	32	PMS	3857	501	722	8	24	10	12	20	74	66	1.8
P006	23+0.327	TUSCOR	SANDERS	8	59	64	6.097	32	32	PMS	826	120	616	3	17	10	8	27	65	66	2.1
P008	54+0.482	JEFFERSON CO	JEFFERSON	7	69	69	1.514	40	40	PMS	2603	398	264	9	26	10	20	7	72	66	.4
P043	1+0.366	0.7 N LEWISTOWN	FERGUS	5	77	77	1.652	44	44	PMS	2042	265	376	10	30	10	1	19	70	66	.5
P041	0+0.000	JCT FAP 8	POWELL	8	61	61	6.348	28	28	PMS	195	32	276	0	12	10	4	28	54	66	2.9
P016	38+0.172	8.0 MI S KLEIN	MUSSELSHELL	11	65	65	8.038	32	32	PMS	1470	191	680	5	19	10	9	26	69	66	2.5
P024	133+0.232	5.7 E SIMMS	CASCADE	6	64	64	5.275	32	32	PMS	2132	298	608	5	23	10	10	23	71	66	1.5
P020	13+0.047	11.3 N GLENDIVE	DAWSON	4	69	69	5.607	40	40	PMS	904	117	184	6	24	10	7	20	67	67	1.9
P013	93+0.693	GALLATIN CO LINE	GALLATIN	10	49	49	1.107	28	28	RMS	823	106	629	3	15	10	11	27	66	67	.4
P014	155+0.157	3.4 E MUSSELS CO	MUSSELSHELL	11	56	56	2.851	24	28	RMS	378	49	301	0	12	9	11	28	60	67	1.1
P013	96+0.554	THREE FORKS	GALLATIN	10	50	55	.555	32	32	RMS	1382	179	808	2	12	8	20	27	69	67	.2
P014	108+0.043	7.1 E FAP 63	WHEATLAND	10	53	53	8.427	24	28	RMS	957	124	486	4	15	10	12	26	67	67	2.8
P038	8+0.655	1.3 E COL FALLS	FLATHEAD	1	71	71	.242	44	44	RMS	3539	495	705	7	18	10	20	19	74	67	.1
P041	6+0.348	6.3 N FAP 8	POWELL	8	62	62	5.406	28	28	PMS	168	28	515	0	8	10	7	29	54	67	2.5
P034	0+0.000	JCT FAP 22	SHERIDAN	3	51	60	7.029	24	24	PMS	629	88	336	7	19	9	3	26	64	67	2.5
P010	20+0.058	3.8 N CHOUTEAU CO	CHOUTEAU	6	63	63	9.726	32	32	PMS	1780	231	580	5	19	10	13	24	71	67	2.8
P008	3+0.914	3.8 E GARRISON	POWELL	8	57	64	7.362	32	32	PMS	1147	149	456	7	20	10	6	25	68	67	2.4
P011	49+0.902	JCT FAS 540	PARK	10	61	61	1.890	32	32	PMS	1666	358	748	8	25	10	4	23	70	67	.6
P001	501+0.410	VALLEY CO	VALLEY	3	55	55	6.588	24	28	RMS	1133	152	500	0	14	9	20	25	68	67	2.1
P001	499+1.054	SACO	PHILLIPS	3	55	55	1.515	24	28	RMS	1123	151	586	0	12	10	20	26	68	67	.5
P001	157+0.164	3.7 E WEST GLACIER	FLATHEAD	1	48	49	2.350	24	28	PMS	858	163	154	6	19	7	20	14	66	67	.8
P001	223+0.702	2.8 E BROWNING	GLACIER	2	60	60	.184	32	32	PMS	2911	556	464	8	23	10	20	12	73	67	
P066	0+0.000	JCT FAP RTE 61	PHILLIPS	3	61	61	10.621	28	28	PMS	261	41	478	0	13	10	6	29	58	67	4.5
P080	46+0.112	CHOUTEAU-FERGUS CO	FERGUS	5	62	62	3.745	24	24	PMS	159	24	276	2	15	5	3	29	54	67	1.7
P063	35+0.473	0.9 S FERGUS CO	JUDITH BASIN	6	46	59	.876	24	24	RMS	981	127	450	2	13	8	18	26	67	67	.3
P084	0+0.000	JCT FAP 13	MADISON	9	53	53	6.427	24	24	RMS	424	72	374	6	18	9	1	27	61	67	2.5
P050	40+0.132	8.9 N PARK BDY	GALLATIN	10	60	60	7.823	28	28	PMS	1164	182	495	7	22	10	5	24	68	67	2.5
P057	83+0.163	LEWISTOWN	FERGUS	5	42	42	5.079	24	30	PMS	967	125	415	4	17	10	11	25	67	67	1.7
P049	16+0.192	2.5 E MADISON CO	MADISON	9	53	53	10.659	24	28	RMS	999	129	629	0	13	8	19	27	67	67	3.5
P049	13+0.697	MADISON CO LINE	MADISON	9	59	59	2.491	24	24	PMS	951	123	377	0	14	8	20	25	67	67	.8
P061	26+0.604	FERGUS CO	FERGUS	5	63	63	1.119	30	30	PMS	592	76	367	7	19	10	1	27	64	67	.4
P059	0+0.000	JCT FAI RTE 90	PARK	10	55	55	1.755	24	36	RMS	1475	221	580	7	17	10	12	24	70	67	.5
P060	49+0.470	MONARCH	CASCADE	6	52	52	4.234	22	26	PMS	586	87	441	7	18	8	5	27	65	68	1.5
P050	31+0.181	YELL PARK BDY	GALLATIN	10	60	60	8.921	28	28	PMS	890	139	495	6	21	10	4	26	67	68	2.9
P084	6+0.425	6.4 E JCT FAP 13	MADISON	9	52	52	5.052	24	24	RMS	373	63	394	5	17	10	1	28	61	68	2.0
P081	26+0.723	12.8 SE DENTON	FERGUS	5	73	73	2.835	24	24	RMS	389	60	446	5	17	10	2	28	62	68	1.1
P066	10+0.608	PHILLIPS-BLAINE CO	BLAINE	2	59	59	12.623	28	28	PMS	390	62	448	4	17	9	4	28	62	68	4.8
P001	256+0.020	CUT BANK	GLACIER	2	67	67	6.809	40	40	PMS	1492	223	580	6	19	10	12	24	71	68	2.0
P001	393+0.855	2.8 E BLAINE CO	BLAINE	2	38	59	9.717	24	30	RMS	2256	293	663	5	17	10	18	23	73	68	2.6
P001	656+0.309	10.8 W N D LINE	ROOSEVELT	3	55	62	5.246	32	32	PMS	684	92	536	7	18	10	4	27	66	68	1.8
P007	59+0.036	VICTOR	RAVALLI	8	56	61	7.721	32	32	PMS	3004	390	774	8	24	10	10	22	74	68	2.0
P006	104+0.678	4.5 W DIXON	SANDERS	8	69	69	.388	32	32	PMS	834	124	302	8	24	10	1	24	67	68	.1
P028	53+0.726	8.7 N WYO BDRY	CARBON	11	65	65	6.274	28	28	PMS	501	112	591	7	19	10	1	27	64	68	2.3
P037	82+0.471	CUSTER FOR BDRY	POWDER RIVER	12	67	67	2.271	28	28	PMS	526	71	289	4	18	10	6	26	64	68	.8
P014	158+0.003	6.3 E MUSSELS CO	MUSSELSHELL	11	56	56	2.482	24	28	RMS	340	44	586	2	15	10	5	29	61	68	1.0
P014	224+0.418	5.1 W INGOMAR	ROSEBUD	12	48	63	5.122	25	25	RMS	217	34	258	0	15	10	4	28	57	68	2.2
P014	0+0.886	TOWNSEND	BROADWATER	7	64	64	1.514	32	32	PMS	1685	252	616	9	22	10	6	24	71	68	.4

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BY	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	AOJ	DEFIC MILES
P027	35+0.755	BAKER	FALLON	12	57	60	8.648	28	28	RMS	704	91	492	0	9	10	20	27	66	68	2.9
P020	63+0.923	FAIRVIEW	RICHLAND	4	56	56	.349	24	32	RMS	958	124	896	8	21	10	1	28	68	68	.1
P024	16+0.029	PJTJMAC	MISSOULA	8	68	68	6.575	40	40	PMS	1989	328	385	7	19	10	20	17	73	69	1.8
P017	0+0.000	JCT FAP RTE 42	VALLEY	3	69	69	3.500	24	24	BST	477	72	327	4	17	6	10	27	64	69	1.3
P016	29+0.682	4.5 N MUSSELSH CO	MUSSELSHELL	11	66	66	8.466	32	32	PMS	1455	189	487	7	22	10	8	24	71	69	2.5
P046	51+0.396	DEER LODGE CO LINE	DEER LODGE	9	61	61	5.577	26	28	PMS	191	28	413	2	13	10	3	29	57	69	2.4
P042	1+0.983	MCCONE CO	MCCONE	4	60	64	6.310	24	40	BST	141	22	571	0	6	10	10	29	55	69	2.8
P008	87+0.738	TOSTON APPR RD	BROADWATER	7	50	51	11.260	24	26	RMS	1639	213	507	4	15	10	19	24	72	69	3.2
P001	642+0.523	1.7 W CULBERTSON	ROOSEVELT	3	56	61	1.712	32	32	PMS	970	126	428	0	13	10	20	26	69	69	.5
P001	421+0.341	3.4 W HARLEM	BLAINE	2	39	62	2.572	26	31	RMS	1931	251	663	6	16	10	17	24	73	69	.7
P001	254+0.578	CUT BANK	GLACIER	2	55	55	.229	42	42	PMS	3130	375	817	5	17	10	20	23	75	69	.1
P063	33+0.456	JUDITH BASIN CO	JUDITH BASIN	6	41	70	2.021	24	24	RMS	981	127	360	5	16	10	13	25	69	69	.6
P069	2+0.991	2.3 E WHITEHALL	JEFFERSON	7	68	68	2.055	30	30	PMS	971	145	414	6	26	10	2	25	69	69	.6
P065	0+0.000	JCT FAP 1 W GLAC	FLATHEAD	1	38	38	.305	40	40	RMS	1641	331	614	7	16	7	20	22	72	69	.1
P086	9+0.582	8.6 N BOZEMAN	GALLATIN	10	73	73	6.746	31	31	PMS	537	107	469	4	21	10	3	27	65	69	2.4
P057	10+0.428	JCT FAS RTE 427	JUDITH BASIN	6	64	64	7.500	32	32	PMS	1665	198	352	5	16	10	19	22	72	69	2.1
P057	121+0.739	8.7 E FAP 61	FERGUS	5	29	58	1.467	18	24	RMS	302	46	414	0	8	5	20	28	61	69	.6
P056	8+0.170	8.1 N FAP RTE 6	SANDERS	8	63	63	8.370	28	28	PMS	316	47	318	6	17	8	2	28	61	69	3.3
P057	66+0.986	2.0 E FAP 63	FERGUS	5	47	54	6.539	24	31	PMS	1540	183	565	6	20	9	12	25	72	69	1.8
P056	16+0.540	SANDERS-LINCOLN CO	LINCOLN	1	63	63	5.482	28	28	PMS	327	49	212	6	18	8	2	27	61	69	2.1
P060	28+0.700	CASCADE CO	CASCADE	6	59	63	7.208	26	26	PMS	349	52	331	6	17	10	1	28	62	69	2.7
P061	70+0.499	3.9 N JCT FAP 43	FERGUS	5	59	63	12.938	28	28	PMS	297	49	510	0	11	10	11	29	61	69	5.0
P061	27+0.704	1.1 N FERGUS CO	FERGUS	5	65	65	6.059	30	30	PMS	624	81	391	6	20	10	4	27	67	70	2.0
P053	46+0.272	LAVINA	GOLDEN VALLEY	11	56	56	.417	30	30	BST	1153	149	612	2	13	10	20	26	71	70	.1
P057	56+0.674	2.3 E MOCCASIN	JUDITH BASIN	6	55	55	1.138	24	32	RMS	1440	171	442	4	14	10	20	24	72	70	.3
P001	247+0.019	7.7 W OF CUT BANK	GLACIER	2	27	76	4.950	24	24	PMS	1452	217	617	9	28	7	3	25	72	70	1.4
P001	515+0.618	14.2 E VALLEY CO	VALLEY	3	50	55	5.795	24	27	PMS	1447	195	526	4	17	10	17	24	72	70	1.6
P001	644+1.006	CULBERTSON	ROOSEVELT	3	56	61	3.010	32	32	PMS	1069	144	629	7	17	10	10	27	71	70	.9
P010	89+0.606	0.2 N HILL CO	HILL	2	70	70	1.319	32	32	PMS	1624	211	720	8	25	10	4	26	73	70	.4
P011	0+0.000	YELL PARK BORY	PARK	10	75	75	1.016	48	48	PMS	1220	262	664	9	28	10	0	24	71	70	.3
P010	9+0.609	6.1 N GR FALLS	CASCADE	6	51	57	6.489	30	30	PMS	1731	225	414	4	17	10	20	22	73	70	1.8
P006	14+0.720	3.4 E BULL RIVER	SANDERS	8	59	64	8.606	32	32	PMS	788	115	428	6	22	10	5	26	69	70	2.7
P046	41+0.858	DEER LODGE CO LINE	DEER LODGE	9	61	61	9.356	26	28	PMS	218	32	354	5	15	9	2	29	60	70	3.7
P036	36+0.100	4.4 N FLATHEAD CO	FLATHEAD	1	37	61	4.101	24	26	RMS	538	80	889	0	10	7	20	29	66	70	1.4
P036	18+0.961	JCT FAP 77	SANDERS	8	63	63	7.161	28	28	PMS	825	123	629	5	17	10	10	27	69	70	2.2
P031	2+0.075	0.6 N FAP 1	VALLEY	3	65	65	14.871	32	32	PMS	1008	152	616	5	15	10	14	26	70	70	4.5
P034	7+0.070	RAYMOND	SHERIDAN	3	51	60	8.604	24	24	PMS	335	46	336	7	19	8	1	28	63	70	3.2
P020	18+0.596	4.2 S RICHLAND CO	DAWSON	4	54	54	4.170	28	28	RMS	1055	137	434	0	18	10	17	25	70	70	1.3
P024	127+0.465	SIMMS	CASCADE	6	59	59	5.720	32	32	PMS	1931	270	643	8	24	10	9	24	75	71	1.4
P022	81+0.351	5.5 S FROID	ROOSEVELT	3	59	59	7.156	32	32	PMS	785	117	406	0	14	10	20	26	70	71	2.1
P014	252+0.337	VANADA	ROSEBUD	12	54	54	7.162	24	24	RMS	189	30	258	3	16	10	3	28	60	71	2.9
P046	64+0.920	WISE RIVER	BEAVERHEAD	9	70	70	.398	44	44	PMS	443	66	522	8	19	10	1	28	66	71	.1
P006	8+0.252	8.2 E IDAHO LINE	SANDERS	8	63	63	2.158	28	28	RMS	591	86	371	8	18	10	5	27	68	71	.7
P011	40+0.712	9.1 S FAS 540	PARK	10	65	65	9.177	32	32	PMS	1214	261	817	8	23	10	6	25	72	71	2.6
P001	661+0.539	5.6 W N O LINE	ROOSEVELT	3	55	62	5.605	32	32	PMS	771	104	352	7	17	10	10	26	70	71	1.7
P001	466+0.722	12.1 E DODSON	PHILLIPS	3	53	53	4.948	24	30	RMS	1468	190	600	2	16	10	20	25	73	71	1.3
P001	299+0.766	7.3 W LIBERTY CO	TOOLE	2	57	62	7.266	32	32	PMS	824	107	616	0	13	10	20	27	70	71	2.2
P058	43+0.621	3.8 N BABB	GLACIER	2	61	61	.866	28	28	RMS	570	111	485	6	19	10	6	27	68	71	.3
P062	1+0.524	CULBERTSON	ROOSEVELT	3	61	61	.496	36	36	PMS	857	128	560	7	16	10	10	27	70	71	.1
P057	330+0.775	0.5 W GLENDIVE	DAWSON	4	69	69	.405	24	24	PMS	4610	553	608	8	25	10	20	16	79	71	.1
P060	25+0.339	3.3 S CASCADE CO	MEAGHER	10	59	63	3.335	26	26	PMS	388	58	622	6	19	10	1	29	65	71	1.2
P080	59+0.331	6.7 N STANFORD	JUDITH BASIN	6	53	53	6.712	24	24	RMS	318	48	469	5	17	10	3	28	63	71	2.5
P080	2+0.366	FORT BENTON	CHOUTEAU	6	62	62	1.631	30	30	RMS	625	94	410	6	23	10	2	27	68	71	.5
P079	0+0.000	JCT FAI 94 HYSHAM	TREASURE	11	64	64	2.514	30	30	PMS	659	85	664	6	23	10	3	28	70	72	.8
P080	0+0.000	JCT FAP 10	CHOUTEAU	6	53	53	1.596	24	24	RMS	618	93	294	8	23	10	3	25	69	72	.5

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P066	23+0.241	12.6 N PHILLIPS CO	BLAINE	2	59	59	14.057	28	28	PMS	413	66	448	4	16	10	9	28	67	72	4.6
P059	15+0.310	CLYDE PARK	PARK	10	38	38	.061	20	24	RMS	615	92	627	0	13	8	20	28	69	72	
P057	279+0.793	CIRCLE	MCCONE	4	66	66	1.016	32	32	PMS	1398	213	592	7	25	10	7	25	74	72	.3
P059	2+0.267	1.8 N FAI 90	PARK	10	41	41	2.293	20	24	RMS	1212	181	453	3	17	9	20	24	73	72	.6
P061	66+0.624	JCT FAP RTE 43	FERGUS	5	62	62	3.889	30	30	PMS	358	60	333	3	16	10	9	27	65	72	1.4
P057	137+0.626	1.1 E WINNETT	PETROLEUM	5	54	54	11.000	24	24	RMS	385	58	384	0	12	10	16	28	66	72	3.7
P003	15+0.375	7.3 N FAP 24	CASCADE	6	42	42	1.479	24	30	RMS	1323	171	600	4	16	8	20	26	74	72	.4
P010	104+0.366	6.9 S FAP 1	HILL	2	67	67	5.125	40	40	PMS	2017	262	304	7	22	10	20	17	76	72	1.2
P006	13+0.530	2.2 E BULL RIVER	SANDERS	8	63	63	1.194	28	28	RMS	750	109	501	8	20	10	5	27	70	72	.4
P005	71+0.313	6.2 S FAP 36	LAKE	1	62	62	6.212	32	32	PMS	1601	216	447	6	24	10	12	23	75	72	1.6
P041	16+0.875	14.6 N FAP 8	POWELL	8	70	70	2.966	30	30	PMS	170	28	235	4	16	10	2	28	60	72	1.2
P046	56+0.960	SILVER BOW CO LINE	SILVER BOW	9	61	61	1.055	26	28	PMS	166	24	427	4	15	10	2	29	60	72	.4
P036	16+0.265	0.1 SW FAS 382	SANDERS	8	63	63	2.732	28	28	PMS	776	116	599	5	18	10	11	27	71	72	.8
P017	10+0.569	1.4 S NASHUA	VALLEY	3	57	57	1.424	24	28	RMS	454	68	371	7	17	10	6	27	67	72	.5
P014	100+0.898	JCT FAP RTE 63	WHEATLAND	10	65	65	7.126	40	40	PMS	1106	143	247	7	23	10	12	21	73	72	1.9
P020	31+0.497	SAVAGE	RICHLAND	4	74	74	1.484	40	40	PMS	1209	157	266	10	30	10	2	21	73	72	.4
P028	45+0.000	MONT WYO BORY	CARBON	11	65	65	2.331	28	28	PMS	416	93	890	7	18	10	4	28	67	72	.8
P023	119+0.471	20.4 N WYO LINE	CARTER	12	55	55	10.845	28	28	BST	612	88	510	0	12	10	20	27	69	72	3.4
P023	101+0.585	CARTER CO	CARTER	12	54	54	6.878	24	28	RMS	479	69	462	2	11	10	17	28	68	72	2.2
P023	76+0.303	JCT FAP RTE 37	POWDER RIVER	12	69	69	1.530	28	28	PMS	1304	189	276	9	28	10	8	20	75	73	.4
P014	124+0.946	2.4 E GOLD VAL CO	GOLDEN VALLEY	11	56	71	4.540	28	28	PMS	955	124	486	3	16	10	18	26	73	73	1.2
P014	259+0.489	7.2 E VANADA	ROSEBUD	12	54	54	5.579	24	24	RMS	181	28	450	2	17	10	4	29	62	73	2.1
P014	205+0.177	MELSTONE	MUSSELSHELL	11	46	63	1.991	20	24	RMS	459	72	538	0	10	10	20	28	68	73	.6
P031	32+0.480	15.5 N AIRBASE RD	VALLEY	3	54	54	6.850	24	24	PMS	354	53	301	4	17	10	8	27	66	73	2.3
P037	79+0.284	15.0 E POWDER R CO	POWDER RIVER	12	67	67	3.193	28	28	PMS	529	71	252	5	20	10	8	26	69	73	1.0
P037	69+0.625	6.3 E POWDER R CO	POWDER RIVER	12	67	67	9.659	28	28	PMS	533	71	435	4	14	10	13	28	69	73	3.0
P011	10+0.864	10.7 N GARDINER	PARK	10	69	69	5.766	32	32	BST	883	189	639	8	26	10	2	26	72	73	1.6
P002	89+0.045	5.1 E BAKER	FALLON	12	68	68	6.442	40	40	PMS	532	69	629	4	18	10	9	28	69	73	2.0
P001	36+0.664	4.0 E LIBBY	LINCOLN	1	76	76	.709	62	62	PMS	2552	331	272	9	27	10	20	12	78	73	.2
P001	33+0.316	0.6 E LIBBY	LINCOLN	1	76	76	3.326	68	68	PMS	4536	589	2016	9	28	10	7	26	80	73	.7
P001	332+0.615	HILL CO	HILL	2	71	71	9.281	40	40	PMS	951	123	264	9	27	10	4	23	73	73	2.5
P001	581+0.089	ROOSEVELT CO	ROOSEVELT	3	57	61	9.308	32	32	PMS	1519	205	616	3	17	10	20	25	75	73	2.3
P048	11+0.644	11.0 N HARDIN	BIG HORN	11	54	54	6.665	24	24	RMS	563	78	494	4	18	10	10	28	70	73	2.0
P048	0+1.916	HARDIN	BIG HORN	11	76	76	.555	48	48	PMS	1801	252	806	10	30	10	1	25	76	73	.1
P061	93+0.534	5.6 N PHILLIPS CO	PHILLIPS	3	60	60	8.793	28	28	PMS	373	62	732	0	8	10	20	29	67	73	2.9
P059	37+1.030	MEAGHER CO	MEAGHER	10	42	52	2.756	24	24	RMS	234	35	838	0	8	8	18	29	63	73	1.0
P083	77+0.797	4.8 S FLATHEAD CO	LAKE	1	62	62	4.859	30	30	PMS	823	144	333	5	19	10	14	24	72	73	1.4
P083	86+0.280	3.7 N FAS RTE 209	FLATHEAD	1	59	59	4.733	24	24	PMS	903	151	384	6	17	10	16	24	73	73	1.3
P087	6+0.719	MADISON-GALLATIN	GALLATIN	10	67	67	3.316	30	30	PMS	431	93	323	7	25	10	1	26	69	74	1.0
P087	10+0.026	3.3 E MADISON CO	GALLATIN	10	67	67	10.223	30	30	PMS	478	103	583	6	22	10	5	27	70	74	3.1
P087	20+0.240	2.1 W JCT FAP 50	GALLATIN	10	67	67	2.194	30	30	PMS	539	116	764	7	23	10	2	28	70	74	.7
P081	13+0.840	DENTON	FERGUS	5	73	73	12.883	24	24	PMS	416	64	394	7	23	10	1	28	69	74	4.0
P080	50+0.880	FERGUS-JUDITH BASIN CO	JUDITH BASIN	6	53	53	8.418	24	24	RMS	202	30	469	6	17	9	2	29	63	74	3.1
P083	82+0.636	JCT FAS RTE 209	FLATHEAD	1	59	59	3.735	24	24	PMS	743	124	237	5	17	10	19	22	73	74	1.0
P080	9+0.718	9.5 N FAP 14	MEAGHER	10	59	63	7.386	26	26	PMS	477	71	471	7	21	10	4	28	70	74	2.2
P058	44+0.487	4.7 N BABB	GLACIER	2	56	56	5.857	22	22	RMS	492	95	420	3	13	10	17	27	70	74	1.8
P057	330+0.190	GLENDIVE SPUR	DAWSON	4	60	60	.363	72	88	PMS	4620	554	2840	7	17	10	20	27	81	74	.1
P048	0+0.294	0.3 S FAI 90	BIG HORN	11	76	76	.897	44	44	PMS	3549	461	806	10	30	10	9	21	80	74	.2
P050	0+0.554	WEST YELLOWSTONE	GALLATIN	10	68	68	7.129	40	40	PMS	1438	316	309	8	23	10	20	15	76	74	1.7
P055	2+0.123	MADISON-SILVER BOW	SILVER BOW	9	53	53	.288	24	24	PMS	827	136	391	4	16	8	20	25	73	74	.1
P057	5+0.302	5.3 E FAP 60	CASCADE	6	61	61	1.770	32	32	PMS	1768	210	406	5	20	10	20	22	77	74	.4
P001	489+0.049	9.9 W SACO	PHILLIPS	3	67	67	9.965	40	40	PMS	1086	146	569	7	19	10	13	26	75	74	2.5
P003	103+0.350	7.1 S FAP RTE 1	GLACIER	2	60	60	7.233	32	32	RMS	917	220	639	4	17	10	18	25	74	74	1.9
P006	12+0.353	1.0 E BULL RIVER	SANDERS	8	58	58	1.214	32	32	BST	730	106	264	7	19	10	12	24	72	74	.3
P044	0+0.000	JCT FAP 3	ROOSEVELT	6	54	54	2.760	24	24	RMS	442	62	575	0	14	7	20	28	69	74	.9

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	FNO	SUFFICIENCY RATINGS SRF	DRN	SAF	CAP	TOT	ADJ	DEFIC MILES
P041	19+0.841	7.6 S FAS 271	POWELL	8	65	65	7.654	30	30	BST	195	32	259	5	15	10	5	28	63	74	2.8
P031	16+0.960	JCT AIRBASE ROAD	VALLEY	3	64	64	8.673	30	30	PMS	402	60	414	4	16	10	11	28	69	74	2.7
P018	18+0.057	2.0 S ROSEBUD CO	CUSTER	12	28	35	2.023	20	24	BST	241	31	538	0	8	8	20	29	65	74	.7
P014	55+0.917	10.8 E FAP 60	MEAGHER	10	56	5R	7.271	28	28	PMS	261	33	371	3	16	10	7	29	65	74	2.5
P019	2+0.896	OPPORTUNITY	DEER LODGE	9	61	61	2.670	76	76	PMS	4109	534	2280	8	24	10	13	26	81	74	.5
P018	2+0.123	1.1 N MILES CITY	CUSTER	12	64	64	10.937	32	32	PMS	1107	143	471	5	16	10	20	25	76	75	2.6
P016	21+0.519	3.5 S MUSSEL CO	YELLOWSTONE	11	68	68	1.739	40	40	PMS	1327	172	358	7	25	10	12	23	77	75	.4
P022	63+0.803	MEDICINE LAKE	SHERIDAN	3	63	63	.265	32	32	PMS	648	97	828	7	23	10	5	28	73	75	.1
P033	9+0.560	8.9 N LIBBY	LINCOLN	1	67	67	4.431	34	34	PMS	737	95	688	8	24	10	3	28	73	75	1.2
P031	25+0.657	8.6 N AIRBASE ROAD	VALLEY	3	55	55	6.846	24	24	PMS	348	52	353	4	17	9	11	28	69	75	2.1
P037	38+0.689	ROSEBUD CO	ROSEBUD	12	75	75	.873	40	40	PMS	1641	221	150	10	30	10	20	8	78	75	.2
P046	26+0.350	WISDOM	BEAVERHEAD	9	65	65	5.256	28	28	PMS	295	44	569	7	17	10	4	29	67	75	1.7
P039	4+0.230	NO CHEYENNE IND R	ROSEBUD	12	64	64	9.049	24	24	PMS	294	44	556	0	10	8	20	29	67	75	3.0
P006	11+0.402	BULL RIVER	SANDERS	8	63	63	.956	28	28	RMS	713	104	342	8	20	10	10	25	73	75	.3
P008	57+0.135	1.1 E BROADWATER	BROADWATER	7	72	72	8.303	34	34	PMS	2135	277	504	7	23	10	17	22	79	75	1.7
P004	54+0.307	JCT FAI 90	YELLOWSTONE	11	64	64	.224	68	68	PMS	5085	661	1392	7	22	10	20	23	82	75	
P001	611+0.926	POPLAR	ROOSEVELT	3	70	70	13.687	40	40	PMS	1653	214	304	7	22	10	20	19	78	75	3.0
P004	33+0.798	0.6 N FROMBERG	CARBON	11	68	68	8.920	40	40	PMS	2074	269	643	7	22	10	16	24	79	75	1.9
P003	16+0.870	8.8 N FAP 24	CASCADE	6	62	62	1.232	35	35	BST	1312	170	616	4	17	10	20	26	77	75	.3
P001	177+0.633	19.1 W GLACIER CO	FLATHEAD	1	69	69	2.884	34	34	PMS	740	141	456	9	23	10	7	25	74	75	.7
P057	0+0.000	JCT FAP RTE 60	CASCADE	6	60	60	5.418	32	32	PMS	1768	210	2217	4	21	10	14	29	78	75	1.2
P061	110+0.333	8.1 N FAP RTE 66	PHILLIPS	3	57	59	7.800	24	29	PMS	178	29	312	0	14	10	11	29	64	75	2.8
P057	316+0.709	12.0 E FAS 470	DAWSON	4	61	61	8.026	32	32	PMS	932	121	666	4	23	10	11	27	75	75	2.0
P061	54+0.837	9.7 N FAP RTE 57	FERGUS	5	61	61	11.832	30	30	PMS	298	50	583	0	12	10	16	29	67	75	3.9
P069	22+0.186	14.8 S BOULDER	JEFFERSON	7	57	71	6.000	24	24	PMS	477	71	554	7	22	10	4	28	71	75	1.7
P070	0+0.200	1.0 W SUPERIOR	MINERAL	8	31	52	1.035	22	24	RMS	93	12	544	0	5	5	20	30	60	76	.4
P001	597+0.243	JCT FAP RTE 32	ROOSEVELT	3	58	58	4.565	32	32	PMS	1845	221	648	6	18	10	20	25	79	76	1.0
P001	29+0.863	2.0 W LIBBY	LINCOLN	1	71	76	2.036	68	68	PMS	4278	556	1720	9	30	10	8	25	82	76	.4
P001	472+0.410	MALTA	PHILLIPS	3	67	67	8.975	40	40	PMS	1750	227	288	8	23	10	20	18	79	76	1.9
P001	280+0.100	SHELBY	TOOLE	2	54	59	11.649	32	32	PMS	1041	135	616	2	17	10	20	27	76	76	2.8
P001	348+0.215	HINGHAM	HILL	2	60	60	6.381	32	32	PMS	1041	135	672	8	22	10	9	27	76	76	1.5
P013	97+0.115	0.6 E THREE FORKS	GALLATIN	10	64	69	.217	32	32	PMS	852	110	457	9	26	10	4	26	75	76	.1
P009	12+0.411	12.4 N FAI 15	LEWIS AND CLARK	7	63	63	7.749	32	32	PMS	379	60	447	3	17	10	12	28	70	76	2.3
P048	0+0.000	JCT FAI 90	BIG HORN	11	71	71	.294	40	40	PMS	3549	461	464	9	28	10	20	15	82	76	.1
P046	58+0.032	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.832	30	33	PMS	182	27	535	6	16	10	4	29	65	76	.3
P033	54+0.527	0.7 N RES BR	LINCOLN	1	71	71	10.394	34	34	PMS	519	67	290	8	26	10	1	27	72	76	2.9
P035	3+0.381	3.3 N ST REGIS	MINERAL	8	72	72	4.299	30	30	PMS	933	153	512	8	25	10	7	26	76	76	1.0
P035	7+0.680	MINERAL-SANDERS CO	SANDERS	8	65	69	3.803	30	30	PMS	684	112	463	9	26	10	3	26	74	76	1.0
P033	14+0.002	13.3 N LIBBY	LINCOLN	1	74	74	3.652	34	34	PMS	510	66	365	9	24	10	2	27	72	76	1.0
P021	0+0.000	I15 S CONRAD	PONDERA	6	73	73	.825	40	40	PMS	726	94	616	8	26	10	2	28	74	76	.2
P020	6+0.132	4.4 N GLENDIVE	DAWSON	4	67	67	6.856	40	40	PMS	1028	133	643	7	23	10	9	27	76	76	1.6
P014	100+0.394	HARLOWTON	WHEATLAND	10	65	65	.504	40	40	PMS	1548	201	872	8	23	10	10	27	78	76	.1
P019	5+0.559	JCT FAP RTE 47	DEER LODGE	9	61	61	1.543	76	76	PMS	5462	710	2256	9	25	10	15	25	84	77	.2
P019	38+0.582	.4 N PHILIPSBURG	GRANITE	8	60	60	9.701	32	32	PMS	472	68	482	5	16	10	14	28	73	77	2.6
P032	60+0.935	9.2 N SCOBEY	DANIELS	3	45	68	4.885	24	24	RMS	98	13	384	4	16	10	2	29	61	77	1.9
P033	53+0.851	RESERV BR APPR	LINCOLN	1	71	71	.676	34	34	PMS	353	45	90	9	28	10	1	23	71	77	.2
P029	10+0.757	2.3 E VIRGINIA CTY	MADISON	9	56	56	2.337	28	28	PMS	723	151	324	5	17	10	20	23	75	77	.6
P043	29+0.037	FERGUS	FERGUS	5	63	63	6.226	28	30	PMS	300	39	639	5	20	10	6	29	70	77	1.9
P042	31+0.776	29.8 N MCCONE CO	MCCONE	4	56	64	5.463	24	34	BST	84	13	380	0	15	10	6	29	60	77	2.2
P046	73+0.646	8.3 E WISE RIVER	BEAVERHEAD	9	68	68	1.323	34	34	PMS	589	88	515	8	24	10	5	27	74	77	.3
P001	508+0.040	6.6 E VALLEY CO	VALLEY	3	66	66	7.595	40	40	PMS	1277	172	296	5	22	10	20	21	78	77	1.7
P003	84+0.363	JCT FAP 44	PONDERA	6	66	66	4.863	34	34	PMS	647	155	752	8	25	10	5	27	75	77	1.2
P001	648+0.067	3.0 E CULBERTSON	ROOSEVELT	3	61	61	8.291	32	32	PMS	750	101	629	4	14	10	20	28	76	77	2.0
P070	1+0.506	SUPERIOR	MINERAL	8	31	52	.062	22	24	RMS	225	29	716	0	14	5	20	29	68	77	
P076	6+0.848	BUTTE	SILVER BOW	9	50	50	.292	24	36	PMS	443	57	264	3	15	8	20	27	73	77	.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P080	49+0.826	JCT FAP RTE 81	FERGUS	5	53	53	1.024	24	24	RMS	168	25	494	6	17	9	4	29	65	77	.4
P087	1+0.460	1.3 E FAP 13	MADISON	9	72	72	1.586	30	30	PMS	355	76	510	7	25	10	1	28	71	77	.5
P061	102+0.308	JCT FAP RTE 66	PHILLIPS	3	57	59	8.062	24	29	PMS	259	43	462	0	14	10	16	29	69	77	2.5
P057	287+0.710	7.0 E FAP 51	MCCONE	4	64	64	2.137	32	32	PMS	688	89	403	6	21	10	11	27	75	77	.5
P061	130+0.393	25.0 S FAS RTE 363	PHILLIPS	3	42	42	6.398	20	24	RMS	285	47	354	0	14	8	20	28	70	77	1.9
P051	9+0.094	0.8 E DAWSON CO	DAWSON	4	59	59	9.669	28	28	PMS	169	23	371	0	14	10	14	29	67	78	3.2
P057	64+0.958	JCT FAP RTE 63	FERGUS	5	71	71	2.017	32	32	PMS	1441	171	672	9	27	10	8	26	80	78	.4
P064	0+0.000	JCT FAP RTE 50	GALLATIN	10	72	77	3.000	30	30	PMS	836	117	384	10	30	10	2	25	77	78	.7
P081	0+0.000	JCT FAP RTE 80	FERGUS	5	59	59	12.943	24	24	PMS	269	41	487	7	22	10	2	29	70	78	3.9
P072	5+0.118	5.1 N WYO-MONT	CARBON	11	70	70	.486	30	30	PMS	577	92	402	7	21	10	10	27	75	78	.1
P069	6+0.106	JCT FAS RTE 359	JEFFERSON	7	70	70	3.920	32	32	PMS	592	88	456	5	17	10	16	27	75	78	1.0
P001	556+0.131	NASHUA	VALLEY	3	56	70	8.685	32	32	PMS	958	129	696	7	23	10	11	27	78	78	1.9
P001	291+0.748	6.8 E FAS 417	TOOLE	2	56	59	8.023	32	32	PMS	793	103	648	2	17	10	20	28	77	78	1.8
P006	46+0.236	1.6 E BELKNAP	SANDERS	8	58	58	.985	32	32	BST	869	126	510	5	17	10	20	26	78	78	.2
P039	13+0.279	9.5 SO COLSTRIP	ROSEBUD	12	58	67	.664	24	24	PMS	314	47	280	8	25	10	1	27	71	78	.2
P043	35+0.280	ROY	FERGUS	5	62	62	7.565	30	30	PMS	234	30	639	3	20	10	7	29	69	78	2.3
P031	1+0.443	JCT FAP 1	VALLEY	3	62	62	.642	32	32	PMS	939	141	672	7	21	10	13	27	78	78	.1
P020	42+0.055	7.9 S FA RTE 51	RICHLAND	4	73	73	7.955	40	40	PMS	1743	226	281	10	27	10	16	18	81	78	1.5
P018	73+0.587	14.7 N COHAGEN	GARFIELD	5	58	65	9.391	28	28	PMS	374	48	368	6	22	10	7	28	73	78	2.5
P014	242+0.413	AHLES	ROSEBUD	12	50	63	9.949	20	24	RMS	163	25	354	0	16	9	12	29	66	78	3.4
P027	71+0.318	7.9 S WIBAUX	WIBAUX	4	65	65	2.083	28	28	PMS	464	60	312	9	26	10	2	27	74	78	.5
P027	66+0.022	10.3 N FAS 413	WIBAUX	4	65	65	5.304	28	28	PMS	401	52	504	8	23	10	4	28	73	78	1.4
P027	73+0.386	5.7 S WIBAUX	WIBAUX	4	65	65	5.731	28	28	PMS	571	74	480	8	23	10	7	28	76	79	1.4
P019	0+0.000	JCT FAI RTE 90	DEER LODGE	9	64	64	2.889	76	76	PMS	2445	317	2280	8	25	10	12	28	83	79	.5
P014	88+0.034	11.2 W HARLOWTON	WHEATLAND	10	66	66	4.784	40	40	PMS	394	51	344	8	21	10	7	28	74	79	1.2
P037	95+0.715	EPSIE	POWDER RIVER	12	60	69	7.908	28	28	PMS	672	90	368	8	27	10	6	26	77	79	1.8
P031	39+0.360	11.0 S OPHEIM	VALLEY	3	52	71	11.080	24	24	RMS	322	48	332	8	26	10	1	28	73	79	3.0
P035	12+0.947	8.4 SW FAP 6	SANDERS	8	65	69	3.151	30	30	PMS	644	106	622	10	28	10	2	27	77	79	.7
P046	7+0.770	6.6 E IDAHO LINE	BEAVERHEAD	9	60	63	9.393	28	28	PMS	435	65	448	8	23	10	6	28	75	79	2.3
P043	14+0.838	JCT FAS RTE 236	FERGUS	5	63	63	10.462	28	30	PMS	271	35	469	3	18	10	12	29	72	79	2.9
P041	27+0.495	JCT FAS 271	POWELL	8	57	72	5.017	24	24	PMS	231	38	237	7	20	10	5	28	70	79	1.5
P043	0+0.633	LEWISTOWN LIMITS	FERGUS	5	77	77	.748	48	48	PMS	2791	362	1512	10	30	10	7	26	83	79	.1
P046	75+0.066	SILVER BOW CO LINE	SILVER BOW	9	68	68	1.422	34	34	PMS	581	87	529	9	26	10	3	28	76	79	.3
P045	7+0.339	6.7 N BIG TIMBER	SWEET GRASS	10	69	69	.695	30	30	RMS	532	69	549	8	25	10	5	28	76	79	.2
P042	0+0.000	JCT FAP RTE 57	GARFIELD	5	60	64	1.990	24	40	BST	159	25	902	0	8	10	20	30	68	79	.6
P008	27+0.627	LEWIS & CLARK CO	LEWIS AND CLARK	7	77	77	2.263	56	56	PMS	1440	187	1200	10	30	10	3	28	81	79	.4
P008	27+0.319	0.3 W L & C CO	POWELL	8	77	77	.308	56	56	PMS	1347	175	1200	10	30	10	3	28	81	79	.1
P004	23+0.235	1.5 S FAP 72	CARBON	11	72	72	1.501	40	40	PMS	1294	168	266	8	26	10	15	21	80	79	.3
P002	34+0.095	2.6 E LOCATE	CUSTER	12	65	65	11.760	40	40	PMS	411	53	569	6	17	10	12	29	74	79	3.1
P080	39+0.544	1.5 S SQUARE BUTTE	CHOUTEAU	6	64	64	6.073	28	28	PMS	181	27	377	3	17	10	10	29	69	79	1.9
P050	70+0.197	11.7 S FAP 84 85	GALLATIN	10	58	60	6.250	32	32	PMS	1489	233	696	8	25	10	13	25	81	79	1.2
P057	17+0.930	7.5 E FAS 427	JUDITH BASIN	6	64	64	3.967	32	32	PMS	1478	175	536	7	19	10	20	25	81	79	.8
P050	16+0.625	8.3 N FAP RTE 87	GALLATIN	10	63	63	14.593	32	32	PMS	745	116	648	5	16	10	20	27	78	79	3.2
P059	20+0.487	5.1 N CLYDE PARK	PARK	10	73	73	4.228	32	32	PMS	635	95	696	8	26	10	5	28	77	79	1.0
P060	60+0.343	10.7 N MONARCH	CASCADE	6	69	69	1.923	48	48	PMS	416	62	520	9	27	10	2	28	76	80	.5
P061	7+0.094	6.0 N ROUNDUP	MUSSELSHELL	11	77	77	6.000	40	40	PMS	1092	141	252	10	30	10	9	22	81	80	1.1
P060	17+0.022	11.6 S CASCADE CO	MEAGHER	10	59	63	8.316	26	26	PMS	424	63	471	6	21	10	11	28	76	80	2.0
P078	19+0.686	ROSCOE	CARBON	11	60	60	4.234	24	24	PMS	352	58	440	7	26	9	4	28	74	80	1.1
P087	3+0.037	6.7 E FAP 13	MADISON	9	63	63	3.728	30	30	PMS	393	84	562	7	26	10	4	28	75	80	.9
P001	262+0.815	TOOLE CO	TOOLE	2	67	67	.272	40	40	PMS	1309	196	680	6	19	10	20	26	81	80	.1
P001	171+0.169	25.6 W GLACIER CO	FLATHEAD	1	66	66	6.460	32	32	PMS	693	132	365	6	17	10	20	25	78	80	1.4
P001	307+0.040	LIBERTY CO	LIBERTY	2	57	62	.983	32	32	PMS	829	107	680	4	17	10	20	28	79	80	.2
P002	0+0.000	I94 W MILES CITY	CUSTER	12	62	62	.908	32	32	PMS	1092	123	567	7	17	10	20	27	81	80	.2
P032	51+0.737	SCOBEY	DANIELS	3	58	68	9.190	24	26	PMS	242	33	520	8	23	10	2	29	72	80	2.6
P035	11+0.483	3.8 NE MINERAL CO	SANDERS	8	63	69	1.464	30	30	PMS	663	109	488	10	28	10	3	27	78	80	.3

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P037	27+0.205	2.7 E BUSBY	BIG HORN	11	76	76	5.843	24	24	PMS	1469	198	212	9	28	10	20	16	83	81	1.0
P042	8+0.299	6.3 N MCCONE CO	MCCONE	4	63	64	11.418	24	42	BST	98	15	627	0	6	10	20	30	66	81	3.9
P018	13+0.047	7.0 S ROSEBUD CO	CUSTER	12	63	63	5.000	30	30	PMS	256	33	535	3	14	10	17	29	73	81	1.4
P022	0+0.523	SCOBEY	DANIELS	3	65	65	7.070	32	32	PMS	688	103	621	7	21	10	14	28	80	81	1.4
P028	90+0.985	BOYD	CARBON	11	74	74	4.433	40	40	PMS	1332	266	309	10	30	10	15	17	82	81	.8
P023	130+0.301	9.6 N WYO LINE	CARTER	12	65	65	9.551	40	40	PMS	568	85	552	2	18	10	20	28	78	81	2.1
P002	6+0.197	I 94 E MILES CITY	CUSTER	12	62	62	.689	32	32	PMS	627	81	302	7	22	10	14	26	79	81	.1
P003	95+0.089	5.9 N GLACIER CO	GLACIER	2	66	66	5.926	34	34	PMS	635	153	664	9	26	10	7	27	79	81	1.2
P006	2+0.265	2.3 E IDAHO LINE	SANDERS	8	63	63	2.361	28	28	RMS	536	78	312	5	18	9	20	26	78	81	.5
P008	107+0.893	JCT FAI 90	BROADWATER	7	52	52	.961	24	28	RMS	1196	155	503	7	20	10	20	25	82	81	.2
P008	55+0.995	BROADWATER CO	BROADWATER	7	69	69	1.139	40	40	PMS	1947	253	320	9	27	10	20	18	84	81	.2
P013	74+0.873	0.5 S HARRISON	MADISON	9	76	76	5.908	32	32	PMS	554	85	696	8	27	10	5	28	78	81	1.3
P078	25+0.103	CARBON-STILLWATER	STILLWATER	11	60	60	2.309	24	24	PMS	287	47	348	9	27	9	1	28	74	81	.6
P051	18+0.776	10.5 E DAWSON CO	DAWSON	4	59	59	8.456	28	28	PMS	181	25	342	0	13	10	19	29	71	81	2.5
P055	12+0.988	WHITEHALL	JEFFERSON	7	66	66	.090	32	32	PMS	1550	255	340	9	26	10	20	19	84	82	
P050	10+0.485	2.4 N FAP RTE 87	GALLATIN	10	63	63	6.020	32	32	PMS	746	117	510	7	17	10	20	27	81	82	1.1
P061	21+0.885	PETROLEUM CO	PETROLEUM	5	63	63	4.714	30	30	PMS	677	88	522	7	20	10	16	27	80	82	.9
P080	29+0.129	GERALDINE	CHOUTEAU	6	64	64	5.317	28	28	PMS	247	37	600	6	23	10	7	29	75	82	1.3
P010	29+0.728	13.5 N CHOUTEAU CO	CHOUTEAU	6	64	64	9.834	32	32	PMS	1869	242	720	7	23	10	20	25	85	82	1.5
P011	30+0.977	JCT COUNTY ROAD	PARK	10	61	61	9.708	32	32	PMS	980	210	817	8	25	10	13	26	82	82	1.7
P009	0+0.000	JCT FAI 15	LEWIS AND CLARK	7	67	67	2.209	30	30	PMS	334	53	697	8	25	10	4	29	76	82	.5
P008	25+0.581	1.9 W L & C CO	POWELL	8	73	73	1.668	56	56	PMS	1198	155	2000	9	27	10	8	29	83	82	.3
P001	423+0.924	0.8 W HARLEM	BLAINE	2	68	68	.797	40	40	PMS	1702	221	304	8	27	10	20	19	84	82	.1
P014	270+0.888	FORSYTH SPUR	ROSEBUD	12	77	77	.332	28	28	PMS	1852	240	391	9	25	10	20	21	85	82	
P014	217+0.153	10.0 E ROSEBUD CO	ROSEBUD	12	48	63	7.269	25	25	RMS	242	38	408	0	15	10	20	29	74	82	1.9
P042	46+0.037	10.2 S VALLEY CO	MCCONE	4	57	64	6.173	24	32	BST	105	16	642	0	10	10	18	30	68	82	2.0
P048	18+0.321	4.4 S YELLOWSTONE	BIG HORN	11	63	63	4.388	28	28	PMS	502	70	353	9	27	10	6	27	79	82	.9
P050	7+0.330	7.2 N WEST YELL	GALLATIN	10	64	64	1.047	34	34	PMS	1467	322	774	8	22	10	20	24	84	82	.2
P037	41+0.208	0.8 W LAME DEER	ROSEBUD	12	75	75	.872	48	48	PMS	1967	265	272	10	30	10	20	15	85	82	.1
P046	0+0.000	JCT FAP RTE 7	RAVALLI	8	60	63	.105	28	28	PMS	298	44	498	10	28	10	0	29	77	83	
P048	29+0.507	0.3 S JCT I 94	YELLOWSTONE	11	74	74	.302	34	34	PMS	492	68	399	10	30	10	3	27	80	83	.1
P019	30+0.851	7.7 S PHILIPSBURG	GRANITE	8	57	76	7.703	32	32	PMS	689	99	568	8	26	10	11	27	82	83	1.4
P019	62+0.597	1.0 S DRUMMOND	GRANITE	8	66	66	.628	40	40	PMS	681	98	258	9	26	10	13	24	82	83	.1
P022	73+0.852	2.0 S ROOSEVELT CO	ROOSEVELT	3	71	71	1.992	32	32	PMS	601	90	532	9	25	10	10	27	81	83	.4
P001	446+0.310	PHILLIPS CO	PHILLIPS	3	73	73	7.360	40	40	PMS	1100	143	304	7	24	10	20	23	84	83	1.2
P001	481+0.373	9.0 E MALTA	PHILLIPS	3	67	67	7.671	40	40	PMS	1101	143	304	8	23	10	20	23	84	83	1.2
P001	571+0.774	FRAZER	VALLEY	3	58	76	9.318	24	32	PMS	1299	175	720	4	24	10	20	26	84	83	1.5
P001	32+0.748	LIBBY	LINCOLN	1	71	76	.561	68	68	PMS	7451	894	1680	9	28	10	20	22	89	83	.1
P003	83+0.648	8.4 N DUPUYER	PONDERA	6	66	66	.713	34	34	PMS	455	109	584	9	26	10	7	27	79	83	.1
P013	0+0.000	IDAHO LINE	MADISON	9	62	76	8.564	32	32	BST	284	56	630	7	24	10	7	29	77	83	2.0
P086	31+0.492	GALLATIN-PARK CO	PARK	10	63	63	6.738	28	28	PMS	155	23	534	4	16	10	13	29	72	83	1.9
P060	0+0.000	JCT FAP RTE 14	MEAGHER	10	55	69	9.550	28	28	PMS	465	69	554	9	26	10	7	28	80	83	1.9
P078	24+0.317	STILLWATER-CARBON	CARBON	11	60	60	.786	24	24	PMS	329	54	522	9	27	10	5	28	79	84	.2
P066	37+0.321	12.7 S JCT FAP I	BLAINE	2	59	59	12.714	28	28	PMS	466	74	478	5	18	10	20	28	81	84	2.4
P006	102+0.193	6.6 E PERMA	SANDERS	8	69	69	.754	32	32	PMS	823	122	781	7	23	10	15	28	83	84	.1
P001	341+0.907	0.3 E FAS RTE 432	HILL	2	60	60	5.813	32	32	PMS	1367	177	720	7	22	10	20	26	85	84	.9
P001	169+0.063	15.8 E WEST GLAC	FLATHEAD	1	75	75	2.107	32	32	PMS	714	136	478	7	26	10	14	26	83	84	.4
P002	45+0.880	5.9 W FALLON CO	CUSTER	12	67	67	5.873	40	40	PMS	360	46	406	6	16	10	20	28	80	84	1.2
P002	51+0.731	FALLON CO	FALLON	12	67	67	6.054	40	40	PMS	404	52	431	6	16	10	20	28	80	84	1.2
P018	63+0.374	4.4 N COHAGEN	GARFIELD	5	67	67	10.222	30	30	PMS	310	40	567	7	24	10	8	29	78	84	2.2
P014	116+0.456	6.1 W GOLD VAL	WHEATLAND	10	67	67	6.108	40	40	PMS	812	105	247	8	24	10	17	24	83	84	1.0
P033	17+0.654	LIBBY DAM APPR	LINCOLN	1	74	74	12.374	34	34	PMS	266	34	307	10	28	10	2	28	78	84	2.7
P033	42+0.817	11.0 S RES BR APPR	LINCOLN	1	74	74	11.169	34	34	PMS	186	24	159	9	27	10	1	28	75	84	2.8
P035	16+0.098	5.3 SW FAP 6	SANDERS	8	68	69	5.348	30	30	PMS	612	100	414	10	28	10	8	26	82	84	1.0
P037	84+0.754	2.1 E FOR BORY	POWDER RIVER	12	58	69	10.979	28	28	PMS	602	81	435	6	20	10	20	27	83	85	1.9

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	AOJ	DEFIC MILES
P037	39+0.577	0.8 E ROSEBUD CO	ROSEBUD	12	75	75	1.113	48	48	PMS	1770	238	272	10	30	10	20	17	87	85	.1
P042	37+0.240	35.3 N MCCONE CO	MCCONE	4	57	64	8.785	24	32	BST	75	12	627	0	9	10	20	30	69	85	2.7
P023	27+0.819	22.7 N POWDER R CO	CUSTER	12	77	77	5.365	34	34	PMS	463	67	666	10	30	10	4	28	82	85	1.0
P027	54+0.746	WIBAUX CO	WIBAUX	4	65	65	11.265	28	28	PMS	354	46	522	7	22	10	13	29	81	85	2.1
P002	57+0.771	JCT. FAS RTE. 320	FALLON	12	58	72	12.363	32	32	PMS	487	63	592	7	25	10	12	28	82	85	2.2
P001	263+0.107	0.3 E TOOLE CO	TOOLE	2	65	65	7.491	32	32	PMS	1376	206	720	8	22	10	20	26	86	85	1.0
P004	19+0.206	6.5 S BRIDGER	CARBON	11	72	72	4.035	32	32	PMS	957	124	448	5	24	10	20	26	85	85	.6
P010	39+0.561	0.4 N FT BENTON	CHOUTEAU	6	74	74	12.039	32	32	PMS	1231	160	621	10	28	10	12	26	86	85	1.7
P057	296+0.860	7.1 E DAWSON CO	DAWSON	4	76	76	9.622	32	32	PMS	645	83	666	10	30	10	6	28	84	85	1.5
P057	306+0.463	2 MI E LINDSAY	DAWSON	4	67	67	10.240	40	40	PMS	753	97	296	7	25	10	17	25	84	85	1.6
P057	161+0.578	3.1 E GARFIELD CO	GARFIELD	5	68	68	9.598	36	36	PMS	331	50	425	5	20	10	17	28	80	85	1.9
P051	0+0.000	JCT FAP RTE 57	MCCONE	4	60	61	3.326	30	30	PMS	411	57	655	7	23	10	13	29	82	86	.6
P057	289+0.828	DAWSON CO	DAWSON	4	64	64	7.066	32	32	PMS	634	82	448	7	21	10	20	27	85	86	1.1
P060	62+0.121	9.2 S FAP RTE 57	CASCADE	6	69	69	9.198	40	40	PMS	492	73	568	9	27	10	9	28	83	86	1.6
P010	89+0.417	HILL CO	HILL	2	30	70	.189	30	30	RMS	1263	164	702	7	24	10	20	26	87	86	
P014	42+0.708	WHITE SULPHUR	MEAGHER	10	65	65	2.417	40	40	PMS	657	98	326	8	22	10	20	25	85	86	.4
P013	93+0.067	0.3 W FAP 8	BROADWATER	7	68	68	.296	40	40	RMS	529	68	96	9	26	10	20	19	84	86	
P003	89+0.220	GLACIER CO	GLACIER	2	68	68	5.858	34	34	PMS	700	168	697	9	27	10	13	26	85	86	.9
P004	0+0.000	WYOMING LINE	CARBON	11	49	49	.516	24	30	RMS	954	124	648	8	21	10	20	27	86	86	.1
P001	428+0.518	JCT FAP 66	BLAINE	2	68	68	.553	40	40	PMS	1382	179	264	9	28	10	20	20	87	86	.1
P001	554+0.658	0.5 W NASHUA	VALLEY	3	56	70	.526	32	32	PMS	1412	190	544	7	25	10	20	25	87	86	.1
P022	52+0.606	9.2 S JCT FAP 30	SHERIDAN	3	63	63	11.140	32	32	PMS	709	106	621	6	22	10	20	27	85	86	1.7
P014	122+0.568	GOLDEN VALLEY CO	GOLDEN VALLEY	11	67	67	2.375	40	40	PMS	806	104	260	8	24	10	20	24	86	86	.3
P042	52+0.226	4.0 S VALLEY CO	MCCONE	4	36	66	4.061	28	28	RMS	155	24	448	6	24	10	8	29	77	86	.9
P040	0+0.000	JCT FAI 94	PRAIRIE	4	72	72	.116	40	40	PMS	1315	170	289	9	27	10	20	21	87	86	
P033	30+0.033	FIVE MILE CR	LINCOLN	1	74	74	12.783	34	34	PMS	179	23	174	10	28	10	2	28	78	86	2.8
P031	50+0.833	OPHEIM	VALLEY	3	57	66	10.022	28	28	PMS	79	11	448	7	21	8	6	30	72	87	2.8
P042	19+0.720	17.7 N MCCONE CO	MCCONE	4	62	71	12.052	30	30	PMS	88	14	388	4	21	10	10	29	74	87	3.1
P044	27+0.865	0.5 W JCT I15	PONDERA	6	72	72	.523	34	34	PMS	541	76	688	9	28	10	10	28	85	87	.1
P046	4+0.107	2.9 E IDAHO LINE	BEAVERHEAD	9	60	63	3.674	28	28	PMS	304	45	501	7	16	10	20	29	82	87	.7
P046	36+0.881	4.9 W DEER LODGE CO	BEAVERHEAD	9	65	65	4.966	26	26	PMS	261	39	398	7	18	10	17	29	81	87	.9
P014	265+0.114	12.6 E VANADA	ROSEBUD	12	57	75	5.387	32	32	PMS	256	40	546	10	30	10	2	29	81	87	1.0
P014	92+0.813	6.5 W HARLOWTON	WHEATLAND	10	68	68	6.513	40	40	PMS	571	74	344	8	21	10	19	27	85	87	1.0
P018	58+0.960	COHAGEN	GARFIELD	5	76	76	4.360	30	30	PMS	263	34	548	10	28	10	5	29	82	87	.8
P004	24+0.736	JCT FAP 72	CARBON	11	72	72	.940	40	40	PMS	2705	351	896	9	28	10	19	24	90	87	.1
P008	23+0.218	2.3 E ELLISTON	POWELL	8	73	73	2.363	56	56	PMS	1166	151	2000	9	28	10	12	29	88	87	.3
P006	90+0.589	4.6 W PERMA	SANDERS	8	69	69	3.542	32	32	PMS	806	120	529	8	22	10	20	27	87	87	.5
P054	9+0.128	BIDDLE	POWDER RIVER	12	68	68	8.767	30	32	PMS	253	32	529	8	26	10	8	29	81	87	1.7
P068	1+0.259	CASCADE	CASCADE	6	63	63	.235	30	30	PMS	1038	155	317	9	25	10	20	23	87	87	
P057	57+0.839	3.4 E MOCCASIN	JUDITH BASIN	6	71	71	6.520	32	32	PMS	1462	173	585	8	26	10	19	26	89	88	.7
P062	8+0.836	5.0 S RICHLAND CO	RICHLAND	4	70	70	3.328	34	34	PMS	655	98	360	8	23	10	20	26	87	88	.4
P013	8+0.630	JCT FAP 87	MADISON	9	66	66	7.813	40	40	PMS	328	65	697	9	26	10	10	29	84	88	1.3
P011	19+0.339	0.4 S FAS 540	PARK	10	61	61	11.618	32	32	PMS	886	190	817	8	25	10	18	27	88	88	1.4
P014	45+0.138	JCT FAP RTE 60	MEAGHER	10	65	65	3.943	40	40	PMS	342	44	485	6	19	10	20	29	84	88	.6
P009	1+0.950	1.9 N FAI 15	LEWIS AND CLARK	7	59	59	10.453	32	32	PMS	340	54	411	6	20	10	20	28	84	88	1.7
P001	322+0.620	CHESTER	LIBERTY	2	77	77	3.787	40	40	PMS	1598	207	304	10	30	10	20	20	90	88	.4
P001	414+0.015	1.0 E ZURICH	BLAINE	2	56	73	7.314	32	32	PMS	1979	257	720	9	28	10	18	25	90	88	.7
P002	13+0.171	7.0 E JCT FAI 94	CUSTER	12	70	70	7.734	34	34	PMS	574	74	448	8	26	10	15	28	87	88	1.0
P046	16+0.966	9.2 W WISDOM	BEAVERHEAD	9	62	62	9.226	30	30	PMS	365	54	600	6	19	10	20	29	84	88	1.5
P046	31+0.616	5.3 E WISDOM	BEAVERHEAD	9	65	65	5.283	26	26	PMS	277	41	595	8	18	10	18	29	83	88	.9
P046	1+0.166	IDAHO LINE	BEAVERHEAD	9	60	63	2.945	28	28	PMS	297	44	387	7	18	10	20	28	83	88	.5
P039	13+0.943	8.8 SO COLSTRIP	ROSEBUD	12	58	77	7.467	26	26	PMS	373	55	396	9	30	10	7	28	84	88	1.2
P041	11+0.754	11.7 N FAP 8	POWELL	8	77	77	5.121	28	28	PMS	164	27	312	10	20	10	2	29	81	89	1.0
P042	56+0.288	VALLEY CO	VALLEY	3	36	66	2.293	30	36	RMS	189	30	720	8	26	10	9	29	82	89	.4
P045	37+0.865	6.0 S HARLOWTON	WHEATLAND	10	70	70	5.994	32	32	PMS	384	49	616	8	19	10	20	29	86	89	.8

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN YEARS DIST	BT	IM	SECTION LENGTH	WIDTH SRF	RDY	SUF TYP	ADT	DHV	SERVICE VOLUME	SUFFICIENCY RATINGS FED	SRF	DEF	SAF	CAP	TOT	ADJ	OFFIC MILES
P043	25+0.294	10.5 N FAS 236	FERGUS	5	63	63	3.736	26	30	PMS	277	36	500	5	20	10	20	29	84	89	.6
P021	4+0.995	CONRAD	PONDERA	6	73	73	.174	40	40	PMS	1507	195	289	10	30	10	20	20	90	89	
P020	28+0.894	5.8 N RICHLAND CO	RICHLAND	4	75	75	2.598	40	40	PMS	1205	156	296	10	28	10	20	22	90	89	.3
P009	20+0.149	JCT FAP 24	LEWIS AND CLARK	7	63	63	.726	32	32	PMS	299	47	365	8	19	10	20	28	85	89	.1
P014	2+0.399	JCT FAS RTE 284	BROADWATER	7	64	64	4.000	32	32	PMS	641	96	548	8	23	10	20	27	89	89	.5
P010	84+0.818	4.8 N BIG SANDY	CHOUTEAU	6	70	70	1.223	32	32	PMS	1315	170	720	8	26	10	20	26	90	89	.1
P011	1+0.365	1.3 N GARDINER	PARK	10	71	71	4.308	34	34	PMS	944	202	597	8	26	10	20	25	89	89	.5
P051	27+0.527	RICHEY	DAWSON	4	58	77	5.039	24	32	PMS	226	31	592	8	30	10	6	29	83	89	.9
P057	280+0.776	JCT FAP RTE 51	MCCONE	4	66	66	6.933	32	32	PMS	852	110	621	7	25	10	20	27	89	89	.8
P051	49+0.250	LAMBERT	RICHLAND	4	56	77	10.645	24	28	PMS	259	36	436	6	30	10	7	29	84	89	1.7
P057	241+0.447	2.5 E FAS 462	GARFIELD	5	68	68	1.022	36	36	RMS	340	52	212	7	22	10	20	26	85	89	.2
P057	156+0.721	1.6 W GARFIELD CO	PETROLEUM	5	73	73	1.663	30	30	PMS	330	50	567	10	30	10	7	29	86	90	.2
P080	14+0.671	12.2 S FT BENTON	CHOUTEAU	6	62	62	9.506	30	30	PMS	345	52	410	7	22	10	20	28	87	90	1.2
P080	34+0.440	5.3 S GERALDINE	CHOUTEAU	6	65	65	5.097	28	28	PMS	208	31	621	5	21	10	20	29	85	90	.8
P001	321+0.077	0.6 W CHESTER	LIBERTY	2	77	77	.701	40	40	PMS	1244	161	264	10	30	10	20	21	91	90	.1
P018	53+0.390	5.4 S COHAGEN	GARFIELD	5	77	77	5.433	30	30	PMS	249	32	392	10	30	10	6	29	85	90	.8
P028	60+0.000	8.7 S RED LODGE	CARBON	11	69	69	4.227	34	34	PMS	545	122	522	8	25	10	20	26	89	90	.5
P051	3+0.340	3.3 E FAP RTE 57	MCCONE	4	60	61	5.001	30	30	PMS	256	35	463	6	21	10	20	29	86	90	.7
P046	51+0.307	BEAVERHEAD CO LINE	BEAVERHEAD	9	61	61	.089	26	28	PMS	184	27	501	7	18	10	20	29	84	90	
P039	51+0.155	0.1 SO JCT I 94	ROSEBUD	12	67	67	.157	28	28	PMS	910	136	318	10	26	10	20	24	90	90	
P040	0+0.150	TERRY	PRAIRIE	4	72	72	.253	40	40	PMS	1315	170	526	9	27	10	20	25	91	90	
P022	75+0.881	FROID	ROOSEVELT	3	71	71	5.469	32	32	PMS	686	103	592	9	24	10	20	27	90	91	.5
P001	555+0.899	NASHUA	VALLEY	3	56	70	.095	32	32	PMS	1078	145	529	9	27	10	20	26	92	91	
P001	326+0.338	3.8 E CHESTER	LIBERTY	2	76	76	6.154	40	40	PMS	1271	165	304	10	30	10	20	22	92	91	.5
P013	16+0.388	7.7 N FAP 87	MADISON	9	69	69	4.975	40	40	PMS	375	75	664	8	23	10	20	28	89	91	.5
P011	16+0.633	3.1 S FAS 540	PARK	10	61	61	2.712	32	32	PMS	894	192	617	9	26	10	20	26	91	91	.2
P006	95+0.631	PERMA	SANDERS	8	57	76	3.633	30	30	PMS	794	118	468	9	28	8	20	26	91	91	.3
P051	59+0.918	10.6 E LAMBERT	RICHLAND	4	55	77	11.192	24	28	PMS	468	65	395	6	30	10	13	28	89	91	1.2
P057	180+0.288	SAND SPRINGS	GARFIELD	5	73	73	11.648	32	32	PMS	326	49	400	8	26	10	17	29	89	92	1.3
P057	64+0.443	FERGUS CO	FERGUS	5	71	71	.515	32	32	PMS	1540	183	546	10	28	10	20	25	93	92	
P057	158+0.394	GARFIELD CO	GARFIELD	5	73	73	3.184	30	30	PMS	358	54	567	9	26	10	13	29	89	92	.4
P087	0+0.000	JCT FAP 13	MADISON	9	63	63	1.393	30	30	PMS	347	74	519	7	24	10	20	28	89	92	.2
P011	5+0.566	5.0 N GARDINER	PARK	10	69	69	5.149	34	34	PMS	642	191	697	9	27	10	20	26	92	92	.4
P019	63+0.222	0.6 S DRUMMOND	GRANITE	8	66	66	.449	32	32	PMS	689	99	774	9	25	10	20	28	92	92	
P048	22+0.705	YELLOWSTONE CO	YELLOWSTONE	11	63	63	3.682	28	28	PMS	467	65	332	9	27	10	18	27	91	92	.3
P051	32+0.582	RICHLAND CO	RICHLAND	4	58	77	5.840	24	32	PMS	189	26	425	8	28	10	13	29	89	93	.7
P051	38+0.441	5.8 E RICHLAND CO	RICHLAND	4	57	77	10.781	24	28	PMS	227	31	524	8	30	10	13	29	90	93	1.1
P042	58+0.581	JCT FAP RTE 17	VALLEY	3	36	66	.600	30	36	RMS	648	103	696	8	26	10	20	28	92	93	
P011	1+0.019	GARDINER NO	PARK	10	75	75	.346	34	34	PMS	980	210	752	9	28	10	20	26	93	93	
P013	21+0.332	9.3 S FAS 357	MADISON	9	71	71	2.992	40	40	PMS	443	88	597	8	25	10	20	28	91	93	.3
P080	24+0.255	3.9 N GERALDINE	CHOUTEAU	6	64	64	3.984	30	30	PMS	305	46	576	7	24	10	20	29	90	93	.4
P078	47+0.250	COLUMBUS	STILLWATER	11	72	72	.433	44	44	PMS	1209	157	795	9	28	10	20	27	94	93	
P078	23+0.920	CARBON-STILLWATER	STILLWATER	11	60	60	.397	24	24	PMS	425	70	394	9	26	10	20	27	92	93	
P059	24+0.884	JCT FAP RTE 86	PARK	10	73	73	4.765	32	32	PMS	311	46	720	8	23	10	20	29	90	93	.5
P059	29+0.649	8.3 S MEAGHER CO	PARK	10	73	73	8.379	32	32	PMS	251	37	696	9	28	10	15	29	91	94	.8
P046	77+0.114	DIVIDE EAST	SILVER BOW	9	76	76	.784	34	34	PMS	560	84	381	10	30	10	16	27	93	94	.1
P051	8+0.342	DAWSON CO	DAWSON	4	60	61	.775	30	30	PMS	163	22	702	8	24	10	20	30	92	95	.1
P045	22+0.797	5.4 S WHEATLAND CO	SWEET GRASS	10	69	69	1.029	30	30	RMS	397	51	329	10	26	10	20	28	94	95	.1
P023	14+0.654	12.4 S FAI RTE 94	CUSTER	12	62	76	13.187	28	28	PMS	512	74	600	9	28	10	20	28	95	95	.7
P014	270+0.819	FORSYTH	ROSEBUD	12	77	77	.068	40	40	PMS	980	155	530	10	30	10	20	26	96	96	
P048	26+0.401	3.7 N YELLOWST CO	YELLOWSTONE	11	63	63	3.103	28	28	PMS	472	66	579	10	27	10	20	28	95	96	.2
P037	40+0.709	1.3 W LAME DEER	ROSEBUD	12	75	75	.522	56	56	PMS	1877	253	1368	10	30	10	20	27	97	96	
P013	80+0.773	GALLATIN CO LINE	GALLATIN	10	76	76	1.444	32	32	PMS	481	74	529	9	28	10	20	28	95	96	.1
P069	38+0.095	BOULDER	JEFFERSON	7	73	73	.303	40	40	PMS	1095	164	795	10	30	10	20	27	97	96	
P054	17+0.695	8.8 N BIDDLE	POWDER RIVER	12	74	75	5.910	30	30	PMS	273	35	530	9	30	10	20	29	98	98	.1

SUFFICIENCY RATINGS BY SECTIONS -- STATEWIDE

RT-#	MILEPOINT	SECTION DESCRIPTION	COUNTY	FIN DIST	YEARS BT	YEARS IM	SECTION LENGTH	WIDTH SRF	WIDTH ROY	SUF TYP	AOT	OHV	SERVICE VOLUME	SUFFICIENCY RATINGS FNO	SRF	ORN	SAF	CAP	TOT	ADJ	DEFIC MILES
P054	23+0.736	5.6 S FA RTE 23	POWDER RIVER	12	76	76	5.516	30	30	PMS	311	40	512	10	28	10	20	29	97	98	.2
P014	48+0.995	3.9 E FAP 60	MEAGHER	10	76	76	6.934	36	36	PMS	271	35	226	10	30	10	20	28	98	98	.1
P002	27+0.464	4.1 W LOCATE	CUSTER	12	73	73	6.280	34	34	PMS	467	60	448	10	30	10	20	28	98	98	.1
P002	20+0.911	10.6 W LOCATE	CUSTER	12	75	75	6.533	34	34	PMS	455	59	425	10	30	10	20	28	98	98	.1
P022	71+0.833	ROOSEVELT CO	ROOSEVELT	3	76	76	2.019	32	32	PMS	529	79	621	10	30	10	20	28	98	98	
P022	64+0.346	MEDICINE LAKE	SHERIDAN	3	76	76	7.509	32	32	PMS	588	88	562	10	30	10	20	28	98	98	.2
P025	47+0.004	JCT FAP 32	ROOSEVELT	3			5.381	UNDER CONSTRUCTION													
P027	44+0.455	8.6 N BAKER	FALLON	12			10.261	UNDER CONSTRUCTION													
P045	23+0.831	4.4 S WHEATLAND CO	SWEET GRASS	10			4.429	UNDER CONSTRUCTION													
P045	15+0.771	15.2 N BIG TIMBER	SWEET GRASS	10			7.041	UNDER CONSTRUCTION													
P001	564+0.858	8.8 E NASHUA	VALLEY	3			6.923	UNDER CONSTRUCTION													
P001	454+0.550	DODSON	PHILLIPS	3			3.137	UNDER CONSTRUCTION													
P001	457+0.675	3.1 E DODSON	PHILLIPS	3			9.025	UNDER CONSTRUCTION													
P001	213+0.173	3.9 E EAST GLAC	GLACIER	2			5.712	UNDER CONSTRUCTION													
P008	49+0.568	EAST HELENA	LEWIS AND CLARK	7			3.267	UNDER CONSTRUCTION													
P008	78+0.114	TOWNSEND	BROADWATER	7			9.673	UNDER CONSTRUCTION													
P008	0+0.000	JCT FAI 90	POWELL	8			3.899	UNDER CONSTRUCTION													
P008	46+0.471	HELENA	LEWIS AND CLARK	7			2.060	UNDER CONSTRUCTION													
P008	30+0.034	2.2E LEW & CL CO	LEWIS AND CLARK	7			4.151	UNDER CONSTRUCTION													
P062	3+0.941	RICHLAND CO	RICHLAND	4			4.894	UNDER CONSTRUCTION													
P062	2+0.037	0.5 S CULBERTSON	ROOSEVELT	3			1.845	UNDER CONSTRUCTION													
P080	5+0.120	2.7 S FORT BENTON	CHOUTEAU	6			9.572	UNDER CONSTRUCTION													
P093	21+0.095	11.4 W FAP RTE 7	MISSOULA	8			11.466	UNDER CONSTRUCTION													
P093	16+0.488	16.0 W FAP RTE 7	MISSOULA	8			4.609	UNDER CONSTRUCTION													
		SYSTEM TOTAL					5266.265														382024.5